
BATTLETECH™

RECORD SHEETS



SUCCESSION WARS


CATALYST game labs™

ERAS

The record sheets in this volume indicate which era they first appeared in; see p. 3 for an explanation of *BattleTech* Eras.

IRON WIND METALS

The *BattleTech: Beginner Box* and *BattleTech: A Game of Armored Combat* both include high-quality plastic BattleMech miniatures, as well as stand-up counters, for use in your game. However, while you can substitute those plastic miniatures or stand-up counters for any BattleMech, Iron Wind Metals produces a complete line of metal miniatures. If you see a BattleMech in *Technical Readout: Succession Wars* (or in this Record Sheet booklet) that you want, simply visit www.ironwindmetals.com to order that miniature.



CREDITS

Record Sheet Application
Sebastian Brocks
Carl Spain
Jason Tighe
Nicholas Walczak

Project Development
Ray Arrastia
David Kerber

Data Entry
Johannes Heidler
Dave Nawton
Peter Smith

BattleTech Line Developer
Brent Evans
Assistant Line Developer
Ray Arrastia

Production Staff
Art Direction
Randall N. Bills
Brent Evans
Cover Art
Marco Mazzoni
Cover Design
David Kerber
Additional Design
David Kerber
Illustrations
Ray Arrastia
Doug Chaffee
Brent Evans
Duane Loose
Matt Plog
Anthony Scroggins

Proofreaders
Ray "Adrian Gideon" Arrastia, Joel Bancroft-Connors, Sebastian "BeeRockxs" Brocks, Rich Cencarik, Joshua "nckestrel" Franklin, Térence "Weirdo" Harris, Johannes "jymset" Heidler, David "Dak" Kerber, Dave "Hammer" Nawton, Luke "Jellico" Robertson, Chris Smith, Peter Smith, Jason Tighe, Chris Wheeler.

©2019 The Topps Company, Inc. All Rights Reserved. BattleTech Record Sheets: Succession Wars, BattleTech, 'Mech, BattleMech, MechWarrior and Topps logo are registered trademarks and/or trademarks of The Topps Company, Inc. in the United States and/or other countries. No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior permission in writing of the Copyright Owner, nor be otherwise circulated in any form other than that in which it is published.

RECORD SHEETS

NOTES

This record sheet volume is organized like its corresponding Technical Readout. Hyperlinks off of each unit name in the TOC will enable players to instantly move to a given unit's record sheets.

Flea 5
Locust 9
Mercury 15
Thorn 16
Commando 18
Mongoose 22
Falcon 27
Firefly 28
Hermes 32
Hussar 35
Javelin 38
Spider 41
UrbanMech 44
Firebee 46
Firestarter 47
Jenner 51
Night Hawk 55
Ostscout 57
Panther 58
Raven 60
Spector 65
Talon 68
Wolfhound 70
Assassin 73
Cicada 75
Clint 78
Hermes II 82
Icarus II 85
Sentinel 86
Vulcan 92
Whitworth 94
Blackjack 97
Hatchetman 102
Kyudo 103
Vindicator 104
Centurion 109
Chameleon 113
Crab 115
Enforcer 117
Galahad 118
Hunchback 120
Phoenix 127
Talos 129
Trebuchet 130
Dervish 135
Gladiator 137
Griffin 140
Hoplite 143
Kintaro 147
Shadow Hawk 150
Wolverine 153
Dragon 157
Lancelot 161
Merlin 166
Quickdraw 167
Bombardier 170
Catapult 172
Exterminator 179
JagerMech 181
Thunderbolt 183
BattleAxe 187
Cataphract 189
Excalibur 192
Grasshopper 196
Guillotine 198
Shootist 201
Black Knight 204
Flashman 207
Hammerhands 209
Orion 211
Awesome 214
Charger 218
Hatamoto-Chi 223
Thug 229
Victor 231
Zeus 235
BattleMaster 241
Crockett 244
Rampage 245
Shogun 248
Stalker 250
Cyclops 253
Emperor 256
Highlander 263
Ymir 267
Banshee 270
Nightstar 275
Atlas 278
Devastator 281
King Crab 283
Mackie 285
Pillager 288
Thunder Hawk 292

BATTLETECH™

BATTLETECH ERAS

The *BattleTech* universe is a living, vibrant entity that grows each year as more sourcebooks and fiction are published. A dynamic universe, its setting and characters evolve over time within a highly detailed continuity framework, bringing everything to life in a way a static game universe cannot match.

However, the same dynamic energy that makes *BattleTech* so compelling can also make it confusing, with so many sourcebooks published over the years. As people encounter *BattleTech*, get hooked and start to obtain sourcebooks, they need to know where a particular sourcebook is best used along the *BattleTech* timeline.

To help quickly and easily convey the timeline of the *BattleTech* universe—and to allow a player to easily "plug in" a given sourcebook—we've divided *BattleTech* into six major eras.

STAR LEAGUE (2570)

Ian Cameron, ruler of the Terran Hegemony, concludes decades of tireless effort with the creation of the Star League, a political and military alliance between all Great Houses and the Hegemony. Star League armed forces immediately launch the Reunification War, forcing the Periphery realms to join. For the next two centuries, humanity experiences a golden age across the thousand light-years of human-occupied space known as the Inner Sphere. It also sees the creation of the most powerful military in human history.



SUCCESSION WARS (3025, 3030, 3040)



Every last member of First Lord Richard Cameron's family is killed during a coup launched by Stefan Amaris. Following the thirteen-year war to unseat him, the rulers of each of the five Great Houses disband the Star League. General Aleksandr Kerensky departs with eighty percent of the Star League Defense Force beyond known space and the Inner Sphere collapses into centuries of warfare known as the Succession Wars that will eventually result in a massive loss of technology across most worlds.

CLAN INVASION (3052, 3057)



A mysterious invading force strikes the coreward region of the Inner Sphere. The invaders, called the Clans, are descendants of Kerensky's SLDF troops, forged into a society dedicated to becoming the greatest fighting force in history. With vastly superior technology and warriors, the Clans conquer world after world. Eventually this outside threat will forge a new Star League, something hundreds of years of warfare failed to accomplish. In addition, the Clans will act as a catalyst for a technological renaissance.

CIVIL WAR (3062, 3067)



The Clan threat is eventually lessened with the complete destruction of a Clan. With that massive external threat apparently neutralized, internal conflicts explode around the Inner Sphere. House Liao conquers its former Commonality, the St. Ives Compact; a rebellion of military units belonging to House Kurita sparks a war with their powerful border enemy, Clan Ghost Bear; the fabulously powerful Federated Commonwealth of House Steiner and House Davion collapses into five long years of bitter civil war.

JIHAD



Following the Federated Commonwealth Civil War, the leaders of the Great Houses meet and disband the new Star League, declaring it a sham. The pseudo-religious Word of Blake—a splinter group of ComStar, the protectors and controllers of interstellar communication— launch the Jihad: an interstellar war that will ultimately pit every faction against each other and even against themselves, as weapons of mass destruction are used for the first time in centuries while new and frightening technologies are likewise unleashed.

DARK AGE (3132+)



Under the guidance of Devlin Stone, the Republic of the Sphere is born at the heart of the Inner Sphere following the Jihad. One of the more extensive periods of peace begins to break out as the 32nd century dawns. The factions, to one degree or another, embrace disarmament and the massive armies of the Succession Wars begin to fade. However, in 3132 eighty percent of interstellar communications collapses, throwing the universe into chaos. Wars almost immediately erupt and the factions begin rebuilding their armies.

SOURCEBOOKS

As Catalyst Game Labs continues to publish new *BattleTech* products (and reprint previously published products), easy reference logos—corresponding to those above—will be printed directly on their back covers. This will allow retailers and players alike to know at a glance what eras are covered by a given product. For additional ease of reference, era logos will also appear on product's sell sheet, online products page and so on.

Note that if a Catalyst Game Labs' *BattleTech* product does not contain an era logo, then it is considered a core rulebook or supplement to be used across all eras, such as the *BattleTech Beginner Box Set, BattleMech Manual, Total Warfare* and so on.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Flea FLE-4

Movement Points:

Walking:	6	**Tonnage:**	20
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer(R)	CT	3	2 [DE,H,AI]	—	1	2	3
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Small Laser	LA	1	3 [DE]	—	1	2	3


BV: 432

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Small Laser 4. Small Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Heat Sink 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Flamer (R) 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Large Laser 4. Large Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Heat Sink 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Flea FLE-15

Movement Points:

Walking:	6
Running:	9
Jumping:	0

Tonnage:	20
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Small Laser(R)	RT	1	3 [DE]	—	1	2	3
1	Small Laser(R)	LT	1	3 [DE]	—	1	2	3
1	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Machine Gun) 200


BV: 430

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Machine Gun
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Small Laser (R)
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Flamer
6. Ammo (Machine Gun) 200

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Machine Gun
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Small Laser (R)
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Flea FLE-16

Movement Points:

Walking:	9
Running:	14
Jumping:	0

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Introductory

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 506

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Medium Laser 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Flamer 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Medium Laser 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Heat Sink 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Flea FLE-17

Movement Points:

Walking:	6
Running:	9 [12]
Jumping:	0

Tonnage:	20
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Small Laser(R)	RT	1	3 [DE]	—	1	2	3
1	Small Laser(R)	LT	1	3 [DE]	—	1	2	3
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6


BV: 510

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Pulse Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Small Laser (R)
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. MASC
6. Flamer

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Pulse Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Small Laser (R)
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-1E

Movement Points:

Walking:	8	**Tonnage:**	20
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 553

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Medium Laser 4. Small Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Roll Again 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Medium Laser 4. Small Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-1L

Movement Points:
Walking: 8 [9]
Running: 12 [14]
Jumping: 0

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Standard
Role: Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200


BV: 474

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Machine Gun 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Triple-Strength Myomer 2. Triple-Strength Myomer 3. Triple-Strength Myomer 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Ammo (Machine Gun) 200

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Machine Gun 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Triple-Strength Myomer 2. Triple-Strength Myomer 3. Triple-Strength Myomer 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-1M

Movement Points:

Walking:	8	**Tonnage:**	20
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	LRM 5	RA	2	1/Msl [M,C,S]	6	7	14	21
1	LRM 5	LA	2	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 5) 24


BV: 424

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. LRM 5 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Ammo (LRM 5) 24

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. LRM 5 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-1S

Movement Points:

Walking:	8	**Tonnage:**	20
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	SRM 2	RA	2	2/Msl [M,C,S]	—	3	6	9
1	SRM 2	LA	2	2/Msl [M,C,S]	—	3	6	9

Ammo: (SRM 2) 50


BV: 440

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. SRM 2 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Ammo (SRM 2) 50

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. SRM 2 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-1V

Movement Points:

Walking:	8	**Tonnage:**	20
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200


BV: 432

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Machine Gun 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Ammo (Machine Gun) 200

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Machine Gun 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-3V

Movement Points:

Walking:	8	**Tonnage:**	20
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 100


BV: 490

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Machine Gun 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Machine Gun 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Ammo (Machine Gun) 100 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mercury MCY-99

Movement Points:

Walking:	8	**Tonnage:**	20
Running:	12 [16]	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9


BV: 586

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Medium Laser 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. MASC 6. Small Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous
4-6	1. Ferro-Fibrous 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thorn THE-N

Movement Points:

Walking:	6
Running:	9
Jumping:	0

Tonnage:	20
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 5	RA	2	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 5) 24


BV: 546

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. LRM 5
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Ammo (LRM 5) 24
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. CASE
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thorn THE-T

Movement Points:

Walking:	6
Running:	9
Jumping:	0

Tonnage:	20
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	SRM 4	RA	3	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 4) 25


BV: 500

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. SRM 4
4. Ammo (SRM 4) 25
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Commando COM-1C

Movement Points:

Walking:	6	**Tonnage:**	25
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/2	RA	1	2 [DB,S]	4	8	16	24
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/2) 45


BV: 458

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Heat Sink 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Head

1-3	1. Life Support 2. Sensors 3. Cockpit 4. Roll Again 5. Sensors 6. Life Support
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Roll Again 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. AC/2 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Heat Sink 3. Ammo (AC/2) 45 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Commando COM-1D

Movement Points:

Walking:	6	**Tonnage:**	25
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 6	CT	4	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15

Ammo: (SRM 6) 15


BV: 558

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Commando COM-2D

Movement Points:

Walking:	6	**Tonnage:**	25
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	CT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 4	RA	3	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 4) 25, (SRM 6) 15


BV: 541

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 4
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (SRM 4) 25
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Commando COM-3A

Movement Points:

Walking:	6
Running:	9
Jumping:	0

Tonnage:	25
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 6	CT	4	2/Msl [M,C,S]	—	3	6	9
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	SRM 6	RA	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 15


BV: 540

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

4-6
1. Flamer
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (SRM 6) 15
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-66

Movement Points:

Walking:	8	**Tonnage:**	25
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Active Probe (Beagle)	LT	—	[E]	—	—	—	—
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 758

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso

1-3
1. Active Probe (Beagle)
2. Active Probe (Beagle)
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso


1-3
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-67

Movement Points:

Walking:	8	**Tonnage:**	25
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 741

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-68

Movement Points:

Walking:	7
Running:	11
Jumping:	0

Tonnage:	25
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RA	8	8 [DE]	—	5	10	15


BV: 676

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-69

Movement Points:

Walking:	8
Running:	12
Jumping:	0

Tonnage:	25
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 2) 50


BV: 737

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso

1-3
1. SRM 2
2. Ammo (SRM 2) 50
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso


1-3
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-70

Movement Points:

Walking:	8	**Tonnage:**	25
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 750

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Flamer
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous

Left Torso

1-3	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Heat Sink 6. Roll Again

Head


1-3	1. Life Support 2. Sensors 3. Cockpit 4. Ferro-Fibrous 5. Sensors 6. Life Support
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Ferro-Fibrous

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Flamer
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous


Right Torso

1-3	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Heat Sink 6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Falcon FLC-4N

Movement Points:

Walking:	6	**Tonnage:**	30
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Machine Gun(R)	RT	0	2 [DB,AI]	—	1	2	3
1	Machine Gun(R)	LT	0	2 [DB,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (Machine Gun) 200


BV: 610

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Small Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Jump Jet 2. Jump Jet 3. Jump Jet 4. Machine Gun (R) 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Heat Sink 6. Ammo (Machine Gun) 200

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Small Laser
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Jump Jet 2. Jump Jet 3. Jump Jet 4. Machine Gun (R) 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firefly FFL-3A

Movement Points:

Walking:	5
Running:	8
Jumping:	4

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Small Laser	LT	1	3 [DE]	—	1	2	3
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	TAG	LA	0	[E]	—	5	9	15
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (LRM 5) 48


BV: 797

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Small Laser

1-3

1. TAG
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Medium Laser
2. Small Laser
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Laser
6. Small Laser

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Small Laser

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Medium Laser
2. LRM 5
3. Ammo (LRM 5) 24
4. Ammo (LRM 5) 24
5. CASE
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firefly FFL-4A

Movement Points:

Walking:	5
Running:	8
Jumping:	4

Tonnage:	30
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Small Laser	LT	1	3 [DE]	—	1	2	3
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (LRM 5) 24


BV: 831

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Small Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Small Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. LRM 5
5. Ammo (LRM 5) 24
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firefly FFL-4B

Movement Points:
Walking: 5
Running: 8
Jumping: 4

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Anti-Missile System	LA	1	[PD]	—	—	—	—

Ammo: [AMS] 12, [LRM 5] 24


BV: 870

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Anti-Missile System
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Ammo (LRM 5) 24
5. Ammo (AMS) 12
6. CASE

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. LRM 5
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firefly FFL-4C

Movement Points:

Walking:	5
Running:	8
Jumping:	4

Tonnage:	30
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
1	LRM 5 w/Artemis IV	RT	2	1/Msl [M,C,S]	6	7	14	21
1	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	Anti-Missile System	LA	1	[PD]	—	—	—	—

Ammo: (AMS) 12, (LRM 5) 24


BV: 806

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Anti-Missile System
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Medium Pulse Laser
2. Ammo (LRM 5) 24
3. Ammo (AMS) 12
4. CASE
5. Endo Steel
6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Pulse Laser
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Medium Pulse Laser
5. LRM 5
6. Artemis IV FCS

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow	
30*	
29	
28*	
27	
26*	
25*	
24*	
23*	
22*	
21	
20*	
19*	
18*	
17*	
16	
15*	
14*	
13*	
12	
11	
10*	
9	
8*	
7	
6	
5*	
4	
3	
2	
1	
0	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hermes HER-1A

Movement Points:

Walking:	9
Running:	14
Jumping:	0

Tonnage:	30
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3


BV: 601

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Flamer
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hermes HER-1B

Movement Points:

Walking:	9
Running:	14
Jumping:	0

Tonnage:	30
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 687

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hermes HER-1S

Movement Points:

Walking:	9	**Tonnage:**	30
Running:	14	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3


BV: 716

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Flamer
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso

1-3
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Torso


1-3
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-200-D

Movement Points:

Walking:	9	Tonnage:	30
Running:	14	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Large Laser	CT	12	8 [DE]	—	7	14	19


BV: 636

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. ER Large Laser
6. ER Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-300-D

Movement Points:
Walking: 9
Running: 14
Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	CT	8	8 [DE]	—	5	10	15


BV: 543

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Large Laser 6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-350-D

Movement Points:
Walking: 8
Running: 12
Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 731

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Javelin JVN-10A

Movement Points:
Walking: 6
Running: 9
Jumping: 6

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 15) 8


BV: 653

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

Left Arm 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Center Torso 4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again


Right Arm 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. LRM 15
2. LRM 15
3. LRM 15
4. Ammo (LRM 15) 8
5. Heat Sink
6. Heat Sink

Right Torso 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Javelin JVN-10F 'Fire Javelin'

Movement Points:

Walking:	6	**Tonnage:**	30
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
2	Medium Laser	LT	3	5 [DE]	—	3	6	9


BV: 835

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Heat Sink 3. Medium Laser 4. Medium Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Jump Jet 6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Heat Sink 3. Medium Laser 4. Medium Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Javelin JVN-10N

Movement Points:

Walking:	6	**Tonnage:**	30
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (SRM 6) 30


BV: 594

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. SRM 6
4. SRM 6
5. Ammo (SRM 6) 15
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spider SDR-5D

Movement Points:

Walking:	8	**Tonnage:**	30
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	8	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3


BV: 524

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Jump Jet
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Flamer
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Jump Jet
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spider SDR-5K

Movement Points:
Walking: 8
Running: 12
Jumping: 6

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200


BV: 503

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Machine Gun
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Ammo (Machine Gun) 200

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Machine Gun
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spider SDR-5V

Movement Points:

Walking:	8	Tonnage:	30
Running:	12	Tech Base:	Inner Sphere
Jumping:	8	Rules Level:	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9


BV: 622

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Jump Jet 2. Jump Jet 3. Jump Jet 4. Jump Jet 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Jump Jet 2. Jump Jet 3. Jump Jet 4. Jump Jet 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: UrbanMech UM-R60

Movement Points:

Walking:	2
Running:	3
Jumping:	2

Tonnage:	30
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (AC/10) 10


BV: 504

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: UrbanMech UM-R60L

Movement Points:

Walking:	2	**Tonnage:**	30
Running:	3	**Tech Base:**	Inner Sphere
Jumping:	2	**Rules Level:**	Introductory
		Role:	Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (AC/20) 5


BV: 470

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (AC/20) 5
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firebee FRB-2E

Movement Points:

Walking:	5	**Tonnage:**	35
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med	Lng
1	SRM 2	CT	2	2/Msl [M,C,S]	—	3	6	9
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9
1	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	SRM 2	LA	2	2/Msl [M,C,S]	—	3	6	9

Ammo: (SRM 2) 100


BV: 808

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 2
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Jump Jet
3. Jump Jet
4. SRM 2
5. Ammo (SRM 2) 50
6. Ammo (SRM 2) 50

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. SRM 2

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. SRM 2
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firestarter FS9-A

Movement Points:

Walking:	6	**Tonnage:**	35
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Flamer(R)	CT	3	2 [DE,H,AI]	—	1	2	3
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	Small Laser	LT	1	3 [DE]	—	1	2	3
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 773

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Flamer
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Small Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Flamer
6. Flamer (R)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Flamer
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Small Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firestarter FS9-H

Movement Points:

Walking:	6	**Tonnage:**	35
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Flamer(R)	CT	3	2 [DE,H,AI]	—	1	2	3
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Machine Gun) 200


BV: 694

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Flamer
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Machine Gun
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Flamer
6. Flamer (R)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Flamer
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Machine Gun
5. Ammo (Machine Gun) 200
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firestarter FS9-K

Movement Points:

Walking:	6	**Tonnage:**	35
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Flamer(R)	CT	3	2 [DE,H,AI]	—	1	2	3
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Small Laser	LA	1	3 [DE]	—	1	2	3


BV: 763

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Small Laser
5. Small Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Flamer
6. Flamer (R)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Firestarter FS9-M 'Mirage'

Movement Points:

Walking:	6	**Tonnage:**	35
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Machine Gun) 200


BV: 798

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Small Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Jump Jet
4. Machine Gun
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Small Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Jump Jet
3. Machine Gun
4. Ammo (Machine Gun) 200
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Jenner JR7-A

Movement Points:

Walking:	7
Running:	11
Jumping:	5

Tonnage:	35
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RT	8	8 [DE]	—	5	10	15


BV: 712

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Large Laser
4. Large Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	−5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Jenner JR7-D

Movement Points:

Walking:	7
Running:	11
Jumping:	5

Tonnage:	35
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med	Lng
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 4) 25


BV: 875

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. SRM 4

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Ammo (SRM 4) 25
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Jenner JR7-F

Movement Points:

Walking:	7	**Tonnage:**	35
Running:	11	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1011

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Jump Jet
2. Jump Jet
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1. Jump Jet
2. Jump Jet
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Jenner JR7-K

Movement Points:

Walking:	7	**Tonnage:**	35
Running:	11	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 4) 25


BV: 889

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. SRM 4

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Ammo (SRM 4) 25
4. CASE
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Night Hawk NTK-2Q

Movement Points:

Walking:	6	Tonnage:	35
Running:	9	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6


BV: 997

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Pulse Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 12 (24)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Night Hawk NTK-2S

Movement Points:

Walking:	6	Tonnage:	35
Running:	9	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	ECM Suite (Guardian)	LT	—	[E]	—	—	—	—
1	Active Probe (Beagle)	LT	—	[E]	—	—	—	—
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19


BV: 1017

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. ECM Suite (Guardian)
2. ECM Suite (Guardian)
3. Active Probe (Beagle)
4. Active Probe (Beagle)
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 11 (22)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Ostscout OTT-7J

Movement Points:

Walking:	8	**Tonnage:**	35
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	8	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9


BV: 596

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Jump Jet
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Sensors
5. Life Support
6. Roll Again

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Jump Jet
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Panther PNT-8Z

Movement Points:

Walking:	4	**Tonnage:**	35
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15

Ammo: (SRM 4) 25


BV: 741

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Ammo (SRM 4) 25
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. SRM 4

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. [Large Laser
6. [Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Panther PNT-9R

Movement Points:

Walking:	4	**Tonnage:**	35
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18

Ammo: (SRM 4) 25


BV: 769

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Ammo (SRM 4) 25
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 4
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Raven RVN-1X

Movement Points:

Walking:	5	**Tonnage:**	35
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Experimental
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	Electronic Warfare (EW) Equipment	LT	—	[E]	—	—	—	—
2	Medium Laser	RA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 15


BV: 639

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (SRM 6) 15
2. Electronic Warfare (EW) Equipment
3. Electronic Warfare (EW) Equipment
4. Electronic Warfare (EW) Equipment
5. Electronic Warfare (EW) Equipment
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 12

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Raven RVN-2X

Movement Points:

Walking:	5	**Tonnage:**	35
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
2	Medium Laser	RA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 15


BV: 887

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Large Laser
2. Large Laser
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Raven RVN-3X

Movement Points:
Walking: 5 [6]
Running: 8 [9]
Jumping: 0

Tonnage: 35
Tech Base: Inner Sphere
Rules Level: Experimental
Role: Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	Electronic Warfare (EW) Equipment	LT	—	[E]	—	—	—	—
2	Medium Laser	RA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 15


BV: 691

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Ammo (SRM 6) 15
2. Electronic Warfare (EW) Equipment
3. Electronic Warfare (EW) Equipment
4. Electronic Warfare (EW) Equipment
5. Electronic Warfare (EW) Equipment
6. Triple-Strength Myomer

1. Triple-Strength Myomer
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Triple-Strength Myomer
6. Triple-Strength Myomer

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. SRM 6
2. SRM 6
3. Triple-Strength Myomer
4. Triple-Strength Myomer
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	−5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Raven RVN-3L

Movement Points:

Walking:	6	**Tonnage:**	35
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Active Probe (Beagle)	CT	—	[E]	—	—	—	—
1	TAG	RT	0	[E]	—	5	9	15
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	ECM Suite (Guardian)	LT	—	[E]	—	—	—	—
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Narc	LA	0	[M]	—	3	6	9

Ammo: (Narc) 12, (SRM 6) 15


BV: 708

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Narc (1-3)
4. Narc (1-3)
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6:
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Torso

1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. ECM Suite (Guardian)
5. ECM Suite (Guardian)
6. Ammo (SRM 6) 15

4-6:
1. Ammo (Narc) 6
2. Ammo (Narc) 6
3. CASE
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Active Probe (Beagle)
6. Active Probe (Beagle)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3:
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6:
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Torso


1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. SRM 6
5. SRM 6
6. TAG

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Raven RVN-4X

Movement Points:

Walking:	5	**Tonnage:**	35
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200, (SRM 6) 15


BV: 820

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Machine Gun
4. Machine Gun
5. Ammo (Machine Gun) 200
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. SRM 6
4. SRM 6
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spector SPR-5F

Movement Points:
Walking: 7
Running: 11
Jumping: 7

Tonnage: 35
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	ECM Suite (Guardian)	RT	—	[E]	—	—	—	—
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

BV: 1183

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

1-3
4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
4-6
1. Jump Jet
2. Jump Jet
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel


Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3
4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Endo Steel


1-3
4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
4-6
1. Jump Jet
2. Jump Jet
3. ECM Suite (Guardian)
4. ECM Suite (Guardian)
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 11 (22)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spector SPR-5S

Movement Points:

Walking:	7	Tonnage:	35
Running:	11	Tech Base:	Inner Sphere
Jumping:	7	Rules Level:	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	ECM Suite (Guardian)	RT	—	[E]	—	—	—	—
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6

BV: 1155

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Pulse Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Stealth
6. Stealth

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Stealth
6. Stealth

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Large Laser

4-6
1. Large Laser
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Stealth
6. Stealth

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Jump Jet
5. Jump Jet
6. Jump Jet

4-6
1. ECM Suite (Guardian)
2. ECM Suite (Guardian)
3. Endo Steel
4. Endo Steel
5. Stealth
6. Stealth

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 11 (22)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spector SPR-ST

Movement Points:
Walking: 7
Running: 11 [14]
Jumping: 0

Tonnage: 35
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ECM Suite (Guardian)	RT	—	[E]	—	—	—	—
1	Targeting Computer [IS]	LT	—	[E]	—	—	—	—
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
2	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

BV: 1438

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Stealth
6. Stealth

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Targeting Computer [IS]
2. Targeting Computer [IS]
3. Endo Steel
4. Endo Steel
5. Stealth
6. Stealth

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

Head


1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. ER Large Laser
2. ER Large Laser
3. Endo Steel
4. Endo Steel
5. Stealth
6. Stealth

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. ECM Suite (Guardian)
5. ECM Suite (Guardian)
6. MASC

4-6
1. MASC
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Stealth
6. Stealth

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 11 (22)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Talon TLN-5V

Movement Points:

Walking:	8	Tonnage:	35
Running:	12	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RA	10	10 [DE]	3	6	12	18
2	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1075

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. PPC
4. PPC
5. PPC
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 11 (22)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Talon TLN-5W

Movement Points:

Walking:	8	**Tonnage:**	35
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER PPC	RA	15	10 [DE]	—	7	14	23
2	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1175

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. ER PPC
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 11 (22)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolfhound WLF-1

Movement Points:

Walking:	6
Running:	9
Jumping:	0

Tonnage:	35
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15


BV: 949

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser (R)
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolfhound WLF-1A

Movement Points:

Walking:	6
Running:	9
Jumping:	0

Tonnage:	35
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15


BV: 967

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolfhound WLF-1B

Movement Points:

Walking:	6
Running:	9
Jumping:	0

Tonnage:	35
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15


BV: 967

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Assassin ASN-21

Movement Points:
Walking: 7
Running: 11
Jumping: 7

Tonnage: 40
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

Ammo: (LRM 5) 24, (SRM 2) 50


BV: 749

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3:
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. SRM 2
5. Ammo (SRM 2) 50
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again


4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3:
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. LRM 5
5. Ammo (LRM 5) 24
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Assassin ASN-101

Movement Points:
Walking: 7
Running: 11
Jumping: 5

Tonnage: 40
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Small Laser	RL	1	3 [DE]	—	1	2	3
1	Small Laser	LL	1	3 [DE]	—	1	2	3

Ammo: (LRM 5) 24, (SRM 2) 50


BV: 757

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. SRM 2
4. Ammo (SRM 2) 50
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Small Laser
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. LRM 5
4. Ammo (LRM 5) 24
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Small Laser
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cicada CDA-2A

Movement Points:

Walking:	8	**Tonnage:**	40
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9


BV: 659

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Small Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cicada CDA-2B

Movement Points:

Walking:	8	**Tonnage:**	40
Running:	12	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9


BV: 626

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Flamer
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cicada CDA-3C

Movement Points:
Walking: 7
Running: 11
Jumping: 0

Tonnage: 40
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Machine Gun	RL	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LL	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200


BV: 771

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Machine Gun
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Sensors
5. Life Support
6. Roll Again

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (Machine Gun) 200
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. PPC
2. PPC
3. PPC
4. Roll Again
5. Roll Again
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Machine Gun
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Clint CLNT-1-2R

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10


BV: 707

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (AC/10) 10
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Clint CLNT-2-3T

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	AC/5	RA	1	5 [DB,S]	3	6	12	18

Ammo: (AC/5) 20


BV: 770

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/5
5. AC/5
6. AC/5

4-6
1. AC/5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Jump Jet
3. Ammo (AC/5) 20
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Clint CLNT-2-3T (Denton)

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15


BV: 873

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Jump Jet
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Heat Sink
6. Large Laser

4-6
1. Large Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Jump Jet
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	−5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Clint CLNT-2-4T

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
2	AC/2	RA	1	2 [DB,S]	4	8	16	24

Ammo: [AC/2] 45


BV: 619

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/2
5. AC/2
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (AC/2) 45
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hermes II HER-2M 'Mercury'

Movement Points:
Walking: 7
Running: 11
Jumping: 0

Tonnage: 40
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3

Ammo: (Machine Gun) 100


BV: 910

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Flamer
5. Roll Again
6. Roll Again

Left Torso
1. Ammo (Machine Gun) 100
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Center Torso (4-6)
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○




Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

Right Torso
1. Medium Laser
2. Medium Laser
3. Machine Gun
4. Machine Gun
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 11

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hermes II HER-2S

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/5	RT	1	5 [DB,S]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3

Ammo: (AC/5) 20


BV: 784

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Flamer
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Ammo (AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/5
2. AC/5
3. AC/5
4. AC/5
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hermes II HER-4K 'Hermes III'

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Large Laser	LT	8	8 [DE]	—	5	10	15


BV: 976

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Large Laser 2. Large Laser 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1-3	1. Life Support 2. Sensors 3. Cockpit 4. Roll Again 5. Sensors 6. Life Support
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Heat Sink 6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Large Laser 2. Large Laser 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Icarus II ICR-1S

Movement Points:

Walking:	4	**Tonnage:**	40
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	AC/10	LA	3	10 [DB,S]	—	5	10	15
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (AC/10) 10


BV: 869

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Small Laser
6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Ammo (AC/10) 10

1-3
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1. Heat Sink
2. Heat Sink
3. Medium Laser


1-3
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-1S

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	SRM 4	RT	3	2/Msl [M,C,S]	—	3	6	9
1	AC/2	LA	1	2 [DB,S]	4	8	16	24

Ammo: [AC/2] 45, [SRM 4] 25


BV: 632

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/2
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Ammo (AC/2) 45
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 4
2. Small Laser
3. Ammo (SRM 4) 25
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-3K

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9
1	AC/5	LA	1	5 [DB,S]	3	6	12	18

Ammo: (AC/5) 40, (SRM 2) 50


BV: 652

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. AC/5
4. AC/5
5. AC/5
6. AC/5

1-3

4-6 Roll Again

Left Torso

1. Heat Sink
2. Ammo (AC/5) 20
3. Ammo (AC/5) 20
4. Roll Again
5. Roll Again
6. Roll Again

1-3

4-6 Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

1-3

4-6 Roll Again

Right Torso

1. Small Laser
2. SRM 2
3. Ammo (SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again


1-3

4-6 Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-3KA

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: (SRM 2) 50


BV: 847

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Large Laser
4. Large Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Small Laser
2. SRM 2
3. Ammo (SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-3KB

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (SRM 2) 50


BV: 823

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. PPC
4. PPC
5. PPC
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Small Laser
2. SRM 2
3. Ammo (SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	−5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-3L

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	Streak SRM 2	RT	2	2/Msl [M,C]	—	3	6	9
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	2	6	13	20

Ammo: (Streak SRM 2) 50, (Ultra AC/5) 20


BV: 717

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ultra AC/5

4-6
1. Ultra AC/5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Ammo (Ultra AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Small Laser
2. Streak SRM 2
3. Ammo (Streak SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-3M

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	2	6	13	20

Ammo: (SRM 2) 50, (Ultra AC/5) 20


BV: 758

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ultra AC/5

4-6
1. Ultra AC/5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (Ultra AC/5) 20
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 2
2. Medium Laser
3. Ammo (SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	−5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	−4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Vulcan VL-2T

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/2	RT	1	2 [DB,S]	4	8	16	24
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (AC/2) 45, (Machine Gun) 200


BV: 642

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Machine Gun
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Ammo (Machine Gun) 200
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Flamer
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Jump Jet
3. Jump Jet
4. AC/2
5. Ammo (AC/2) 45
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Vulcan VL-5T

Movement Points:

Walking:	6	**Tonnage:**	40
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
3	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200


BV: 942

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Machine Gun
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Jump Jet
3. Jump Jet
4. Medium Laser
5. Ammo (Machine Gun) 200
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Flamer
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Medium Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Whitworth WTH-0

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	40
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3

Ammo: (SRM 6) 30


BV: 863

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Flamer
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Whitworth WTH-1

Movement Points:

Walking:	4	**Tonnage:**	40
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 24


BV: 982

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Medium Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Heat Sink 3. ⌈LRM 10 4. ⌊LRM 10 5. Ammo (LRM 10) 12 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Roll Again 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Medium Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Heat Sink 3. ⌈LRM 10 4. ⌊LRM 10 5. Ammo (LRM 10) 12 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Whitworth WTH-1S

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	40
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 30


BV: 917

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Blackjack BJ-1

Movement Points:
Walking: 4
Running: 6
Jumping: 4

Tonnage: 45
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	AC/2	RA	1	2 [DB,S]	4	8	16	24
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	AC/2	LA	1	2 [DB,S]	4	8	16	24
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [AC/2] 45


BV: 949

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. AC/2
5. Roll Again
6. Roll Again

Left Arm 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Center Torso 4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (AC/2) 45
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. AC/2
5. Roll Again
6. Roll Again


Right Arm 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Blackjack BJ-1DB

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage: 45
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1015

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser
4. Large Laser
5. Medium Laser
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser
4. Large Laser
5. Medium Laser
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 17

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Blackjack BJ-1DC

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	45
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Small Laser	LT	1	3 [DE]	—	1	2	3
1	AC/2	RA	1	2 [DB,S]	4	8	16	24
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	AC/2	LA	1	2 [DB,S]	4	8	16	24
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [AC/2] 45


BV: 917

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. AC/2
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser
2. Small Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Ammo (AC/2) 45

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. AC/2
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Medium Laser
2. Small Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Blackjack BJ-1X

Movement Points:

Walking:	5	**Tonnage:**	45
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 964

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Flamer
5. Flamer
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Flamer
5. Flamer
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 18
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	−5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	−4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Blackjack BJ-3

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	45
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	PPC	LA	10	10 [DE]	3	6	12	18
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1271

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. PPC
4. PPC
5. PPC
6. Medium Laser

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. PPC
4. PPC
5. PPC
6. Medium Laser

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatchetman HCT-3F

Movement Points:

Walking:	4	**Tonnage:**	45
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	Hatchet	RA	—	9	—	—	—	—
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 20


BV: 854

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (AC/10) 10
6. Ammo (AC/10) 10

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Hatchet
6. Hatchet

4-6
1. Hatchet
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 11

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Kyudo KY2-D-02

Movement Points:

Walking:	5
Running:	8
Jumping:	0

Tonnage:	45
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	LRM 20 w/Artemis IV	LA	6	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 20) 12


BV: 1286

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. LRM 20
4. Artemis IV FCS
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ammo (LRM 20) 6
5. Ammo (LRM 20) 6
6. CASE

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Torso


1-3
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Vindicator VND-1AA 'Avenging Angel'

Movement Points:
Walking: 5
Running: 8
Jumping: 5

Tonnage: 45
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (LRM 5) 24


BV: 966

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Small Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. LRM 5
4. Ammo (LRM 5) 24
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Vindicator VND-1R

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage: 45
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (LRM 5) 24


BV: 1024

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Small Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. LRM 5
6. Ammo (LRM 5) 24

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Vindicator VND-1R (Vong)

Movement Points:

Walking:	4	**Tonnage:**	45
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 5) 24


BV: 1024

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Small Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. LRM 5
6. Ammo (LRM 5) 24

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Vindicator VND-1SIC

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	45
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (LRM 10) 12


BV: 1020

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Small Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. LRM 10
6. LRM 10

4-6
1. Ammo (LRM 10) 12
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Vindicator VND-1X

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	45
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (LRM 5) 24, (Machine Gun) 100


BV: 1008

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Machine Gun
6. Machine Gun

4-6
1. Ammo (Machine Gun) 100
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. LRM 5
6. Ammo (LRM 5) 24

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Centurion CN9-A

Movement Points:

Walking:	4	Tonnage:	50
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	CT	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 20, (LRM 10) 24


BV: 945

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. LRM 10
3. LRM 10
4. Ammo (LRM 10) 12
5. Ammo (LRM 10) 12
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser (R)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Centurion CN9-AH

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	AC/20	RA	7	20 [DB,S]	—	3	6	9

Ammo: (AC/20) 10, (LRM 10) 24


BV: 945

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Ammo (LRM 10) 12
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Ammo (AC/20) 5
2. Ammo (AC/20) 5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Centurion CN9-AL

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	CT	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Small Laser	RA	1	3 [DE]	—	1	2	3

Ammo: (LRM 10) 24


BV: 1057

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Ammo (LRM 10) 12
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser (R)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Small Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Centurion CN9-YLW 'Yen Lo Wang'

Movement Points:
Walking: 4
Running: 6
Jumping: 0

Tonnage: 50
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	CT	3	5 [DE]	—	3	6	9
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
1	Hatchet	LA	—	10	—	—	—	—

Ammo: (AC/20) 15


BV: 957

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Hatchet
6. Hatchet

1-3

1. Hatchet
2. Hatchet
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser (R)

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

1-3

1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6

Right Torso
1. Heat Sink
2. Ammo (AC/20) 5
3. Ammo (AC/20) 5
4. Ammo (AC/20) 5
5. Roll Again
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Chameleon CLN-7V

Movement Points:

Walking:	6	**Tonnage:**	50
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Machine Gun	CT	0	2 [DB,AI]	—	1	2	3
2	Small Laser	RT	1	3 [DE]	—	1	2	3
1	Small Laser	LT	1	3 [DE]	—	1	2	3
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Machine Gun) 100


BV: 1042

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Small Laser
3. Ammo (Machine Gun) 100
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Machine Gun
6. Machine Gun

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Small Laser
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Chameleon TRC-4B

Movement Points:

Walking:	6
Running:	9
Jumping:	6

Tonnage:	50
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Machine Gun	CT	0	2 [DB,AI]	—	1	2	3
2	Small Laser	RT	1	3 [DE]	—	1	2	3
2	Small Laser	LT	1	3 [DE]	—	1	2	3
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Machine Gun) 200


BV: 999

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Small Laser
3. Small Laser
4. Ammo (Machine Gun) 200
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Machine Gun
6. Machine Gun

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Small Laser
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Crab CRB-20

Movement Points:

Walking:	5	Tonnage:	50
Running:	8	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15


BV: 1143

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Crab CRB-27

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15


BV: 1198

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Large Laser 5. Large Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Large Laser 6. Large Laser
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Enforcer ENF-4R

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	LT	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: (AC/10) 10


BV: 1032

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow	
30*	
29	
28*	
27	
26*	
25*	
24*	
23*	
22*	
21	
20*	
19*	
18*	
17*	
16	
15*	
14*	
13*	
12	
11	
10*	
9	
8*	
7	
6	
5*	
4	
3	
2	
1	
0	

HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Galahad GLH-1D

Movement Points:

Walking:	3	Tonnage:	50
Running:	5	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	PPC	LA	10	10 [DE]	3	6	12	18
1	Large Laser	LA	8	8 [DE]	—	5	10	15


BV: 1307

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. PPC
2. PPC
3. PPC

4-6
4. Large Laser
5. Large Laser
6. Endo Steel

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. PPC
2. PPC
3. PPC
4. Large Laser
5. Large Laser
6. Endo Steel

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Galahad GLH-2D

Movement Points:

Walking:	3	**Tonnage:**	60
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Ammo: (Gauss) 32


BV: 1648

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Endo Steel
6. Endo Steel

Left Torso

1. Ammo (Gauss) 8
2. Ammo (Gauss) 8

1-3
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Endo Steel
6. Endo Steel

Right Torso

1. Ammo (Gauss) 8
2. Ammo (Gauss) 8


1-3
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-4G

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 10


BV: 1041

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (AC/20) 5
2. Ammo (AC/20) 5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-4H

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	50
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 20


BV: 1067

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Heat Sink 3. Heat Sink 4. Heat Sink 5. Heat Sink 6. Ammo (AC/10) 10
4-6	1. Ammo (AC/10) 10 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Roll Again 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. AC/10 2. AC/10 3. AC/10 4. AC/10 5. AC/10 6. AC/10
4-6	1. AC/10 2. Medium Laser 3. Medium Laser 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-4J

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
2	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
3	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 24


BV: 1143

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Ammo (LRM 10) 12
4. Ammo (LRM 10) 12
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 10
2. LRM 10
3. LRM 10
4. LRM 10
5. Medium Laser
6. Medium Laser

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-4N

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	AC/5	RT	1	5 [DB,S]	3	6	12	18
2	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/5) 20, (LRM 5) 24


BV: 1087

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Ammo (AC/5) 20

4-6
1. Ammo (LRM 5) 24
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/5
2. AC/5
3. AC/5
4. AC/5
5. Medium Laser
6. Medium Laser

4-6
1. LRM 5
2. LRM 5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-4P

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
6	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1138

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Medium Laser
5. Medium Laser
6. Medium Laser

4-6
1. Medium Laser
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 23
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-4SP

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 30


BV: 1043

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. SRM 6
6. SRM 6

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (SRM 6) 15
6. Ammo (SRM 6) 15

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. SRM 6
5. SRM 6
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 19
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-5M

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Pulse Laser	HD	2	3 [P,AI]	—	1	2	3
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 5


BV: 1056

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Medium Laser
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ammo (AC/20) 5
5. CASE
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Pulse Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Medium Laser
6. Roll Again

Right Torso


1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Phoenix PX-3R

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med	Lng
2	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18

Ammo: (SRM 2) 100


BV: 1106

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Jump Jet 2. SRM 2 3. SRM 2 4. Ammo (SRM 2) 50 5. Ammo (SRM 2) 50 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Hit


Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Heat Sink 6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. PPC 4. PPC 5. PPC 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Jump Jet 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Hit

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Phoenix PX-4R

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med	Lng
1	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10, (SRM 2) 50


BV: 996

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. SRM 2
3. Ammo (SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Ammo (AC/10) 10
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Talos TLS-1B

Movement Points:

Walking:	4	**Tonnage:**	50
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
2	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 20, (LRM 5) 24, (SRM 6) 15


BV: 924

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. Roll Again

Right Torso


1-3
1. LRM 5
2. LRM 5
3. Ammo (LRM 5) 24
4. Ammo (AC/10) 10
5. Ammo (AC/10) 10
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Trebuchet TBT-5J

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [LRM 15] 8


BV: 1191

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 15
2. LRM 15
3. LRM 15
4. Ammo (LRM 15) 8
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 15

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Trebuchet TBT-5N

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [LRM 15] 16


BV: 1191

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 15
6. LRM 15

4-6
1. LRM 15
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (LRM 15) 8
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 15
2. LRM 15
3. LRM 15
4. Ammo (LRM 15) 8
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Trebuchet TBT-5S

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 30


BV: 984

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. SRM 6
4. SRM 6
5. Ammo (SRM 6) 15
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 18

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Trebuchet TBT-7K

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/5	LT	1	5 [DB,S]	3	6	12	18
1	SRM 2	RA	2	2/Msl [M,C,S]	—	3	6	9

Ammo: (AC/5) 20, (SRM 2) 50


BV: 996

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. AC/5
2. AC/5
3. AC/5
4. AC/5
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. SRM 2
5. Ammo (SRM 2) 50
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. PPC
2. PPC
3. PPC
4. Ammo (AC/5) 20
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Trebuchet TBT-7M

Movement Points:

Walking:	5	**Tonnage:**	50
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Standard
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21
1	Narc	LT	0	[M]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [LRM 15] 16, [Narc] 12


BV: 1348

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 15
6. LRM 15

4-6
1. LRM 15
2. Medium Laser
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Narc
5. Narc
6. Ammo (LRM 15) 8

4-6
1. Ammo (Narc) 6
2. Ammo (Narc) 6
3. CASE
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Ammo (LRM 15) 8
2. CASE
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Dervish DV-6M

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	SRM 2	RA	2	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	SRM 2	LA	2	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 24, (SRM 2) 100


BV: 1146

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. SRM 2
6. Ammo (SRM 2) 50

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. SRM 2
6. Ammo (SRM 2) 50

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Dervish DV-7D

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Standard
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Streak SRM 2	RA	2	2/Msl [M,C]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Streak SRM 2	LA	2	2/Msl [M,C]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 24, (Streak SRM 2) 100


BV: 1412

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Streak SRM 2
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. CASE
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Streak SRM 2
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso


1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Ammo (Streak SRM 2) 50
5. Ammo (Streak SRM 2) 50
6. CASE

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Gladiator GLD-2R

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1184

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 19
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Gladiator GLD-3R

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 24


BV: 1282

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Jump Jet
3. Jump Jet
4. LRM 10
5. LRM 10
6. Ammo (LRM 10) 12

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. LRM 10
4. LRM 10
5. Ammo (LRM 10) 12
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Gladiator GLD-4R

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 6	RA	4	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 15


BV: 1291

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. SRM 6
3. SRM 6
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Jump Jet
4. Jump Jet
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 13

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Griffin GRF-1E 'Sparky'

Movement Points:

Walking:	5
Running:	8
Jumping:	5

Tonnage:	55
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1449

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Griffin GRF-1N

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18

Ammo: (LRM 10) 24


BV: 1272

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. LRM 10
4. LRM 10
5. Ammo (LRM 10) 12
6. Ammo (LRM 10) 12

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Griffin GRF-1S

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Medium Laser	RA	3	5 [DE]	—	3	6	9

Ammo: (LRM 5) 24


BV: 1253

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Jump Jet 2. Jump Jet 3. LRM 5 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Jump Jet 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Large Laser 6. Large Laser
4-6	1. Medium Laser 2. Medium Laser 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Jump Jet 2. Jump Jet 3. Ammo (LRM 5) 24 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 16

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hoplite HOP-4B

Movement Points:

Walking:	4	Tonnage:	55
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RA	10	10 [DE]	3	6	12	18
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 15) 16


BV: 1162

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15 (1-3)
4. LRM 15 (1-3)
5. LRM 15 (1-3)
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink (1-3)
4. Heat Sink (1-3)
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. Fusion Engine (4-6)
3. Fusion Engine (4-6)
4. Fusion Engine (4-6)
5. Ammo (LRM 15) 8 (4-6)
6. Ammo (LRM 15) 8 (4-6)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. PPC (1-3)
4. PPC (1-3)
5. PPC (1-3)
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso


1. Roll Again
2. Roll Again
3. Roll Again (1-3)
4. Roll Again (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)

1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 16

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hoplite HOP-4C

Movement Points:

Walking:	4	Tonnage:	55
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21

Ammo: (AC/10) 10, (LRM 5) 24


BV: 986

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. LRM 5
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 5) 24
6. Ammo (AC/10) 10

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hoplite C

Movement Points:

Walking:	4	Tonnage:	55
Running:	6	Tech Base:	Clan
Jumping:	0	Rules Level:	Standard
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	7 [DE]	—	5	10	15
2	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	Ultra AC/10	RA	3	10/Sht [DB,R/C]	—	6	12	18
1	LRM 15	LA	5	1/Msl [M,C,S]	—	7	14	21

Ammo: (LRM 15) 16, (Ultra AC/10) 30


BV: 1996

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. LRM 15
4. LRM 15
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Medium Pulse Laser
4. Medium Pulse Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. ER Medium Laser
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/10
4. Ultra AC/10
5. Ultra AC/10
6. Ultra AC/10

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. Double Heat Sink
2. Double Heat Sink
3. Ammo (Ultra AC/10) 10
4. Ammo (Ultra AC/10) 10
5. Ammo (Ultra AC/10) 10
6. Ammo (LRM 15) 8


1-3

1. Ammo (LRM 15) 8
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hoplite HOP-4D

Movement Points:

Walking:	4	Tonnage:	55
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LB 10-X AC	RA	2	10 [DB,C/F/S]	6	12	18	
1	LRM 5	LA	2	1/Msl [M,C,S]	6	7	14	21

Ammo: (LB 10-X) 20, (LRM 5) 24


BV: 1022

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. LRM 5
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 5) 24
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (LB 10-X) 10
4. Ammo (LB 10-X) 10
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-18

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 6	CT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 5	LA	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 5) 24, (SRM 6) 45


BV: 1187

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

4-6
1. Medium Laser
2. LRM 5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (LRM 5) 24
2. Ammo (SRM 6) 15
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-19

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Narc	CT	0	[M]	—	3	6	9
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 5	LA	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (LRM 5) 24, (Narc) 12, (SRM 6) 30


BV: 1160

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 5
6. SRM 6

4-6
1. SRM 6
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (LRM 5) 24
2. Ammo (SRM 6) 15
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Narc
6. Narc

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Ammo (Narc) 6
5. Ammo (Narc) 6
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-20

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (LRM 5) 24, (SRM 6) 30


BV: 1357

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (LRM 5) 24
2. Ammo (SRM 6) 15
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 5
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shadow Hawk SHD-2D

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Introductory
		Role:	Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 2	HD	2	2/Msl [M,C,S]	—	3	6	9
1	SRM 2	CT	2	2/Msl [M,C,S]	—	3	6	9
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	AC/5	LT	1	5 [DB,S]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/5) 20, (LRM 5) 24, (SRM 2) 100


BV: 899

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Jump Jet 2. AC/5 3. AC/5 4. AC/5 5. AC/5 6. Ammo (AC/5) 20
4-6	1. Ammo (SRM 2) 50 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. SRM 2
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Jump Jet 6. SRM 2

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Heat Sink 3. Heat Sink 4. Jump Jet 5. LRM 5 6. Ammo (LRM 5) 24
4-6	1. Ammo (SRM 2) 50 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shadow Hawk SHD-2H

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 2	HD	2	2/Msl [M,C,S]	—	3	6	9
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	AC/5	LT	1	5 [DB,S]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

Ammo: (AC/5) 20, (LRM 5) 24, (SRM 2) 50


BV: 1064

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. AC/5
3. AC/5
4. AC/5
5. AC/5
6. Ammo (AC/5) 20

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. SRM 2
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Ammo (SRM 2) 50

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Jump Jet
3. LRM 5
4. Ammo (LRM 5) 24
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shadow Hawk SHD-2K

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	LT	10	10 [DE]	3	6	12	18

Ammo: (LRM 5) 24


BV: 1147

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Jump Jet
3. PPC
4. PPC
5. PPC
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Jump Jet
3. LRM 5
4. Ammo (LRM 5) 24
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 17

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolverine WVR-6D

Movement Points:

Walking:	5
Running:	8
Jumping:	5

Tonnage: 55
Tech Base: Inner Sphere
Rules Level: Introductory

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	AC/10	LA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 20


BV: 1115

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. Ammo (AC/10) 10

Left Torso

1-3
1. Jump Jet
2. Ammo (AC/10) 10
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolverine WVR-6K

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Small Laser	RA	1	3 [DE]	—	1	2	3

Ammo: (SRM 6) 30


BV: 1248

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 6
2. SRM 6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Medium Laser
2. Small Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (SRM 6) 15
2. Ammo (SRM 6) 15
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolverine WVR-6M

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

Ammo: (SRM 6) 15


BV: 1291

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. SRM 6
4. SRM 6
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Jump Jet
3. Jump Jet
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolverine WVR-6R

Movement Points:

Walking:	5	**Tonnage:**	55
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	AC/5	RA	1	5 [DB,S]	3	6	12	18

Ammo: (AC/5) 20, (SRM 6) 15


BV: 1101

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AC/5
6. AC/5

4-6
1. AC/5
2. AC/5
3. Ammo (AC/5) 20
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Dragon DRG-1C

Movement Points:

Walking:	5	**Tonnage:**	60
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	AC/2	RA	1	2 [DB,S]	4	8	16	24
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/2) 45, (LRM 10) 24


BV: 1215

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser (R)
2. Ammo (LRM 10) 12
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. LRM 10
6. LRM 10

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/2
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (AC/2) 45
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Dragon DRG-1N

Movement Points:

Walking:	5	Tonnage:	60
Running:	8	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	AC/5	RA	1	5 [DB,S]	3	6	12	18
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/5) 40, (LRM 10) 24


BV: 1125

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser (R)
2. Ammo (LRM 10) 12
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. LRM 10
6. LRM 10

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/5
5. AC/5
6. AC/5

4-6
1. AC/5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (AC/5) 20
2. Ammo (AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Grand Dragon DRG-1G

Movement Points:

Walking:	5	**Tonnage:**	60
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 24


BV: 1300

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser (R)
2. Ammo (LRM 10) 12
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. LRM 10
6. LRM 10

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 12
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Dragon DRG-5N

Movement Points:

Walking:	5	Tonnage:	60
Running:	8	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	2	6	13	20
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 24, (Ultra AC/5) 20


BV: 1223

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (LRM 10) 12
2. Ammo (LRM 10) 12
3. CASE
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. LRM 10
6. LRM 10

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Ultra AC/5
5. Ultra AC/5
6. Ultra AC/5

4-6
1. Ultra AC/5
2. Ultra AC/5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (Ultra AC/5) 20
2. CASE
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-01

Movement Points:

Walking:	6	**Tonnage:**	60
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15


BV: 1422

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Roll Again
6. Roll Again

1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Roll Again
5. Roll Again
6. Roll Again

1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Roll Again
6. Roll Again

1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso


1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. PPC (1-3)
5. PPC (1-3)
6. PPC (1-3)

1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-03

Movement Points:

Walking:	5	Tonnage:	60
Running:	8	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/5	RA	1	5 [DB,S]	3	6	12	18
1	AC/5	LA	1	5 [DB,S]	3	6	12	18

Ammo: (AC/5) 20


BV: 1360

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. AC/5 (1-3)
4. AC/5 (1-3)
5. AC/5 (1-3)
6. AC/5 (1-3)

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Ammo (AC/5) 20
5. CASE
6. Roll Again

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro
5. Gyro
6. Gyro

4-6: 1. Gyro, 2. XL Fusion Engine, 3. XL Fusion Engine, 4. XL Fusion Engine, 5. Medium Laser, 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. AC/5 (1-3)
4. AC/5 (1-3)
5. AC/5 (1-3)
6. AC/5 (1-3)

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Torso


1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. PPC
5. PPC
6. PPC

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-05

Movement Points:

Walking:	6	**Tonnage:**	60
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RT	10	10 [DE]	3	6	12	18
2	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: (Machine Gun) 200


BV: 1365

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Machine Gun
6. Machine Gun

4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Roll Again
5. Roll Again
6. Roll Again

1-3: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3: 1. Gyro; 2. XL Fusion Engine; 3. XL Fusion Engine; 4. XL Fusion Engine; 5. Ammo (Machine Gun) 200; 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Machine Gun
6. Machine Gun

4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso


1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. PPC (1-3)
5. PPC (1-3)
6. PPC (1-3)

4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 11 (22)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-01X

Movement Points:

Walking:	6
Running:	9
Jumping:	4

Tonnage:	60
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19


BV: 1659

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser (1-3)
4. ER Large Laser (1-3)
5. Endo Steel
6. Endo Steel

4-6:
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Endo Steel
5. Endo Steel
6. Endo Steel

1-3

4-6:
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso


1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Laser
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser (1-3)
4. ER Large Laser (1-3)
5. Endo Steel
6. Endo Steel

4-6:
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Torso


1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. PPC (1-3)
5. PPC (1-3)
6. PPC (1-3)

4-6:
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 13 (26)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-02

Movement Points:

Walking:	4	**Tonnage:**	60
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15


BV: 1236

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Roll Again
6. Roll Again

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink (1-3)
4. Roll Again
5. Roll Again
6. Roll Again

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3: 1. Fusion Engine, 2. Fusion Engine, 3. Fusion Engine, 4. Gyro, 5. Gyro, 6. Gyro

4-6: 1. Gyro, 2. Fusion Engine, 3. Fusion Engine, 4. Fusion Engine, 5. Heat Sink, 6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Roll Again
6. Roll Again

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Torso


1. Heat Sink
2. PPC (1-3)
3. PPC (1-3)
4. PPC (1-3)
5. Roll Again
6. Roll Again

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 19
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Merlin MLN-1A

Movement Points:

Walking:	4	**Tonnage:**	60
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	Flamer	LT	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 5) 24, (Machine Gun) 100


BV: 1217

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Flamer

4-6
1. Machine Gun
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 5) 24
6. Ammo (Machine Gun) 100

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. PPC
6. PPC

4-6
1. PPC
2. LRM 5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 18
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Quickdraw QKD-4G

Movement Points:

Walking:	5	**Tonnage:**	60
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser(R)	RT	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 12, (SRM 4) 25


BV: 1192

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. ⌈LRM 10
4. ⌊LRM 10
5. Ammo (LRM 10) 12
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. SRM 4

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Medium Laser (R)
4. Medium Laser (R)
5. Ammo (SRM 4) 25
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Quickdraw QKD-4H

Movement Points:

Walking:	5	**Tonnage:**	60
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 4(R)	CT	3	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 12, (SRM 4) 25


BV: 1242

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Jump Jet
3. Jump Jet
4. LRM 10
5. LRM 10
6. Ammo (LRM 10) 12

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. SRM 4 (R)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Medium Laser
5. Ammo (SRM 4) 25
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 13

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Quickdraw QKD-5A

Movement Points:

Walking:	5	**Tonnage:**	60
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser(R)	RT	3	5 [DE]	—	3	6	9
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (SRM 4) 25


BV: 1196

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Jump Jet
3. Jump Jet
4. Medium Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. SRM 4

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Medium Laser (R)
4. Medium Laser (R)
5. Ammo (SRM 4) 25
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 17
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Bombardier BMB-10D

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Machine Gun	CT	0	2 [DB,AI]	—	1	2	3
1	LRM 20	RT	6	1/Msl [M,C,S]	6	7	14	21
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	SRM 4	RA	3	2/Msl [M,C,S]	—	3	6	9

Ammo: (LRM 20) 12, (Machine Gun) 200, (SRM 4) 25


BV: 1340

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 20
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Machine Gun
6. Ammo (Machine Gun) 200

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 4
6. Ammo (SRM 4) 25

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 20
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. Ammo (LRM 20) 6

4-6
1. Ammo (LRM 20) 6
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Bombardier BMB-12D

Movement Points:

Walking:	5	**Tonnage:**	65
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Anti-Missile System	CT	1	[PD]	—	—	—	—
1	LRM 20	RT	6	1/Msl [M,C,S]	6	7	14	21
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	SRM 4	RA	3	2/Msl [M,C,S]	—	3	6	9

Ammo: (AMS) 12, (LRM 20) 12, (SRM 4) 25


BV: 1480

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Anti-Missile System
6. Ammo (AMS) 12

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 4
6. Ammo (SRM 4) 25

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. CASE
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Catapult CPLT-A1

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21

Ammo: [LRM 15] 32


BV: 1285

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15 (1-3)
4. LRM 15 (1-3)
5. LRM 15 (1-3)
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Jump Jet
2. Jump Jet
3. Ammo (LRM 15) 8 (1-3)
4. Ammo (LRM 15) 8 (1-3)
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. Fusion Engine (4-6)
3. Fusion Engine (4-6)
4. Fusion Engine (4-6)
5. Heat Sink (4-6)
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15 (1-3)
4. LRM 15 (1-3)
5. LRM 15 (1-3)
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1. Jump Jet
2. Jump Jet
3. Ammo (LRM 15) 8 (1-3)
4. Ammo (LRM 15) 8 (1-3)
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Catapult CPLT-C1

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21

Ammo: [LRM 15] 16


BV: 1399

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15
4. LRM 15
5. LRM 15
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso

1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Ammo (LRM 15) 8
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15
4. LRM 15
5. LRM 15
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso

1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Ammo (LRM 15) 8
5. Roll Again
6. Roll Again

1-3


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 15

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Catapult CPLT-C1 (Jenny) 'Butterbee'

Movement Points:
Walking: 4
Running: 6
Jumping: 4

Tonnage: 65
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	SRM 6	RA	4	2/Msl [M,C,S]	—	3	6	9
2	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (SRM 6) 60


BV: 1242

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. [SRM 6
4.]SRM 6
5. [SRM 6
6.]SRM 6

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Ammo (SRM 6) 15
5. Ammo (SRM 6) 15
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. [SRM 6
4.]SRM 6
5. [SRM 6
6.]SRM 6

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. Jump Jet
2. Jump Jet
3. Medium Laser
4. Ammo (SRM 6) 15
5. Ammo (SRM 6) 15
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Catapult CPLT-C1b

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Standard
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 15) 32


BV: 1570

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15 (1-3)
4. LRM 15 (1-3)
5. LRM 15 (1-3)
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

(4-6)

Left Torso

1. Double Heat Sink (1-3)
2. Double Heat Sink (1-3)
3. Double Heat Sink (1-3)
4. Jump Jet
5. Jump Jet
6. Medium Laser

1. Ammo (LRM 15) 8
2. Ammo (LRM 15) 8
3. CASE
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

(4-6)

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser

(4-6)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15 (1-3)
4. LRM 15 (1-3)
5. LRM 15 (1-3)
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

(4-6)

Right Torso

1. Double Heat Sink (1-3)
2. Double Heat Sink (1-3)
3. Double Heat Sink (1-3)
4. Jump Jet
5. Jump Jet
6. Medium Laser


1. Ammo (LRM 15) 8
2. Ammo (LRM 15) 8
3. CASE
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

(4-6)

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 12 (24)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Catapult CPLT-C4

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Small Laser	CT	1	3 [DE]	—	1	2	3
1	LRM 20	RA	6	1/Msl [M,C,S]	6	7	14	21
1	LRM 20	LA	6	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 20) 24


BV: 1358

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 20 (1-3)
4. LRM 20 (1-3)
5. LRM 20 (1-3)
6. LRM 20 (1-3)
1. LRM 20 (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Torso

1. Jump Jet
2. Jump Jet
3. Ammo (LRM 20) 6 (1-3)
4. Ammo (LRM 20) 6 (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)
1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine (1-3)
2. Fusion Engine (1-3)
3. Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)
1. Gyro (4-6)
2. Fusion Engine (4-6)
3. Fusion Engine (4-6)
4. Fusion Engine (4-6)
5. Small Laser (4-6)
6. Small Laser (4-6)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 20 (1-3)
4. LRM 20 (1-3)
5. LRM 20 (1-3)
6. LRM 20 (1-3)
1. LRM 20 (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)


Right Torso

1. Jump Jet
2. Jump Jet
3. Ammo (LRM 20) 6 (1-3)
4. Ammo (LRM 20) 6 (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)
1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Catapult CPLT-K2

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (Machine Gun) 200


BV: 1319

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. PPC
4. PPC
5. PPC
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso

1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Machine Gun
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Ammo (Machine Gun) 200

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. PPC
4. PPC
5. PPC
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Machine Gun
6. Roll Again

1-3


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Catapult CPLT-K3

Movement Points:

Walking:	4	Tonnage:	65
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	ER PPC	LA	15	10 [DE]	—	7	14	23

Ammo: (Machine Gun) 200


BV: 1437

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. ER PPC
4. ER PPC
5. ER PPC
6. Roll Again

Left Torso

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Medium Laser
5. Machine Gun
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (Machine Gun) 200
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. ER PPC
4. ER PPC
5. ER PPC
6. Roll Again

Right Torso


1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Medium Laser
5. Machine Gun
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 20 (40)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	−5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	−4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	−3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Exterminator EXT-4A

Movement Points:

Walking:	5	**Tonnage:**	65
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	5	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 12, (Machine Gun) 200


BV: 1372

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. LRM 10
4. LRM 10
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Ammo (LRM 10) 12

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Jump Jet
3. Machine Gun
4. Ammo (Machine Gun) 200
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Exterminator EXT-4D

Movement Points:

Walking:	6	**Tonnage:**	65
Running:	9	**Tech Base:**	Inner Sphere
Jumping:	6	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Anti-Missile System	RT	1	[PD]	—	—	—	—
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [AMS] 12, [LRM 10] 12


BV: 1385

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Jump Jet
5. Jump Jet
6. Jump Jet

4-6
1. LRM 10
2. LRM 10
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (LRM 10) 12
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Jump Jet
5. Jump Jet
6. Jump Jet

4-6
1. Anti-Missile System
2. Ammo (AMS) 12
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: JagerMech JM6-A

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	AC/2	RA	1	2 [DB,S]	4	8	16	24
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21
1	AC/2	LA	1	2 [DB,S]	4	8	16	24

Ammo: (AC/2) 45, (LRM 15) 16


BV: 1122

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15
4. LRM 15
5. LRM 15
6. AC/2

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Medium Laser
2. Ammo (AC/2) 45
3. Ammo (LRM 15) 8
4. Roll Again
5. Roll Again
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso


1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. LRM 15
4. LRM 15
5. LRM 15
6. AC/2

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1. Medium Laser
2. Ammo (LRM 15) 8
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: JagerMech JM6-S

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	AC/2	RA	1	2 [DB,S]	4	8	16	24
1	AC/5	RA	1	5 [DB,S]	3	6	12	18
1	AC/5	LA	1	5 [DB,S]	3	6	12	18
1	AC/2	LA	1	2 [DB,S]	4	8	16	24

Ammo: (AC/2) 45, (AC/5) 40


BV: 901

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. AC/5
4. AC/5
5. AC/5
6. AC/5

1-3

1. AC/2
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Medium Laser
2. Ammo (AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (AC/2) 45
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. AC/5
4. AC/5
5. AC/5
6. AC/5

1-3

1. AC/2
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. Medium Laser
2. Ammo (AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunderbolt TDR-5D

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage: 65
Tech Base: Inner Sphere
Rules Level: Introductory

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min (hexes)	Sht (hexes)	Med (hexes)	Lng (hexes)
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21

Ammo: (AC/20) 10, (LRM 10) 12


BV: 1231

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Ammo (AC/20) 5
6. Ammo (AC/20) 5

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunderbolt TDR-5S

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21
3	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (LRM 15) 16, (Machine Gun) 200, (SRM 2) 50


BV: 1335

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Machine Gun
6. Machine Gun

4-6
1. Ammo (Machine Gun) 200
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser
2. Medium Laser
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 15) 8
6. Ammo (LRM 15) 8

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 15
2. LRM 15
3. LRM 15
4. SRM 2
5. Ammo (SRM 2) 50
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunderbolt TDR-5SE

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
3	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	RA	8	8 [DE]	—	5	10	15

Ammo: (LRM 10) 24


BV: 1414

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. LRM 10
4. LRM 10
5. Medium Laser
6. Medium Laser

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 10) 12
6. Ammo (LRM 10) 12

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Jump Jet
5. Jump Jet
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 17
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunderbolt TDR-5SS

Movement Points:

Walking:	4	**Tonnage:**	65
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	RT	3	2 [DE,H,AI]	—	1	2	3
3	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18

Ammo: (SRM 6) 15


BV: 1337

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. SRM 6
3. SRM 6
4. Medium Laser
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Ammo (SRM 6) 15

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Flamer

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 21
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: BattleAxe BKX-7K

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (LRM 5) 24, (SRM 6) 15


BV: 1329

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Heat Sink
6. PPC

4-6
1. PPC
2. PPC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 5
2. Ammo (LRM 5) 24
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Heat Sink
6. PPC

4-6
1. PPC
2. PPC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. LRM 5
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: BattleAxe BKX-7NC

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	70
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
2	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
2	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (LRM 5) 24, (SRM 6) 15


BV: 1252

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Heat Sink
6. PPC

4-6
1. PPC
2. PPC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 5
2. LRM 5
3. Ammo (LRM 5) 24
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Heat Sink
6. PPC

4-6
1. PPC
2. PPC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. LRM 5
4. LRM 5
5. Ammo (SRM 6) 15
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 15

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cataphract CTF-1X

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	70
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser(R)	RT	3	5 [DE]	—	3	6	9
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 10


BV: 1316

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Medium Laser (R)
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. Medium Laser (R)
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cataphract CTF-2X

Movement Points:
Walking: 4
Running: 6
Jumping: 0

Tonnage: 70
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	SRM 4	LA	3	2/Msl [M,C,S]	—	3	6	9

Ammo: (AC/10) 20, (SRM 4) 25


BV: 1344

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 4
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Medium Laser
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. Ammo (SRM 4) 25
5. Roll Again
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

1-3

4-6
1. AC/10
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 14
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cataphract CTF-4X

Movement Points:

Walking:	3	**Tonnage:**	70
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 5	HD	2	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	AC/5	RA	1	5 [DB,S]	3	6	12	18
1	AC/5	LA	1	5 [DB,S]	3	6	12	18

Ammo: (AC/5) 80, (LRM 5) 24


BV: 1216

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AC/5
6. AC/5

4-6
1. AC/5
2. AC/5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Ammo (AC/5) 20
4. Ammo (AC/5) 20
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. LRM 5
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/5
5. AC/5
6. AC/5

4-6
1. AC/5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (AC/5) 20
4. Ammo (AC/5) 20
5. Ammo (LRM 5) 24
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Excalibur EXC-B1

Movement Points:

Walking:	5	**Tonnage:**	70
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Anti-Missile System	LT	1	[PD]	—	—	—	—
1	LRM 20 w/Artemis IV	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Small Pulse Laser	LA	2	3 [P,AI]	—	1	2	3

Ammo: (AMS) 12, (Gauss) 16, (LRM 20) 12


BV: 1549

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Small Pulse Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Artemis IV FCS
4. Anti-Missile System
5. Ammo (LRM 20) 6
6. Ammo (LRM 20) 6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (AMS) 12
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Excalibur EXC-B2

Movement Points:

Walking:	5	**Tonnage:**	70
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Anti-Missile System	CT	1	[PD]	—	—	—	—
1	LRM 20 w/Artemis IV	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22

Ammo: (AMS) 12, (Gauss) 16, (LRM 20) 12


BV: 1533

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Artemis IV FCS
4. Ammo (LRM 20) 6
5. Ammo (LRM 20) 6
6. CASE

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Anti-Missile System
6. Ammo (AMS) 12

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. CASE

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Excalibur EXC-B2b

Movement Points:

Walking:	5	**Tonnage:**	70
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Anti-Missile System	CT	1	[PD]	—	—	—	—
1	LRM 20 w/Artemis IV	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22

Ammo: (AMS) 12, (Gauss) 16, (LRM 20) 12


BV: 1715

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Endo Steel
6. Endo Steel

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Artemis IV FCS
4. Ammo (LRM 20) 6
5. Ammo (LRM 20) 6
6. CASE

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Anti-Missile System
6. Ammo (AMS) 12

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Endo Steel
6. Endo Steel

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. CASE

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Excalibur EXC-C1

Movement Points:

Walking:	5	**Tonnage:**	70
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med	Lng
1	LRM 20 w/Artemis IV	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Gauss) 16, (LRM 20) 12


BV: 1637

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Artemis IV FCS
4. Ammo (LRM 20) 6
5. Ammo (LRM 20) 6
6. CASE

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. CASE

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Grasshopper GHR-5H

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	LRM 5	HD	2	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 5) 24


BV: 1427

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. LRM 5
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Medium Laser
6. Ammo (LRM 5) 24

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 22
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Grasshopper GHR-5N

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1511

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. PPC
4. PPC
5. PPC
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 22
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-3N

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 6	CT	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: [SRM 6] 15


BV: 1418

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Laser
4. Large Laser
5. Endo Steel
6. Endo Steel

Left Arm 4-6
1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

Left Torso 4-6
1. Heat Sink
2. Jump Jet
3. Medium Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Center Torso 4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Endo Steel


Right Arm 4-6
1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Jump Jet

Right Torso 4-6
1. Medium Laser
2. Ammo (SRM 6) 15
3. CASE
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 25

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	−5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp. avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	−4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	−3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-4L

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	70
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	CT	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: [SRM 6] 15


BV: 1400

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser
4. Large Laser
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Jump Jet

1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Jump Jet
6. Medium Laser

1. Ammo (SRM 6) 15
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 22
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-4P

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 6	CT	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: [SRM 6] 15


BV: 1376

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. PPC
4. PPC
5. PPC
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Jump Jet

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Sensors
5. Life Support
6. Roll Again


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Jump Jet
6. Medium Laser

4-6
1. Ammo (SRM 6) 15
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 22
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shootist ST-8A

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	AC/20	LA	7	20 [DB,S]	—	3	6	9

Ammo: (AC/20) 10


BV: 1507

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator

1-3	3.	AC/20
	4.	AC/20
	5.	AC/20
	6.	AC/20
4-6	1.	AC/20
	2.	AC/20
	3.	AC/20
	4.	AC/20
	5.	AC/20
	6.	AC/20

Left Torso

1-3	1.	Double Heat Sink
	2.	Double Heat Sink
	3.	Double Heat Sink
	4.	Double Heat Sink
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	Ammo (AC/20) 5
	2.	Ammo (AC/20) 5
	3.	CASE
	4.	Ferro-Fibrous
	5.	Ferro-Fibrous
	6.	Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1.	Fusion Engine
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Fusion Engine
	5.	Medium Pulse Laser
	6.	Ferro-Fibrous

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Medium Pulse Laser
	6.	Ferro-Fibrous
4-6	1.	Ferro-Fibrous
	2.	Ferro-Fibrous
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again


Right Torso

1-3	1.	ER Large Laser
	2.	ER Large Laser
	3.	Ferro-Fibrous
	4.	Ferro-Fibrous
	5.	Ferro-Fibrous
	6.	Ferro-Fibrous
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shootist ST-8C

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	5 [DE]	—	4	8	12
1	C3i	RT	—	[E]	—	—	—	—
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	AC/20	LA	7	20 [DB,S]	—	3	6	9

Ammo: (AC/20) 10


BV: 1528

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

1-3

1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6

Left Torso

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ammo (AC/20) 5
5. Ammo (AC/20) 5
6. CASE

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso


1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. ER Medium Laser
6. Ferro-Fibrous

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. ER Large Laser
5. ER Large Laser
6. C3i

1-3


1. C3i
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shootist ST-9C

Movement Points:

Walking:	4	**Tonnage:**	70
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	5 [DE]	—	4	8	12
1	C3i	RT	—	[E]	—	—	—	—
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Ammo: [Gauss] 16


BV: 1727

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso

1. Ammo (Gauss) 8
2. Ammo (Gauss) 8
3. CASE
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. ER Medium Laser
6. Ferro-Fibrous

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. ER Large Laser
5. ER Large Laser
6. C3i

1-3


1. C3i
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 12 (24)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-6-KNT

Movement Points:
Walking: 4
Running: 6
Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Rules Level: Standard
Role: Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Active Probe (Beagle)	CT	—	[E]	—	—	—	—
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1551

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Endo Steel

4-6:
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3:
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Endo Steel

4-6:
1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso
1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Active Probe (Beagle)
6. Active Probe (Beagle)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC


4-6:
1. PPC
2. Medium Laser
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso
1-3:
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Endo Steel

4-6:
1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-7-KNT

Movement Points:
Walking: 4
Running: 6
Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1443

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

1-3

1. PPC
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-7-KNT-L

Movement Points:

Walking:	4	**Tonnage:**	75
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1409

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Heat Sink

4-6
1. Large Laser
2. Large Laser
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 22
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	−5 Movement Points	
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	−4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	−3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Flashman FLS-7K

Movement Points:

Walking:	4	**Tonnage:**	75
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	HD	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


BV: 1480

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Large Laser
5. Large Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Medium Laser (R)
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Flamer
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 23
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Flashman FLS-8K

Movement Points:

Walking:	5	**Tonnage:**	75
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Flamer	HD	3	2 [DE,H,AI]	—	1	2	3
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	Anti-Missile System	RT	1	[PD]	—	—	—	—
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [AMS] 12


BV: 1779

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. Medium Laser (R)
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Flamer
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. Anti-Missile System
6. Ammo (AMS) 12

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 15 (30)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hammerhands HMH-3D

Movement Points:

Walking:	3	**Tonnage:**	75
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	AC/10	LA	3	10 [DB,S]	—	5	10	15
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 40, (SRM 6) 15


BV: 1381

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. AC/10
5. AC/10
6. AC/10

4-6:
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Medium Laser
6. Ammo (AC/10) 10

Left Torso

1. Ammo (AC/10) 10

1-3:
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Hit

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Hit

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. AC/10
5. AC/10
6. AC/10

4-6:
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Medium Laser
6. Ammo (AC/10) 10

Right Torso

1. SRM 6
2. SRM 6


1-3:
3. Ammo (AC/10) 10
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Hit

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hammerhands HMH-4D

Movement Points:

Walking:	3	**Tonnage:**	75
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	AC/10	LA	3	10 [DB,S]	—	5	10	15
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 40


BV: 1356

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. AC/10
5. AC/10
6. AC/10

4-6:
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Medium Laser
6. Ammo (AC/10) 10

Left Torso

1. Ammo (AC/10) 10

1-3:
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. AC/10
5. AC/10
6. AC/10

4-6:
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Medium Laser
6. Ammo (AC/10) 10

Right Torso


1-3:
1. PPC
2. PPC
3. PPC
4. Ammo (AC/10) 10
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Orion ON1-K

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	75
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	SRM 4	LT	3	2/Msl [M,C,S]	—	3	6	9
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 20, (LRM 15) 16, (SRM 4) 25


BV: 1429

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 15
2. LRM 15
3. LRM 15
4. SRM 4
5. Ammo (LRM 15) 8
6. Ammo (LRM 15) 8

4-6
1. Ammo (SRM 4) 25
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	-5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	-4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	-3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	O
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Orion ON1-V

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	75
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21
1	SRM 4	RA	3	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	SRM 4	LA	3	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 20, (LRM 15) 16, (SRM 4) 50


BV: 1298

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. SRM 4
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 15
2. LRM 15
3. LRM 15
4. Ammo (LRM 15) 8
5. Ammo (LRM 15) 8
6. Ammo (SRM 4) 25

4-6
1. Ammo (SRM 4) 25
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. SRM 4
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Orion ON1-VA

Movement Points:
Walking: 4
Running: 6
Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	SRM 4	RA	3	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	SRM 4	LA	3	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/10) 20, (SRM 4) 50


BV: 1328

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. SRM 4
5. Medium Laser
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Ammo (SRM 4) 25
2. Ammo (SRM 4) 25
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. SRM 4
5. Medium Laser
6. Roll Again

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

1-3

4-6
1. AC/10
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Awesome AWS-8Q

Movement Points:

Walking:	3
Running:	5
Jumping:	0

Tonnage:	80
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	PPC	RT	10	10 [DE]	3	6	12	18
1	PPC	LT	10	10 [DE]	3	6	12	18
1	PPC	RA	10	10 [DE]	3	6	12	18


BV: 1605

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. PPC

4-6
1. PPC
2. PPC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. Heat Sink
2. Heat Sink
3. PPC
4. PPC
5. PPC
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 28
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp. avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp. avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Awesome AWS-8R

Movement Points:

Walking:	3	**Tonnage:**	80
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	RA	8	8 [DE]	—	5	10	15

Ammo: [LRM 15] 16


BV: 1470

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Heat Sink

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. LRM 15
2. LRM 15
3. LRM 15
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 15) 8
6. Ammo (LRM 15) 8

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. LRM 15
2. LRM 15
3. LRM 15
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 28
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp. avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp. avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Awesome AWS-8T

Movement Points:

Walking:	3	**Tonnage:**	80
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: [LRM 15] 16


BV: 1593

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. LRM 15
6. LRM 15

4-6
1. LRM 15
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 15) 8
6. Ammo (LRM 15) 8

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. LRM 15

4-6
1. LRM 15
2. LRM 15
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 23

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Awesome AWS-8V

Movement Points:

Walking:	3	**Tonnage:**	80
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	LRM 15	RT	5	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	PPC	RA	10	10 [DE]	3	6	12	18

Ammo: (LRM 15) 16


BV: 1510

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Heat Sink

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. Heat Sink
2. Large Laser
3. Large Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (LRM 15) 8
6. Ammo (LRM 15) 8

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. LRM 15
2. LRM 15
3. LRM 15
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 28
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp. avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp. avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Charger CGR-1A1

Movement Points:

Walking:	5	Tonnage:	80
Running:	8	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Scout

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	Small Laser	LT	1	3 [DE]	—	1	2	3
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	Small Laser	LA	1	3 [DE]	—	1	2	3


BV: 981

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Small Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Small Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Small Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Small Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Charger CGR-1A5

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	80
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
2	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (AC/20) 10, (SRM 6) 15


BV: 1468

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. SRM 6
3. SRM 6
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6
1. Ammo (AC/20) 5
2. Ammo (AC/20) 5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Charger CGR-1A9

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	80
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	LRM 20	RT	6	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 20) 12


BV: 1397

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Ammo (LRM 20) 6
5. Ammo (LRM 20) 6
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Heat Sink

4-6
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow	
30*	
29	
28*	
27	
26*	
25*	
24*	
23*	
22*	
21	
20*	
19*	
18*	
17*	
16	
15*	
14*	
13*	
12	
11	
10*	
9	
8*	
7	
6	
5*	
4	
3	
2	
1	
0	

HEAT DATA

Heat Sinks: 22

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Charger CGR-1L

Movement Points:

Walking:	5	**Tonnage:**	80
Running:	8	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15


BV: 980

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3

4. Roll Again
5. Roll Again
6. Roll Again

4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Medium Laser

1-3

2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine


1-3

4. Gyro
5. Gyro
6. Gyro

4-6

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3

4. Hand Actuator
5. Large Laser
6. Large Laser

4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1. Medium Laser
2. Roll Again
3. Roll Again

1-3

4. Roll Again
5. Roll Again
6. Roll Again


4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Charger CGR-SB 'Challenger'

Movement Points:

Walking:	3	Tonnage:	80
Running:	5	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15


BV: 1604

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Heat Sink
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. Heat Sink
2. Large Laser
3. Large Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6
1. Heat Sink
2. Large Laser
3. Large Laser
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 28
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp. avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp. avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatamoto-Chi HTM-26T

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (SRM 6) 15


BV: 1536

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Heat Sink

1-3
2. SRM 6
3. SRM 6
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. PPC
6. PPC

1. PPC

4-6
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1. Heat Sink


1-3
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 17
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	−5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	−4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	−3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatamoto-Chi HTM-27T

Movement Points:			
Walking:	4	Tonnage:	80
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (SRM 6) 30


BV: 1607

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. PPC, 5. PPC, 6. PPC

1. Endo Steel
2. Endo Steel
3. Endo Steel

4-6: 4. Endo Steel, 5. Endo Steel, 6. Endo Steel

Left Torso

1. Heat Sink
2. SRM 6
3. SRM 6

1-3: 4. Ammo (SRM 6) 15, 5. CASE, 6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again

4-6: 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine


1-3: 4. Gyro, 5. Gyro, 6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine

4-6: 4. Fusion Engine, 5. Endo Steel, 6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. Hand Actuator, 5. PPC, 6. PPC

1. PPC
2. Endo Steel
3. Endo Steel

4-6: 4. Endo Steel, 5. Endo Steel, 6. Endo Steel

Right Torso

1. Heat Sink
2. SRM 6
3. SRM 6

1-3: 4. Ammo (SRM 6) 15, 5. CASE, 6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again

4-6: 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 18
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatamoto-Hi HTM-27U

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
2	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18


BV: 1627

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. PPC, 5. PPC, 6. PPC

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Torso

1. Medium Pulse Laser
2. Medium Pulse Laser

1-3: 3. Endo Steel, 4. Endo Steel, 5. Endo Steel, 6. Endo Steel

4-6: 1. Endo Steel, 2. Endo Steel, 3. Endo Steel, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3: 1. Fusion Engine, 2. Fusion Engine, 3. Fusion Engine, 4. Gyro, 5. Gyro, 6. Gyro

4-6: 1. Gyro, 2. Fusion Engine, 3. Fusion Engine, 4. Fusion Engine, 5. Heat Sink, 6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. Hand Actuator, 5. PPC, 6. PPC

4-6: 1. PPC, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Torso

1. Medium Pulse Laser
2. Medium Pulse Laser


1-3: 3. Endo Steel, 4. Endo Steel, 5. Endo Steel, 6. Endo Steel

4-6: 1. Endo Steel, 2. Endo Steel, 3. Endo Steel, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 19
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatamoto-Kaze HTM-27V

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (LRM 5) 96


BV: 1595

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. LRM 5
2. Ammo (LRM 5) 24
3. Ammo (LRM 5) 24

1-3
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. CASE
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. PPC
6. PPC

1. PPC

4-6
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1. LRM 5
2. Ammo (LRM 5) 24
3. Ammo (LRM 5) 24


1-3
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. CASE
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 18

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatamoto-Ku HTM-27W

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	80
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/5	RT	1	5 [DB,S]	3	6	12	18
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (AC/5) 20


BV: 1563

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/5
2. AC/5
3. AC/5
4. AC/5
5. Ammo (AC/5) 20
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 18

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatamoto-Mizo HTM-27Y

Movement Points:

Walking:	4	Tonnage:	80
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18


BV: 1675

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. ER Large Laser
3. ER Large Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 22
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thug THG-10E

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 4	RT	3	2/Msl [M,C,S]	—	3	6	9
1	SRM 4	LT	3	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (SRM 4) 25


BV: 1501

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. PPC

4-6
1. PPC
2. PPC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. SRM 4
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. PPC

4-6
1. PPC
2. PPC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. SRM 4
4. Ammo (SRM 4) 25
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 19
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thug THG-11E

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (SRM 6) 30


BV: 1640

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. PPC
3. PPC
4. PPC
5. Endo Steel
6. Endo Steel

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. CASE
5. Endo Steel
6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. PPC
3. PPC
4. PPC
5. Endo Steel
6. Endo Steel

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. CASE
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 18 (36)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Victor VTR-9A

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Flamer	RT	3	2 [DE,H,AI]	—	1	2	3
1	SRM 4	LT	3	2/Msl [M,C,S]	—	3	6	9
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 15, (Machine Gun) 100, (SRM 4) 25


BV: 1236

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. SRM 4
3. Machine Gun
4. Ammo (SRM 4) 25
5. Ammo (Machine Gun) 100
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Flamer
2. Flamer
3. Ammo (AC/20) 5
4. Ammo (AC/20) 5
5. Ammo (AC/20) 5
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Victor VTR-9A1

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 4	LT	3	2/Msl [M,C,S]	—	3	6	9
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Machine Gun	RL	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LL	0	2 [DB,AI]	—	1	2	3

Ammo: (AC/20) 15, (Machine Gun) 100, (SRM 4) 25


BV: 1302

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. SRM 4
4. Ammo (SRM 4) 25
5. Ammo (Machine Gun) 100
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Machine Gun

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Heat Sink
2. Ammo (AC/20) 5
3. Ammo (AC/20) 5
4. Ammo (AC/20) 5
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Machine Gun

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 15

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Victor VTR-9B

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	4	**Rules Level:**	Introductory
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 4	LT	3	2/Msl [M,C,S]	—	3	6	9
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 15, (SRM 4) 25


BV: 1378

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 4
2. Ammo (SRM 4) 25
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Heat Sink
2. Ammo (AC/20) 5
3. Ammo (AC/20) 5
4. Ammo (AC/20) 5
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Victor VTR-9S

Movement Points:

Walking:	4
Running:	6
Jumping:	4

Tonnage:	80
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 15, (SRM 6) 15


BV: 1360

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Hit

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Heat Sink
2. Ammo (AC/20) 5
3. Ammo (AC/20) 5
4. Ammo (AC/20) 5
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Zeus ZEU-5S

Movement Points:

Walking:	4	Tonnage:	80
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	ER Large Laser	LT	12	8 [DE]	—	7	14	19
1	LRM 15 w/Artemis IV	RA	5	1/Msl [M,C,S]	6	7	14	21
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	2	6	13	20

Ammo: (LRM 15) 8, (Ultra AC/5) 40


BV: 1474

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Ultra AC/5
5. Ultra AC/5
6. Ultra AC/5

4-6
1. Ultra AC/5
2. Ultra AC/5
3. Ammo (Ultra AC/5) 20
4. Ammo (Ultra AC/5) 20
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. ER Large Laser
5. ER Large Laser
6. Medium Laser (R)

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Sensors
5. Life Support
6. Roll Again


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Artemis IV FCS
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ammo (LRM 15) 8
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 14 (28)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Zeus ZEU-5T

Movement Points:
Walking: 4
Running: 6
Jumping: 0

Tonnage: 80
Tech Base: Inner Sphere
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	ER Large Laser	LT	12	8 [DE]	—	7	14	19
1	LRM 15 w/Artemis IV	RA	5	1/Msl [M,C,S]	6	7	14	21
1	ER PPC	LA	15	10 [DE]	—	7	14	23

Ammo: (LRM 15) 8


BV: 1729

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. ER PPC
5. ER PPC
6. ER PPC

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. ER Large Laser
2. ER Large Laser
3. Medium Laser (R)
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Ferro-Fibrous

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Artemis IV FCS
2. Ammo (LRM 15) 8
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 17 (34)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Zeus ZEU-6A

Movement Points:
Walking: 4
Running: 6
Jumping: 0

Tonnage: 80
Tech Base: Inner Sphere
Rules Level: Introductory

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
3	SRM 6	RA	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (SRM 6) 15


BV: 1405

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. PPC, 5. PPC, 6. PPC

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3:
1. Large Laser
2. Large Laser
3. Medium Laser (R)
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. SRM 6, 5. SRM 6, 6. SRM 6


4-6:
1. SRM 6
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

Right Torso
1-3:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 17
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Zeus ZEU-6S

Movement Points:

Walking:	4	Tonnage:	80
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	AC/5	LA	1	5 [DB,S]	3	6	12	18

Ammo: (AC/5) 20, (LRM 15) 8


BV: 1348

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/5
5. AC/5
6. AC/5

4-6
1. AC/5
2. Ammo (AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Large Laser
2. Large Laser
3. Medium Laser (R)
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Sensors
5. Life Support
6. Roll Again


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Ammo (LRM 15) 8
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 17

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Zeus ZEU-6T

Movement Points:

Walking:	4	**Tonnage:**	80
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (LRM 15) 8


BV: 1436

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Large Laser
2. Large Laser
3. Medium Laser (R)
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (LRM 15) 8
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 19
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Zeus ZEU-9S

Movement Points:

Walking:	4	Tonnage:	80
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	Medium Pulse Laser(R)	LT	4	6 [P]	—	2	4	6
1	ER Large Laser	LT	12	8 [DE]	—	7	14	19
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	ER PPC	LA	15	10 [DE]	—	7	14	23

Ammo: (LRM 15) 8


BV: 1639

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER PPC
5. ER PPC
6. ER PPC

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. ER Large Laser
5. ER Large Laser
6. Medium Pulse Laser (R)

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Pulse Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Ammo (LRM 15) 8
2. CASE
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 17 (34)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: BattleMaster BLR-1D

Movement Points:

Walking:	4	**Tonnage:**	85
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200


BV: 1522

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Machine Gun
6. Machine Gun

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Medium Laser
5. Ammo (Machine Gun) 200
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 24
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	−5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp. avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○
20	−4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	−3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	−2 Movement Points	
8	+1 Modifier to Fire	
5	−1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: BattleMaster BLR-1G

Movement Points:

Walking:	4	**Tonnage:**	85
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser(R)	RT	3	5 [DE]	—	3	6	9
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3

Ammo: (Machine Gun) 200, (SRM 6) 30


BV: 1519

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Machine Gun
6. Machine Gun

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 6
2. SRM 6
3. Medium Laser
4. Medium Laser
5. Medium Laser (R)
6. Ammo (Machine Gun) 200

4-6
1. Ammo (SRM 6) 15
2. Ammo (SRM 6) 15
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Medium Laser
3. Medium Laser
4. Medium Laser (R)
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 18
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: BattleMaster BLR-1S

Movement Points:

Walking:	4	**Tonnage:**	85
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	SRM 2	RA	2	2/Msl [M,C,S]	—	3	6	9
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 15) 8, (LRM 5) 24, (SRM 2) 50


BV: 1507

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 15
6. LRM 15

4-6
1. LRM 15
2. Ammo (LRM 15) 8
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Medium Laser
3. Medium Laser
4. LRM 5
5. SRM 2
6. Ammo (LRM 5) 24

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Sensors
5. Life Support
6. Roll Again

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 2
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Medium Laser
4. Medium Laser
5. Ammo (SRM 2) 50
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Crockett CRK-5003-1

Movement Points:

Walking:	3	Tonnage:	85
Running:	5	Tech Base:	Inner Sphere
Jumping:	3	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	LB 10-X AC	LT	2	10 [DB,C/F/S]	—	6	12	18
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (LB 10-X) 30, (SRM 6) 30


BV: 1923

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Small Laser

4-6
2. ER Large Laser
3. ER Large Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. SRM 6
5. SRM 6
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. Ammo (LB 10-X) 10

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Small Laser
2. ER Large Laser
3. ER Large Laser
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Ammo (SRM 6) 15
5. Ammo (LB 10-X) 10
6. Ammo (LB 10-X) 10

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 15 (30)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Rampage RMP-2G

Movement Points:

Walking:	3	**Tonnage:**	85
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Flamer	LT	3	2 [DE,H,AI]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	LRM 10	LA	4	1/Msl [M,C,S]	6	7	14	21

Ammo: (AC/10) 20, (LRM 10) 24, (Machine Gun) 200


BV: 1444

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. LRM 10; 5. LRM 10; 6. Roll Again

4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Torso

1. Medium Laser
2. Flamer

1-3: 3. Ammo (LRM 10) 12; 4. Ammo (LRM 10) 12; 5. Heat Sink; 6. Heat Sink

4-6: 1. Heat Sink; 2. Heat Sink; 3. Heat Sink; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3: 1. Fusion Engine; 2. Fusion Engine; 3. Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro

4-6: 1. Gyro; 2. Fusion Engine; 3. Fusion Engine; 4. Fusion Engine; 5. Large Laser; 6. Large Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. Hand Actuator; 5. AC/10; 6. AC/10

4-6: 1. AC/10; 2. AC/10; 3. AC/10; 4. AC/10; 5. AC/10; 6. Roll Again

Right Torso

1. Machine Gun
2. Medium Laser


1-3: 3. Ammo (AC/10) 10; 4. Ammo (AC/10) 10; 5. Ammo (Machine Gun) 200; 6. Heat Sink

4-6: 1. Heat Sink; 2. Heat Sink; 3. Heat Sink; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 23
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Rampage RMP-4G

Movement Points:
Walking: 4
Running: 6 [8]
Jumping: 0

Tonnage: 85
Tech Base: Inner Sphere
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Pulse Laser	CT	10	9 [P]	—	3	7	10
1	Anti-Missile System	RT	1	[PD]	—	—	—	—
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Flamer	LT	3	2 [DE,H,AI]	—	1	2	3
1	LB 10-X AC	RA	2	10 [DB,C/F/S]	—	6	12	18
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Ammo: (AMS) 12, (Gauss) 16, (LB 10-X) 20


BV: 2130

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle

4-6
4. Gauss Rifle
5. Endo Steel
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Flamer

1. Endo Steel
2. Endo Steel
3. Endo Steel

4-6
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine

4-6
4. XL Fusion Engine
5. Large Pulse Laser
6. Large Pulse Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. LB 10-X AC
6. LB 10-X AC

1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC

4-6
4. LB 10-X AC
5. Endo Steel
6. Endo Steel

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3
4. Medium Laser
5. Anti-Missile System
6. MASC

1. MASC
2. MASC
3. MASC

4-6
4. Ammo (LB 10-X) 10
5. Ammo (LB 10-X) 10
6. Ammo (AMS) 12

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Rampage RMP-5G

Movement Points:

Walking:	4	**Tonnage:**	85
Running:	6 [8]	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Pulse Laser	CT	10	9 [P]	—	3	7	10
1	Anti-Missile System	RT	1	[PD]	—	—	—	—
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
3	Streak SRM 2	LT	2	2/Msl [M,C]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Flamer	LT	3	2 [DE,H,AI]	—	1	2	3
1	LB 10-X AC	RA	2	10 [DB,C/F/S]	—	6	12	18
1	LRM 10 w/Artemis IV	LA	4	1/Msl [M,C,S]	6	7	14	21

Ammo: (AMS) 12, (LB 10-X) 20, (LRM 10) 12, (Streak SRM 2) 50


BV: 1933

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. LRM 10; 5. LRM 10; 6. Artemis IV FCS

4-6: 1. Endo Steel; 2. Endo Steel; 3. Endo Steel; 4. Endo Steel; 5. Endo Steel; 6. Roll Again

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. Flamer
6. Streak SRM 2

1-3: 1. Streak SRM 2; 2. Streak SRM 2; 3. Ammo (Streak SRM 2) 50; 4. Ammo (LRM 10) 12; 5. Endo Steel; 6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support


Center Torso

1-3: 1. XL Fusion Engine; 2. XL Fusion Engine; 3. XL Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro

4-6: 1. Gyro; 2. XL Fusion Engine; 3. XL Fusion Engine; 4. XL Fusion Engine; 5. Large Pulse Laser; 6. Large Pulse Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. Hand Actuator; 5. LB 10-X AC; 6. LB 10-X AC

4-6: 1. LB 10-X AC; 2. LB 10-X AC; 3. LB 10-X AC; 4. LB 10-X AC; 5. Endo Steel; 6. Endo Steel

Right Torso


1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. Anti-Missile System
6. MASC

1-3: 1. MASC; 2. MASC; 3. MASC; 4. Ammo (LB 10-X) 10; 5. Ammo (LB 10-X) 10; 6. Ammo (AMS) 12

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shogun SHG-2E

Movement Points:

Walking:	3	Tonnage:	85
Running:	5	Tech Base:	Inner Sphere
Jumping:	3	Rules Level:	Standard
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 15) 16, (SRM 6) 30


BV: 1823

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6
1. Ammo (LRM 15) 8
2. CASE
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Hip

Head


1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. PPC
4. PPC
5. PPC
6. Ammo (SRM 6) 15

4-6
1. Ammo (LRM 15) 8
2. CASE
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 17
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Shogun SHG-2F

Movement Points:

Walking:	3	**Tonnage:**	85
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Standard
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	ER PPC	RT	15	10 [DE]	—	7	14	23
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21

Ammo: (LRM 15) 16, (SRM 6) 30


BV: 1804

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. SRM 6
4. SRM 6
5. Ammo (SRM 6) 15
6. Ammo (LRM 15) 8

4-6
1. CASE
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Hip

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 15
5. LRM 15
6. LRM 15

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. SRM 6
4. SRM 6
5. ER PPC
6. ER PPC

4-6
1. ER PPC
2. Ammo (SRM 6) 15
3. Ammo (LRM 15) 8
4. CASE
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 17

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Stalker STK-3F

Movement Points:

Walking:	3	**Tonnage:**	85
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	LRM 10	RA	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 10	LA	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: [LRM 10] 24, [SRM 6] 30


BV: 1559

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Heat Sink

1-3 4. [LRM 10
5. L LRM 10
6. Medium Laser

1. Medium Laser
2. Ammo (LRM 10) 12

4-6 3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Heat Sink

1-3 2. [Large Laser
3. L Large Laser
4. [SRM 6
5. L SRM 6
6. Ammo (SRM 6) 15

1. Roll Again
2. Roll Again

4-6 3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Sensors
5. Life Support
6. Roll Again

Center Torso

1. Fusion Engine
2. Fusion Engine


1-3 3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine

4-6 4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Heat Sink

1-3 4. [LRM 10
5. L LRM 10
6. Medium Laser

1. Medium Laser
2. Ammo (LRM 10) 12

4-6 3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1. Heat Sink

1-3 2. [Large Laser
3. L Large Laser
4. [SRM 6
5. L SRM 6
6. Ammo (SRM 6) 15


1. Roll Again
2. Roll Again

4-6 3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow	
30*	
29	
28*	
27	
26*	
25*	
24*	
23*	
22*	
21	
20*	
19*	
18*	
17*	
16	
15*	
14*	
13*	
12	
11	
10*	
9	
8*	
7	
6	
5*	
4	
3	
2	
1	
0	

HEAT DATA

Heat Sinks: 20

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Stalker STK-3H

Movement Points:

Walking:	3	**Tonnage:**	85
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 20	RA	6	1/Msl [M,C,S]	6	7	14	21
1	LRM 20	LA	6	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 20) 12, (SRM 6) 30


BV: 1624

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Heat Sink
- 1-3: 4. LRM 20, 5. LRM 20, 6. LRM 20
- 4-6: 1. LRM 20, 2. LRM 20, 3. Medium Laser, 4. Medium Laser, 5. Ammo (LRM 20) 6, 6. Roll Again

Left Torso

1. Heat Sink
- 1-3: 2. SRM 6, 3. SRM 6, 4. Ammo (SRM 6) 15, 5. Roll Again, 6. Roll Again
- 4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
- 1-3: 4. Gyro, 5. Gyro, 6. Gyro
- 4-6: 1. Gyro, 2. Fusion Engine, 3. Fusion Engine, 4. Fusion Engine, 5. Heat Sink, 6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Heat Sink
- 1-3: 4. LRM 20, 5. LRM 20, 6. LRM 20
- 4-6: 1. LRM 20, 2. LRM 20, 3. Medium Laser, 4. Medium Laser, 5. Ammo (LRM 20) 6, 6. Roll Again


Right Torso

1. Heat Sink
- 1-3: 2. SRM 6, 3. SRM 6, 4. Ammo (SRM 6) 15, 5. Roll Again, 6. Roll Again
- 4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Stalker STK-4N

Movement Points:

Walking:	3	**Tonnage:**	85
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	LRM 10	RA	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 12, (SRM 6) 30


BV: 1558

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Laser
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Large Laser

4-6
1. Large Laser
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. LRM 10
4. LRM 10
5. Medium Laser
6. Medium Laser

4-6
1. Ammo (LRM 10) 12
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Large Laser

4-6
1. Large Laser
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 26

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp. avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp. avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cyclops CP-10-Q

Movement Points:

Walking:	4	**Tonnage:**	90
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (LRM 10) 48, (SRM 4) 25


BV: 1584

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Ammo (LRM 10) 12
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 4
6. Ammo (SRM 4) 25

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 10
2. LRM 10
3. Medium Laser
4. Ammo (LRM 10) 12
5. Ammo (LRM 10) 12
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks
30	Shutdown	14
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cyclops CP-10-Z

Movement Points:

Walking:	4	Tonnage:	90
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 20, (LRM 10) 12, (SRM 4) 25


BV: 1317

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (AC/20) 5
4. Ammo (AC/20) 5
5. Ammo (LRM 10) 12
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 4
6. Ammo (SRM 4) 25

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Ammo (AC/20) 5
6. Ammo (AC/20) 5

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 12

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cyclops CP-11-A

Movement Points:

Walking:	4	Tonnage:	90
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Gauss) 16, (LRM 10) 24, (SRM 4) 25


BV: 1547

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Ammo (LRM 10) 12
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 4
6. Ammo (SRM 4) 25

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Ammo (Gauss) 8
3. Ammo (Gauss) 8
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 12

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Emperor EMP-5A

Movement Points:

Walking:	3	**Tonnage:**	90
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	AC/5	RA	1	5 [DB,S]	3	6	12	18
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	AC/5	LA	1	5 [DB,S]	3	6	12	18
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: [AC/5] 40


BV: 1830

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. Large Laser; 5. Large Laser; 6. AC/5

4-6: 1. AC/5; 2. AC/5; 3. AC/5; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Ammo (AC/5) 20
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3: 1. Fusion Engine; 2. Fusion Engine; 3. Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro

4-6: 1. Gyro; 2. Fusion Engine; 3. Fusion Engine; 4. Fusion Engine; 5. Jump Jet; 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. Large Laser; 5. Large Laser; 6. AC/5

4-6: 1. AC/5; 2. AC/5; 3. AC/5; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso


1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Medium Laser
5. Ammo (AC/5) 20
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Emperor EMP-6A

Movement Points:

Walking:	3	**Tonnage:**	90
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	LB 10-X AC	RA	2	10 [DB,C/F/S]	—	6	12	18
1	Large Laser	LA	8	8 [DE]	—	5	10	15
1	LB 10-X AC	LA	2	10 [DB,C/F/S]	—	6	12	18

Ammo: [LB 10-X] 40


BV: 1969

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC

4-6
4. Large Laser
5. Large Laser
6. Roll Again

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Medium Pulse Laser
2. Ammo (LB 10-X) 10
3. Ammo (LB 10-X) 10

4-6
4. CASE
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine

4-6
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC

4-6
4. Large Laser
5. Large Laser
6. Roll Again

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1. Medium Pulse Laser
2. Ammo (LB 10-X) 10
3. Ammo (LB 10-X) 10

4-6
4. CASE
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Emperor EMP-6D

Movement Points:

Walking:	3	**Tonnage:**	90
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Medium Laser	HD	5	5 [DE]	—	4	8	12
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
1	ER Large Laser	LT	12	8 [DE]	—	7	14	19
1	Rotary AC/5	RA	1	5/Sht [DB,R/C]	—	5	10	15
1	Rotary AC/5	LA	1	5/Sht [DB,R/C]	—	5	10	15

Ammo: (RAC/5) 120


BV: 2382

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Rotary AC/5
2. Rotary AC/5
3. Rotary AC/5
4. Rotary AC/5
5. Rotary AC/5
6. Rotary AC/5

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. ER Large Laser
2. ER Large Laser
3. ER Medium Laser
4. Ammo (RAC/5) 20
5. Ammo (RAC/5) 20
6. CASE

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ammo (RAC/5) 20

Head


1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Rotary AC/5
2. Rotary AC/5
3. Rotary AC/5
4. Rotary AC/5
5. Rotary AC/5
6. Rotary AC/5

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. ER Large Laser
2. ER Large Laser
3. ER Medium Laser
4. Ammo (RAC/5) 20
5. Ammo (RAC/5) 20
6. CASE

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ammo (RAC/5) 20

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 14 (28)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Emperor EMP-6L

Movement Points:

Walking:	3 [4]	**Tonnage:**	90
Running:	5 [6]	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
2	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	ER PPC	LA	15	10 [DE]	—	7	14	23
1	ECM Suite (Guardian)	LA	—	[E]	—	—	—	—

Ammo: (Gauss) 24


BV: 2681

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. ER PPC
5. ER PPC
6. ER PPC

1. ECM Suite (Guardian)
2. ECM Suite (Guardian)

4-6
3. Stealth
4. Stealth
5. Triple-Strength Myomer
6. Triple-Strength Myomer

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Jump Jet
5. Medium Pulse Laser
6. Medium Pulse Laser

4-6
1. Stealth
2. Stealth
3. Triple-Strength Myomer
4. Triple-Strength Myomer
5. Triple-Strength Myomer
6. Triple-Strength Myomer

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Stealth
6. Stealth

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Jump Jet
5. Medium Pulse Laser
6. Medium Pulse Laser

4-6
1. Ammo (Gauss) 8
2. Ammo (Gauss) 8
3. Ammo (Gauss) 8
4. CASE
5. Stealth
6. Stealth

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 12 (24)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Emperor EMP-6M

Movement Points:

Walking:	3 [4]
Running:	5 [6]
Jumping:	3

Tonnage:	90
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Medium Laser	HD	5	5 [DE]	—	4	8	12
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	C3i	RT	—	[E]	—	—	—	—
1	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Light Gauss Rifle	RA	1	8 [DB,X]	3	8	17	25
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	Light Gauss Rifle	LA	1	8 [DB,X]	3	8	17	25

Ammo: [Light Gauss] 32


BV: 2090

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Light Gauss Rifle
5. Light Gauss Rifle
6. Light Gauss Rifle

1. Light Gauss Rifle
2. Light Gauss Rifle

4-6
3. ER Large Laser
4. ER Large Laser
5. Ammo (Light Gauss) 16
6. Triple-Strength Myomer

Left Torso

1. Light Fusion Engine
2. Light Fusion Engine
3. Medium Pulse Laser

1-3
4. Endo Steel
5. Endo Steel
6. Endo Steel

1. Endo Steel
2. Endo Steel

4-6
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Triple-Strength Myomer

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Triple-Strength Myomer

Head

1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support

Center Torso

1. Light Fusion Engine
2. Light Fusion Engine


1-3
3. Light Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Light Fusion Engine

4-6
3. Light Fusion Engine
4. Light Fusion Engine
5. Jump Jet
6. Medium Pulse Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Light Gauss Rifle
5. Light Gauss Rifle
6. Light Gauss Rifle

1. Light Gauss Rifle
2. Light Gauss Rifle

4-6
3. ER Large Laser
4. ER Large Laser
5. Ammo (Light Gauss) 16
6. Triple-Strength Myomer

Right Torso

1. Light Fusion Engine
2. Light Fusion Engine
3. Medium Pulse Laser

1-3
4. C3i
5. C3i
6. Endo Steel


1. Endo Steel
2. Endo Steel

4-6
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Triple-Strength Myomer

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Triple-Strength Myomer

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Emperor EMP-6S

Movement Points:

Walking:	3	Tonnage:	90
Running:	5	Tech Base:	Inner Sphere
Jumping:	3	Rules Level:	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	LB 20-X AC	RT	6	20 [DB,C/F/S]	—	4	8	12
1	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
1	LB 20-X AC	LT	6	20 [DB,C/F/S]	—	4	8	12
1	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6

Ammo: (LB 20-X) 30


BV: 2065

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

1-3

1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

4-6

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. LB 20-X AC
2. Medium Pulse Laser
3. Ammo (LB 20-X) 5
4. Ammo (LB 20-X) 5
5. Ammo (LB 20-X) 5
6. CASE

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Medium Pulse Laser

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

1-3

1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

4-6

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3


1. LB 20-X AC
2. Medium Pulse Laser
3. Ammo (LB 20-X) 5
4. Ammo (LB 20-X) 5
5. Ammo (LB 20-X) 5
6. CASE

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 12 (24)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Emperor EMP-7L

Movement Points:

Walking:	3 [4]	**Tonnage:**	90
Running:	5 [6]	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ECM Suite (Guardian)	LT	—	[E]	—	—	—	—
2	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	ER Large Laser	LT	12	8 [DE]	—	7	14	19
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	AC/10	LA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 60


BV: 2179

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator

1-3:
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6:
1. AC/10
2. AC/10
3. AC/10
4. Stealth
5. Stealth
6. Triple-Strength Myomer

Left Torso

1-3:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. ER Large Laser
5. ER Large Laser
6. Medium Pulse Laser

4-6:
1. Medium Pulse Laser
2. ECM Suite (Guardian)
3. ECM Suite (Guardian)
4. Stealth
5. Stealth
6. Triple-Strength Myomer

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

Head

1. Life Support
2. Sensors
3. Cockpit
4. Triple-Strength Myomer
5. Sensors
6. Life Support


Center Torso

1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Triple-Strength Myomer
6. Triple-Strength Myomer

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator

1-3:
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6:
1. AC/10
2. AC/10
3. AC/10
4. Stealth
5. Stealth
6. Triple-Strength Myomer

Right Torso


1-3:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ammo (AC/10) 10
5. Ammo (AC/10) 10
6. Ammo (AC/10) 10

4-6:
1. Ammo (AC/10) 10
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. CASE
5. Stealth
6. Stealth

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-732

Movement Points:

Walking:	3	Tonnage:	90
Running:	5	Tech Base:	Inner Sphere
Jumping:	3	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (Gauss) 16, (LRM 20) 12, (SRM 6) 30


BV: 2227

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. Ammo (SRM 6) 15
2. Ammo (SRM 6) 15
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. CASE
6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Ferro-Fibrous

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Ferro-Fibrous

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso


1-3
1. Jump Jet
2. Medium Laser
3. Medium Laser
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. CASE

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 12

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-733

Movement Points:

Walking:	3	Tonnage:	90
Running:	5	Tech Base:	Inner Sphere
Jumping:	3	Rules Level:	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (AC/10) 20, (LRM 20) 18, (SRM 6) 30


BV: 1801

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. SRM 6

4-6
1. SRM 6
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. Ammo (SRM 6) 15
2. Ammo (SRM 6) 15
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Ammo (LRM 20) 6
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Medium Laser
3. Medium Laser
4. Ammo (AC/10) 10
5. Ammo (AC/10) 10
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-733C

Movement Points:

Walking:	3	**Tonnage:**	90
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (AC/20) 10, (LRM 20) 12, (SRM 6) 15


BV: 1857

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. SRM 6

4-6
1. SRM 6
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. Ammo (SRM 6) 15
2. Ammo (LRM 20) 6
3. Ammo (LRM 20) 6
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Jump Jet
2. Medium Laser
3. Medium Laser
4. Ammo (AC/20) 5
5. Ammo (AC/20) 5
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 13
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-733P

Movement Points:

Walking:	3	**Tonnage:**	90
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	3	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9

Ammo: (LRM 20) 18, (SRM 6) 30


BV: 1865

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. Jump Jet
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Ammo (SRM 6) 15
4. Ammo (SRM 6) 15
5. Ammo (LRM 20) 6
6. Ammo (LRM 20) 6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Jump Jet

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Jump Jet
4. Medium Laser
5. Medium Laser
6. Ammo (LRM 20) 6

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Ymir BWP-2B

Movement Points:

Walking:	4	**Tonnage:**	90
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
2	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
4	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	AC/5	LA	1	5 [DB,S]	3	6	12	18
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Ammo: (AC/5) 20, (LRM 5) 24, (SRM 2) 50


BV: 1289

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/5
5. AC/5
6. AC/5

4-6
1. AC/5
2. Small Laser
3. Ammo (AC/5) 20
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. SRM 2
3. SRM 2
4. SRM 2
5. SRM 2
6. Ammo (SRM 2) 50

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. LRM 5
3. LRM 5
4. Ammo (LRM 5) 24
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks 16

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Ymir BWP-2E

Movement Points:

Walking:	4	**Tonnage:**	90
Running:	6	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (LRM 10) 12, (SRM 6) 15


BV: 1393

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. LRM 10
2. LRM 10
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Sinks 16

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Ymir BWP-3A

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage: 90
Tech Base: Inner Sphere
Rules Level: Standard
Role: Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 10 w/Artemis IV	RT	4	1/Msl [M,C,S]	6	7	14	21
1	SRM 6 w/Artemis IV	LT	4	2/Msl [M,C,S]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: (LRM 10) 12, (SRM 6) 15


BV: 1491

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. SRM 6
5. SRM 6
6. Artemis IV FCS

4-6
1. Ammo (SRM 6) 15
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. LRM 10
5. LRM 10
6. Artemis IV FCS

4-6
1. Ammo (LRM 10) 12
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 16 (32)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Banshee BNC-3E

Movement Points:

Walking:	4	Tonnage:	95
Running:	6	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/5	LT	1	5 [DB,S]	3	6	12	18

Ammo: (AC/5) 20


BV: 1422

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. AC/5
2. AC/5
3. AC/5
4. AC/5
5. Ammo (AC/5) 20
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. PPC
2. PPC
3. PPC
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Banshee BNC-3M

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	95
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	PPC	LT	10	10 [DE]	3	6	12	18


BV: 1595

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. PPC
2. PPC
3. PPC
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. PPC
2. PPC
3. PPC
4. Medium Laser
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Banshee BNC-3MC

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	95
Tech Base:	Inner Sphere
Rules Level:	Introductory
Role:	Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/10	LT	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 20


BV: 1487

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. PPC
2. PPC
3. PPC
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 11
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Banshee BNC-3S

Movement Points:

Walking:	3	Tonnage:	95
Running:	5	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
4	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/10	LT	3	10 [DB,S]	—	5	10	15
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (AC/10) 20, (SRM 6) 15


BV: 1751

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. Ammo (AC/10) 10
5. Ammo (AC/10) 10
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Small Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. PPC
4. PPC
5. PPC
6. SRM 6

4-6
1. SRM 6
2. Medium Laser
3. Medium Laser
4. Medium Laser
5. Medium Laser
6. Ammo (SRM 6) 15

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 21
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Banshee BNC-3S (Reinesblatt)

Movement Points:

Walking:	3	**Tonnage:**	95
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
4	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	AC/10	LT	3	10 [DB,S]	—	5	10	15
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Hatchet	LA	—	19	—	—	—	—

Ammo: (AC/10) 20, (LRM 10) 12


BV: 1678

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Hatchet
6. Hatchet

4-6
1. Hatchet
2. Hatchet
3. Hatchet
4. Hatchet
5. Hatchet
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Heat Sink
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. AC/10
3. AC/10
4. Ammo (AC/10) 10
5. Ammo (AC/10) 10
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Small Laser
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. LRM 10
6. LRM 10

4-6
1. Medium Laser
2. Medium Laser
3. Medium Laser
4. Medium Laser
5. Ammo (LRM 10) 12
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 21
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Nightstar NSR-9FC

Movement Points:

Walking:	4
Running:	6
Jumping:	0

Tonnage:	95
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	ER PPC	RT	15	10 [DE]	—	7	14	23
1	LB 10-X AC	RA	2	10 [DB,C/F/S]	—	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	LB 10-X AC	LA	2	10 [DB,C/F/S]	—	6	12	18

Ammo: (LB 10-X) 40


BV: 1929

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. LB 10-X AC
5. Medium Laser
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ammo (LB 10-X) 10
5. Ammo (LB 10-X) 10
6. Ammo (LB 10-X) 10

4-6
1. Ammo (LB 10-X) 10
2. CASE
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. LB 10-X AC
5. Medium Laser
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. ER PPC
5. ER PPC
6. ER PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Nightstar NSR-9J

Movement Points:

Walking:	3	**Tonnage:**	95
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	ER PPC	RT	15	10 [DE]	—	7	14	23
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Ammo: (Gauss) 56


BV: 2399

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Medium Pulse Laser

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (Gauss) 8
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Medium Pulse Laser

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. ER PPC
2. ER PPC
3. ER PPC
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Double Heat Sinks: 14 (28)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Nightstar NSR-9SS

Movement Points:

Walking:	3	Tonnage:	95
Running:	5	Tech Base:	Inner Sphere
Jumping:	3	Rules Level:	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	LB 20-X AC	RT	6	20 [DB,C/F/S]	—	4	8	12
1	Ultra AC/20	LA	8	20/Sht [DB,R/C]	—	3	7	10
1	Medium Pulse Laser	RL	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	LL	4	6 [P]	—	2	4	6

Ammo: (LB 20-X) 15, (Ultra AC/20) 15


BV: 2145

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator

1-3:
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

4-6:
1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ammo (Ultra AC/20) 5
5. Ammo (Ultra AC/20) 5
6. CASE

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Medium Pulse Laser

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso

1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Medium Pulse Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator

1-3:
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

4-6:
1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3:
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. LB 20-X AC
2. Ammo (Ultra AC/20) 5
3. Ammo (LB 20-X) 5
4. Ammo (LB 20-X) 5
5. Ammo (LB 20-X) 5
6. CASE

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Medium Pulse Laser

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 14 (28)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Atlas AS7-A

Movement Points:
Walking: 3
Running: 5
Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Rules Level: Introductory

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
5	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	AC/5	LT	1	5 [DB,S]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/5) 20, (LRM 10) 12, (SRM 6) 60


BV: 1787

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Heat Sink

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. AC/5
2. AC/5
3. AC/5
4. AC/5
5. LRM 10
6. LRM 10

4-6
1. Ammo (AC/5) 20
2. Ammo (LRM 10) 12
3. Ammo (SRM 6) 15
4. Ammo (SRM 6) 15
5. Ammo (SRM 6) 15
6. Ammo (SRM 6) 15

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso
1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Heat Sink


4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3
1. SRM 6
2. SRM 6
3. SRM 6
4. SRM 6
5. SRM 6
6. SRM 6

4-6
1. SRM 6
2. SRM 6
3. SRM 6
4. SRM 6
5. Heat Sink
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Atlas AS7-D

Movement Points:

Walking:	3	Tonnage:	100
Running:	5	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser(R)	CT	3	5 [DE]	—	3	6	9
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 10, (LRM 20) 12, (SRM 6) 15


BV: 1897

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. SRM 6
2. SRM 6
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Ammo (SRM 6) 15
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser (R)
6. Medium Laser (R)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Ammo (AC/20) 5
6. Ammo (AC/20) 5

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Atlas AS7-RS

Movement Points:

Walking:	3	**Tonnage:**	100
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	AC/10	RT	3	10 [DB,S]	—	5	10	15
1	SRM 4	LT	3	2/Msl [M,C,S]	—	3	6	9
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Ammo: (AC/10) 20, (LRM 15) 16, (SRM 4) 25


BV: 1849

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Large Laser

4-6
1. Large Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. LRM 15
3. LRM 15
4. LRM 15
5. SRM 4
6. Ammo (LRM 15) 8

4-6
1. Ammo (LRM 15) 8
2. Ammo (SRM 4) 25
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Large Laser

4-6
1. Large Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. AC/10

4-6
1. AC/10
2. Ammo (AC/10) 10
3. Ammo (AC/10) 10
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Devastator DVS-1D

Movement Points:
Walking: 3
Running: 5
Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	CT	3	5 [DE]	—	3	6	9
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	AC/10	RA	3	10 [DB,S]	—	5	10	15
1	AC/10	LA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 40


BV: 1858

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. AC/10, 5. AC/10, 6. AC/10

4-6: 1. AC/10, 2. AC/10, 3. AC/10, 4. AC/10, 5. Ammo (AC/10) 10, 6. Ammo (AC/10) 10

Left Torso

1-3: 1. Large Laser, 2. Large Laser, 3. Medium Laser, 4. Roll Again, 5. Roll Again, 6. Roll Again

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3: 1. Fusion Engine, 2. Fusion Engine, 3. Fusion Engine, 4. Gyro, 5. Gyro, 6. Gyro

4-6: 1. Gyro, 2. Fusion Engine, 3. Fusion Engine, 4. Fusion Engine, 5. Medium Laser (R), 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3: 4. AC/10, 5. AC/10, 6. AC/10

4-6: 1. AC/10, 2. AC/10, 3. AC/10, 4. AC/10, 5. Ammo (AC/10) 10, 6. Ammo (AC/10) 10


Right Torso

1-3: 1. Large Laser, 2. Large Laser, 3. Medium Laser, 4. Roll Again, 5. Roll Again, 6. Roll Again

4-6: 1. Roll Again, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 15
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Devastator DVS-2

Movement Points:

Walking:	3	Tonnage:	100
Running:	5	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	PPC	LT	10	10 [DE]	3	6	12	18
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Ammo: (Gauss) 32


BV: 2481

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Roll Again

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. PPC
2. PPC
3. PPC
4. Medium Laser
5. Ammo (Gauss) 8
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Laser (R)
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Roll Again

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. PPC
2. PPC
3. PPC
4. Medium Laser
5. Ammo (Gauss) 8
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 14 (28)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-0000

Movement Points:

Walking:	3	Tonnage:	100
Running:	5	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
1	AC/20	LT	7	20 [DB,S]	—	3	6	9
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21

Ammo: (AC/20) 10, (LRM 15) 8


BV: 1810

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Left Torso

1-3
1. AC/20
2. AC/20
3. LRM 15
4. LRM 15
5. LRM 15
6. Ammo (AC/20) 5

4-6
1. Ammo (LRM 15) 8
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. AC/20
2. AC/20
3. Large Laser
4. Large Laser
5. Ammo (AC/20) 5
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 15

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-010

Movement Points:

Walking:	3	Tonnage:	100
Running:	5	Tech Base:	Inner Sphere
Jumping:	0	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
1	PPC	LT	10	10 [DE]	3	6	12	18
1	LB 10-X AC	RA	2	10 [DB,C/F/S]	—	6	12	18
1	LB 10-X AC	LA	2	10 [DB,C/F/S]	—	6	12	18

Ammo: (LB 10-X) 60, (SRM 6) 30


BV: 2181

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Torso

1-3
1. PPC
2. PPC
3. PPC
4. SRM 6
5. SRM 6
6. Ammo (LB 10-X) 10

4-6
1. Ammo (LB 10-X) 10
2. Ammo (LB 10-X) 10
3. Ammo (SRM 6) 15
4. CASE
5. Endo Steel
6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso


1-3
1. PPC
2. PPC
3. PPC
4. SRM 6
5. SRM 6
6. Ammo (LB 10-X) 10

4-6
1. Ammo (LB 10-X) 10
2. Ammo (LB 10-X) 10
3. Ammo (SRM 6) 15
4. CASE
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mackie MSK-7A

Movement Points:

Walking:	3	**Tonnage:**	100
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
1	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (AC/20) 20


BV: 1900

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Heat Sink
2. Large Laser
3. Large Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Heat Sink
2. Large Laser
3. Large Laser
4. Ammo (AC/20) 5
5. Ammo (AC/20) 5
6. Ammo (AC/20) 5

4-6
1. Ammo (AC/20) 5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 21
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mackie MSK-8B

Movement Points:

Walking:	3	**Tonnage:**	100
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
2	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (AC/20) 20


BV: 2019

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. PPC
5. PPC
6. PPC

4-6
1. PPC
2. PPC
3. PPC
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink

1-3
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso


1-3
1. Heat Sink
2. Heat Sink
3. Ammo (AC/20) 5
4. Ammo (AC/20) 5
5. Ammo (AC/20) 5
6. Ammo (AC/20) 5

4-6
1. CASE
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 21

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	○○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mackie MSK-9H

Movement Points:

Walking:	3	**Tonnage:**	100
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
2	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Active Probe (Beagle)	LT	—	[E]	—	—	—	—
1	AC/20	RA	7	20 [DB,S]	—	3	6	9
2	PPC	LA	10	10 [DE]	3	6	12	18

Ammo: (AC/20) 20


BV: 2022

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3

4. Heat Sink
5. Heat Sink
6. Heat Sink

4-6

1. PPC
2. PPC
3. PPC
4. PPC
5. PPC
6. PPC

Left Torso

1. Heat Sink
2. Active Probe (Beagle)
3. Active Probe (Beagle)

1-3

4. Roll Again
5. Roll Again
6. Roll Again

4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine

1-3


4. Gyro
5. Gyro
6. Gyro

4-6

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator

1-3

3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6

1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

Right Torso

1. Ammo (AC/20) 5
2. Ammo (AC/20) 5
3. Ammo (AC/20) 5

1-3

4. Ammo (AC/20) 5
5. CASE
6. Roll Again


4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks 20
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	○○
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Pillager PLG-1N

Movement Points:

Walking:	3	**Tonnage:**	100
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	2	**Rules Level:**	Introductory
		Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser(R)	HD	3	5 [DE]	—	3	6	9
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9
1	AC/20	RT	7	20 [DB,S]	—	3	6	9
1	AC/20	LT	7	20 [DB,S]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (AC/20) 20, (SRM 4) 25


BV: 1812

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Ammo (AC/20) 5
6. Ammo (AC/20) 5

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser (R)
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 4
6. Ammo (SRM 4) 25

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heat Sink
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. AC/20
6. AC/20

4-6
1. AC/20
2. AC/20
3. AC/20
4. AC/20
5. Ammo (AC/20) 5
6. Ammo (AC/20) 5

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 16
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp. avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Pillager PLG-3Z

Movement Points:

Walking:	3
Running:	5
Jumping:	3

Tonnage:	100
Tech Base:	Inner Sphere
Rules Level:	Standard
Role:	Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LT	1	15 [DB,X]	2	7	15	22
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Gauss) 48


BV: 2697

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Medium Laser
3. Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ammo (Gauss) 8

Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Large Laser
3. Large Laser
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ammo (Gauss) 8

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 14 (28)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Pillager PLG-4Z

Movement Points:

Walking:	3	Tonnage:	100
Running:	5	Tech Base:	Inner Sphere
Jumping:	3	Rules Level:	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ER Medium Laser	HD	5	5 [DE]	—	4	8	12
1	ER Medium Laser	CT	5	5 [DE]	—	4	8	12
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LT	1	15 [DB,X]	2	7	15	22
1	ECM Suite (Guardian)	LA	—	[E]	—	—	—	—

Ammo: (Gauss) 40


BV: 2868

WARRIOR DATA


Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ECM Suite (Guardian)
6. ECM Suite (Guardian)

4-6
1. Stealth
2. Stealth
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. CASE
5. Stealth
6. Stealth

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

Head

1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support


Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. ER Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

4-6
1. Ammo (Gauss) 8
2. Stealth
3. Stealth
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. CASE
5. Stealth
6. Stealth

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Pillager PLG-5Z

Movement Points:
Walking: 3 [4]
Running: 5 [6]
Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	ECM Suite (Guardian)	CT	—	[E]	—	—	—	—
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LT	1	15 [DB,X]	2	7	15	22
1	ER PPC	RA	15	10 [DE]	—	7	14	23
2	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

Ammo: (Gauss) 32


BV: 2939

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

4-6
1. Stealth
2. Stealth
3. Triple-Strength Myomer
4. Triple-Strength Myomer
5. Triple-Strength Myomer
6. Roll Again

Left Torso
1-3
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Ammo (Gauss) 8
3. Ammo (Gauss) 8
4. CASE
5. Stealth
6. Stealth


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. ECM Suite (Guardian)
6. ECM Suite (Guardian)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER PPC
6. ER PPC


4-6
1. ER PPC
2. Stealth
3. Stealth
4. Triple-Strength Myomer
5. Triple-Strength Myomer
6. Triple-Strength Myomer

Right Torso
1-3
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Ammo (Gauss) 8
3. Ammo (Gauss) 8
4. CASE
5. Stealth
6. Stealth

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Stealth
6. Stealth

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunder Hawk TDK-7S

Movement Points:
Walking: 3
Running: 5
Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LT	1	15 [DB,X]	2	7	15	22
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22

Ammo: (Gauss) 32


BV: 2440

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

Left Arm 4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

Left Torso 4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Ammo (Gauss) 8
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Center Torso 4-6
1. Gyro
2. Light Fusion Engine
3. Light Fusion Engine
4. Light Fusion Engine
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Gauss Rifle
6. Gauss Rifle


Right Arm 4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Medium Laser

Right Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

Right Torso 4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Ammo (Gauss) 8
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunder Hawk TDK-7Y

Movement Points:

Walking:	3	**Tonnage:**	100
Running:	5	**Tech Base:**	Inner Sphere
Jumping:	0	**Rules Level:**	Standard
		Role:	Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LT	1	15 [DB,X]	2	7	15	22
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6

Ammo: (Gauss) 48


BV: 2489

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Medium Pulse Laser

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunder Hawk TDK-7X

Movement Points:
Walking: 3
Running: 5
Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LT	1	15 [DB,X]	2	7	15	22
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Ammo: (Gauss) 48


BV: 2577

WARRIOR DATA


Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Gauss Rifle
6. Gauss Rifle

1-3

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Medium Laser


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

4-6
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks 10
30	Shutdown	
28	Ammo Exp. avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp. avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2019 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.