BATTLETECH™

RECORD SHEETS: 3050 UPGRADES

UNABRIDGED



CLAN & STAR LEAGUE

CATALYST game labs™

BATTLEMECHS, VEHICLES AND AEROSPACE FIGHTERS

NOTES

Previous record sheet volumes grouped all unit types together and then organized per tonnage. However, this often ignored the organization of the corresponding Technical Readout, creating disconnect for players moving from a Technical Readout to a record sheet volume to find the unit they're looking for.

To better ease this transition, this record sheet volume is organized like its corresponding Technical Readout. Hyperlinks off of each unit name in the TOC will enable players to instantly move to a given section, or to the start of a given unit's record sheets.

CONTENTS

CLAN OMNIMECHS
- Dasher
- Koshi
- Uller
- Puma
- Dragonfly
- Fenris
- Black Hawk
- Ryoken
- Vulture
- Loki
- Thor
- Mad Cat
- Man O'War
- Masakari
- Gladiator
- Daishi

STAR LEAGUE VEHICLES
- Gabriel
- Ripper
- Beagle Tank
- Rotunda
- Nightshade
- Cyrano
- Lightning
- Zephyr
- Chaparral
- Kanga
- Thor Artillery Vehicle
- Demon
- Marksman
- Magi
- Burke
- Fury
- Rhino
- Puma Assault Tank

STAR LEAGUE BATTLEMECHS
- Mercury
- Thorn
- Mongoose
- Hermes
- Hussar
- Sentinel
- Wyvern
- Crab
- Kintaro
- Champion
- Lancelot
- Bombardier
- Exterminator
- Guillotine
- Black Knight
- Flashman
- Thug
- Crockett
- Highlander
- King Crab

STAR LEAGUE AEROSPACE FIGHTERS
- Trident
- Swift
- Spad
- Zero
- Rogue
- Tomahawk
- Hellcat
- Gotha
- Ironsides
- Hammerhead
- Rapier
- Ahab

CREDITS

STANDARD RULES

These designs are considered "standard rules" (see p. 10, *Total Warfare*) and are legal for tournaments played at the Gen Con Game Fair®, Origins Game Convention®, and other convention tournaments, retail store events and so on, alongside the record sheets found in the various record sheet books (whether published by Catalyst Game Labs, FanPro, or FASA). (Note that only those designs that meet the requirements for a tournament unit selection will be available for use in a given tournament.)

Advanced and Experimental Rules: If any record sheets includes "Advanced" or "Experimental" on it—meaning it mounts equipment from *Tactical Operations*—then that record sheet is generally not appropriate for tournament player (individual tournaments will spell out the specifics of whether such designs can or cannot be used).

ERAS

The record sheets in this volume indicate which era they first appeared in; see p. 4 for an explanation of *BattleTech* Eras.

CREDITS

Record Sheet Application
Jason Tighe

Project Development
Randall N. Bills

Data Entry
Peter Smith

BattleTech Line Developer
Herbert A. Beas II

Production Staff
Art Direction
Brent Evans
Cover Art
Franz Vohwinkel
Cover Design
Ray Arrastia
Illustrations
Doug Chaffee
Chris Lewis

Proofreaders
Johannes Heidler.

©2011 The Topps Company, Inc. All Rights Reserved. BattleTech Record Sheets: 3050 Upgrade, Classic BattleTech, BattleTech, 'Mech, BattleMech, MechWarrior and Topps logo are registered trademarks and/or trademarks of The Topps Company, Inc. in the United States and/or other countries. No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior permission in writing of the Copyright Owner, nor be otherwise circulated in any form other than that in which it is published.

BATTLETECH™

BATTLETECH ERAS

The *BattleTech* universe is a living, vibrant entity that grows each year as more sourcebooks and fiction are published. A dynamic universe, its setting and characters evolve over time within a highly detailed continuity framework, bringing everything to life in a way a static game universe cannot match.

However, the same dynamic energy that makes *BattleTech* so compelling can also make it confusing, with so many sourcebooks published over the years. As people encounter *BattleTech*, get hooked and start to obtain sourcebooks, they need to know where a particular sourcebook is best used along the *BattleTech* timeline.

To help quickly and easily convey the timeline of the *BattleTech* universe—and to allow a player to easily "plug in" a given sourcebook—we've divided *BattleTech* into five major eras. (For those that own the *BattleTech Introductory Box Set*, the year dates in parentheses following each era's title correspond to the maps found in the *Inner Sphere at a Glance* sourcebook.)

STAR LEAGUE (2570)



Ian Cameron, ruler of the Terran Hegemony, concludes decades of tireless effort with the creation of the Star League, a political and military alliance between all Great Houses and the Hegemony. Star League armed forces immediately launch the Reunification War, forcing the Periphery realms to join. For the next two centuries, humanity experiences a golden age across the thousand light-years of human-occupied space known as the Inner Sphere. It also sees the creation of the most powerful military in human history.

SUCCESSION WARS (3025, 3030, 3040)



Every last member of First Lord Richard Cameron's family is killed during a coup launched by Stefan Amaris. Following the thirteen-year war to unseat him, the rulers of each of the five Great Houses disband the Star League. General Aleksandr Kerensky departs with eighty percent of the Star League Defense Force beyond known space and the Inner Sphere collapses into centuries of warfare known as the Succession Wars that will eventually result in a massive loss of technology across most worlds.

CLAN INVASION (3052, 3057)



A mysterious invading force strikes the coreward region of the Inner Sphere. The invaders, called the Clans, are descendants of Kerensky's SLDF troops, forged into a society dedicated to becoming the greatest fighting force in history. With vastly superior technology and warriors, the Clans conquer world after world. Eventually this outside threat will forge a new Star League, something hundreds of years of warfare failed to accomplish. In addition, the Clans will act as a catalyst for a technological renaissance.

CIVIL WAR (3062, 3067)



The Clan threat is eventually lessened with the complete destruction of a Clan. With that massive external threat apparently neutralized, internal conflicts explode around the Inner Sphere. House Liao conquers its former Commonality, the St. Ives Compact; a rebellion of military units belonging to House Kurita sparks a war with their powerful border enemy, Clan Ghost Bear; the fabulously powerful Federated Commonwealth of House Steiner and House Davion collapses into five long years of bitter civil war.

JIHAD



Following the Federated Commonwealth Civil War, the leaders of the Great Houses meet and disband the new Star League, declaring it a sham. The pseudo-religious Word of Blake—a splinter group of ComStar, the protectors and controllers of interstellar communication— launch the Jihad: an interstellar war that will ultimately pit every faction against each other and even against themselves, as weapons of mass destruction are used for the first time in centuries while new and frightening technologies are likewise unleashed.

DARK AGE (3132+)



Under the guidance of Devlin Stone, the Republic of the Sphere is born at the heart of the Inner Sphere following the Jihad. One of the more extensive periods of peace begins to break out as the 32nd century dawns. The factions, to one degree or another, embrace disarmament and the massive armies of the Succession Wars begin to fade. However, in 3132 eighty percent of interstellar communications collapses, throwing the universe into chaos. Wars almost immediately erupt and the factions begin rebuilding their armies.

SOURCEBOOKS

As Catalyst Game Labs continues to publish new *BattleTech* products (and reprint previously published products), easy reference logos—corresponding to those above—will be printed directly on their back covers. This will allow retailers and players alike to know at a glance what eras are covered by a given product. For additional ease of reference, era logos will also appear on product's sell sheet, online products page and so on.

Note that if a Catalyst Game Labs' *BattleTech* product does not contain an era logo, then it is considered a core rulebook or supplement to be used across all eras, such as the *Introductory Box Set, Total Warfare* and so on.



CLAN OMNIMECHS

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher Prime

Movement Points:
- Walking: 10
- Running: 15 [20]
- Jumping: 0

Tonnage: 20
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 4	RT	3	2/Msl [M,C]	—	3	6	9
1	SRM 6	RA	4	2/Msl [M,C]	—	3	6	9
2	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 1,251

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

1-3

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. Ammo (SRM 6) 15

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. SRM 4
6. Ammo (SRM 4) 25

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher A

Movement Points:
- Walking: 10
- Running: 15 [20]
- Jumping: 0

Tonnage: 20
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 4	RT	3	2/Msl [M,C]	—	4	8	12
1	Active Probe	RA	—	[E]	—	—	—	5
1	Clan TAG	RA	0	0 [S]	—	5	10	15
1	AMS	LA	1	— [PD]	—	—	—	—


Cost: **BV:** 639

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AMS
6. Ammo (AMS) 24

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

4-6

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Clan TAG
6. Active Probe

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Streak SRM 4
6. Ammo (Streak SRM 4) 25


1-3

1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher B

Movement Points:
Walking: 10
Running: 15 (20)
Jumping: 0

Tonnage: 20
Tech Base: Clan
2874
F/X-E-E

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	MASC	CT	–	–	–	–	–	–
1	Medium Pulse Laser	RT	4	7 [P]	–	4	8	12
2	Machine Gun	RA	0	2 [DB, AI]	–	1	2	3
1	ECM Suite	RA	0	[E]	–	–	–	6
1	Medium Pulse Laser	LA	4	7 [P]	–	4	8	12
1	A-Pod	RL	0	– [PD, OS/AI]	–	–	–	–

Ammunition Type	Rounds
MG (1/2)	100


Cost: 4,100,050 C-Bills
BV: 1,064
Weapon Heat (8)
Dissipation (20)

WARRIOR DATA

Name:


Gunnery Skill: 4 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM

Armor Pts: 38



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Pulse Laser
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Endo-Steel
	6. Ferro-Fibrous

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Endo-Steel
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Left Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Roll Again
6.	Endo-Steel

Head


1.	Life Support
2.	Sensors
3.	Cockpit
4.	Ferro-Fibrous
5.	Sensors
6.	Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. MASC
	6. Endo-Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ECM Suite
	6. Machine Gun
4-6	1. Machine Gun
	2. Ammo (MG 1/2) 100
	3. Roll Again
	4. Roll Again
	5. Endo-Steel
	6. Ferro-Fibrous


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Medium Pulse Laser
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Endo-Steel
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Right Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	A-Pod
6.	Endo-Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	O
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Copyright 2012 The Topps Company, Inc. Battletech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All Rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher C

Movement Points:
- Walking: 10
- Running: 15 [20]
- Jumping: 0

Tonnage: 20
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	RT	1	—[PD]	—	—	—	—
1	LRM 5	RA	2	1/Msl [M,C,S]	—	7	14	21
1	LRM 5	LA	2	1/Msl [M,C,S]	—	7	14	21

Cost:


BV: 759

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 5
6. Ammo (LRM 5) 24

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 5
6. Ammo (LRM 5) 24


4-6
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. AMS
6. Ammo (AMS) 24

4-6
1. Ammo (AMS) 24
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher D

Movement Points:
- Walking: 10
- Running: 15 [20]
- Jumping: 0

Tonnage: 20
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	Flamer	RT	3	2 [DE,H,AI]	—	1	2	3
1	Targeting Computer	RT	—	[E]	—	—	—	—
2	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
2	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,307

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAMOND



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. Flamer


1-3

1. Targeting Computer
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Dasher E

Movement Points:
- **Walking:** 10
- **Running:** 15 [20]
- **Jumping:** 0

Tonnage: 20
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ATM 6	RA	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9

Cost:


BV: 822

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Endo Steel
6. Ferro-Fibrous

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 6
6. ATM 6

1-3

1. ATM 6
2. Ammo (ATM 6) 10
3. Ammo (ATM 6 ER) 10
4. Ammo (ATM 6 HE) 10
5. Endo Steel
6. Ferro-Fibrous

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous


1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher F

Movement Points:
- Walking: 10
- Running: 15 [20]
- Jumping: 0

Tonnage: 20
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	LT	—	[E]	—	—	—	5
3	AP Gauss Rifle	RA	1	3 [DB,X]	—	3	6	9
3	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 1,461

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1. ER Medium Laser
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Active Probe
6. Endo Steel

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. AP Gauss Rifle
4. AP Gauss Rifle
5. AP Gauss Rifle
6. Ammo (AP Gauss) 40


1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher H

Movement Points:
- **Walking:** 10
- **Running:** 15 [20]
- **Jumping:** 0

Tonnage: 20
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	RT	—	[E]	—	—	—	—
5	Heavy Small Laser	RA	3	6 [DE]	—	1	2	3
4	Heavy Small Laser	LA	3	6 [DE]	—	1	2	3

Cost:


BV: 779

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Small Laser
6. Heavy Small Laser

1-3

1. Heavy Small Laser
2. Heavy Small Laser
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Small Laser
6. Heavy Small Laser

1-3

1. Heavy Small Laser
2. Heavy Small Laser
3. Heavy Small Laser
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Targeting Computer
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **11 (22) Double**
O O
O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dasher K

Movement Points:
- Walking: 10
- Running: 15 [20]
- Jumping: 0

Tonnage: 20
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Heavy Medium Laser	RA	7	10 [DE]	—	3	6	9
3	Light Machine Gun	RA	0	1 [DB,AI]	—	2	4	6
1	Light Machine Gun Array	RA	—	[T]	—	—	—	—
1	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9
3	Light Machine Gun	LA	0	1 [DB,AI]	—	2	4	6
1	Light Machine Gun Array	LA	—	[T]	—	—	—	—
1	B-Pod	RL	0	1 [DB,PD,AI,X,OS]	—	—	—	—
1	B-Pod	LL	0	1 [DB,PD,AI,X,OS]	—	—	—	—

Cost:


BV: 887

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Light Machine Gun
2. Light Machine Gun
3. Light Machine Gun
4. Light Machine Gun Array
5. Endo Steel
6. Ferro-Fibrous

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Ammo (Light Machine Gun) 100
6. Endo Steel

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg (CASE)
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. B-Pod
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

4-6

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Light Machine Gun
2. Light Machine Gun
3. Light Machine Gun
4. Light Machine Gun Array
5. Endo Steel
6. Ferro-Fibrous

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous


1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg (CASE)
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. B-Pod
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi Prime

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
2	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Streak SRM 4	RA	3	2/Msl [M,C]	—	4	8	12
1	LRM 10	LA	4	1/Msl [M,C,S]	—	7	14	21

Cost:


BV: 871

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 10
6. Ammo (LRM 10) 12

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Streak SRM 4
6. Machine Gun

1-3

1. Machine Gun
2. Ammo (Streak SRM 4) 25
3. Ammo (Machine Gun) 100
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet


1-3

1. Jump Jet
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi A

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
2	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
2	AMS	LA	1	—[PD]	—	—	—	—
1	Clan TAG	LA	0	0 [S]	—	5	10	15
1	A-Pod	RL	—[PD,OS,AI]		—	—	—	—
1	A-Pod	LL	—[PD,OS,AI]		—	—	—	—

Cost:


BV: 611

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AMS
6. AMS

1-3
1. Clan TAG
2. Ammo (AMS) 24
3. Ammo (AMS) 24
4. Ammo (AMS) 24
5. Endo Steel
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Flamer
6. Machine Gun


1-3
1. Machine Gun
2. Ammo (Machine Gun) 100
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet

1-3
1. Jump Jet
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi B

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
2	SRM 6	RA	4	2/Msl [M,C]	—	3	6	9
2	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 1,209

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

4-6
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

1-3

4-6
1. ER Small Laser
2. Ammo (SRM 6) 15
3. Ammo (SRM 6) 15
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet

1-3

4-6
1. Jump Jet
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi C

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	AMS	LA	1	— [PD]	—	—	—	—
1	ECM Suite	LA	—	[E]	—	—	—	6


Cost: **BV:** 1,320

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AMS
6. ECM Suite

4-6
1. Ammo (AMS) 24
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. ER Medium Laser


4-6
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet

4-6
1. Jump Jet
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi D

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
1	Ultra AC/2	LA	1	2/Sht [DB,R/C]	2	9	18	27


Cost: **BV:** 842

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/2 (1-3)
4. Ultra AC/2 (1-3)
5. Ammo (Ultra AC/2) 45
6. Endo Steel

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink (1-3)

1. Jump Jet
2. Jump Jet
3. Jump Jet (4-6)
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine (4-6)
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator (1-3)
4. Hand Actuator
5. ER Medium Laser
6. ER Small Laser


1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Jump Jet
6. Jump Jet

1. Jump Jet
2. Endo Steel
3. Ferro-Fibrous (4-6)
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi E

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
4	ER Small Laser	RA	2	5 [DE]	—	2	4	6
1	ATM 6	LA	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9


Cost: **BV:** 997

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 6
6. ATM 6

4-6
1. ATM 6
2. Ammo (ATM 6) 10
3. Ammo (ATM 6) 10
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Small Laser
6. ER Small Laser


4-6
1. ER Small Laser
2. ER Small Laser
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet

4-6
1. Jump Jet
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Koshi F

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	ECM Suite	RT	—	[E]	—	—	—	6
1	Targeting Computer	RT	—	[E]	—	—	—	—
2	Heavy Medium Laser	RA	7	10 [DE]	—	3	6	9
2	Heavy Small Laser	RA	3	6 [DE]	—	1	2	3
1	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9
2	Heavy Small Laser	LA	3	6 [DE]	—	1	2	3
1	Light TAG	LA	0	0 [S]	—	3	6	9

Cost:


BV: 1,173

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAMOND



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Heavy Small Laser
2. Heavy Small Laser
3. Light TAG
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Heavy Medium Laser
2. Heavy Medium Laser
3. Heavy Small Laser
4. Heavy Small Laser
5. Endo Steel
6. Ferro-Fibrous

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet


1-3

1. Jump Jet
2. ECM Suite
3. Targeting Computer
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi G

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
4	Heavy Machine Gun	RA	0	3 [DB,AI]	—	1	2	—
1	Heavy Machine Gun Array	RA	—	[T]	—	—	—	—
1	ER Small Laser	LA	2	5 [DE]	—	2	4	6
4	Heavy Machine Gun	LA	0	3 [DB,AI]	—	1	2	—
1	Heavy Machine Gun Array	LA	—	[T]	—	—	—	—
1	ER Small Laser	RL	2	5 [DE]	—	2	4	6
1	ER Small Laser	LL	2	5 [DE]	—	2	4	6

Cost:


BV: 834

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Small Laser
6. Heavy Machine Gun

4-6
1. Heavy Machine Gun
2. Heavy Machine Gun
3. Heavy Machine Gun
4. Heavy Machine Gun Array
5. Endo Steel
6. Ferro-Fibrous

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. ER Small Laser
6. Endo Steel

Head


1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Small Laser
6. Heavy Machine Gun

4-6
1. Heavy Machine Gun
2. Heavy Machine Gun
3. Heavy Machine Gun
4. Heavy Machine Gun Array
5. Endo Steel
6. Ferro-Fibrous

Right Torso (CASE)


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet

4-6
1. Jump Jet
2. Ammo (Heavy Machine Gun) 100
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. ER Small Laser
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Koshi H

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	Heavy Medium Laser	RA	7	10 [DE]	—	3	6	9
2	Heavy Small Laser	RA	3	6 [DE]	—	1	2	3
1	AMS	LA	1	— [PD]	—	—	—	—
1	Streak SRM 6	LA	4	2/Msl [M,C]	—	4	8	12


Cost: **BV:** 982

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAMOND



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Streak SRM 6
6. Streak SRM 6

4-6
1. AMS
2. Ammo (Streak SRM 6) 15
3. Ammo (AMS) 24
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser


4-6
1. Heavy Small Laser
2. Heavy Small Laser
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet

4-6
1. Jump Jet
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Koshi P

Movement Points:
- Walking: 7
- Running: 11
- Jumping: 6

Tonnage: 25
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
2	ER Micro Laser	RA	1	2 [DE]	—	1	2	4
1	Micro Pulse Laser	RA	1	3 [P]	—	1	2	3
2	ER Micro Laser	LA	1	2 [DE]	—	1	2	4
2	Micro Pulse Laser	LA	1	3 [P]	—	1	2	3

Cost:


BV: 1,064

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAMOND



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Micro Pulse Laser
6. Micro Pulse Laser

1-3

1. ER Micro Laser
2. ER Micro Laser
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. Micro Pulse Laser

1-3

1. ER Micro Laser
2. ER Micro Laser
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 11 (22) Double
O O
O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller Prime

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LB 5-X AC	RA	1	5 [DB,C,F,S]	3	8	15	24
1	Streak SRM 4	RA	3	2/Msl [M,C]	—	4	8	12
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	Small Pulse Laser	LA	2	3 [P]	—	2	4	6

Cost:


BV: 1,085

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. Small Pulse Laser

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Streak SRM 4
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

1-3

1. LB 5-X AC
2. Ammo (Streak SRM 4) 25
3. Ammo (LB-5X) 20
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous


1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller A

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
2	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 1,310

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. ER Medium Laser 6. ER Medium Laser
4-6	1. Endo Steel 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Double Heat Sink 4. Double Heat Sink 5. Double Heat Sink 6. Double Heat Sink
4-6	1. Endo Steel 2. Endo Steel 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. Double Heat Sink 6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1-3	1. Shoulder 2. Upper Arm Actuator 3. Gauss Rifle 4. Gauss Rifle 5. Gauss Rifle 6. Gauss Rifle
4-6	1. Gauss Rifle 2. Gauss Rifle 3. Ammo (Gauss) 8 4. Ammo (Gauss) 8 5. Endo Steel 6. Ferro-Fibrous


Right Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Ferro-Fibrous
4-6	1. Ferro-Fibrous 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller B

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 6	RA	4	2/Msl [M,C]	—	3	6	9
1	Ultra AC/10	RA	3	10/Sht [DB,R/C]	—	6	12	18
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	ER Small Laser	LA	2	5 [DE]	—	2	4	6

Cost:


BV: 1,087

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Small Laser

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

4-6
1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/10
4. Ultra AC/10
5. Ultra AC/10
6. Ultra AC/10

1-3

4-6
1. SRM 6
2. Ammo (SRM 6) 15
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (Ultra AC/10) 10
4. Ammo (Ultra AC/10) 10
5. Endo Steel
6. Endo Steel

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller C

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	RA	—	[E]	—	—	—	5
3	AMS	RA	1	—[PD]	—	—	—	—
1	Clan TAG	RA	0	0 [S]	—	5	10	15
1	ECM Suite	RA	—	[E]	—	—	—	6
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3
1	Small Pulse Laser	LA	2	3 [P]	—	2	4	6
1	A-Pod	RL	—	—[PD,OS,AI]	—	—	—	—
1	A-Pod	LL	—	—[PD,OS,AI]	—	—	—	—

Cost:


BV: 1,147

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. Small Pulse Laser

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AMS
6. AMS


1. AMS
2. Clan TAG
3. Active Probe
4. ECM Suite
5. Endo Steel
6. Ferro-Fibrous

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (AMS) 24
4. Ammo (AMS) 24
5. Ammo (AMS) 24
6. Ammo (AMS) 24

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller D

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 15	RA	5	1/Msl [M,C,S]	—	7	14	21
1	Narc	RA	0	[M]	—	4	8	12
1	LRM 15	LA	5	1/Msl [M,C,S]	—	7	14	21
1	LRM 5	LA	2	1/Msl [M,C,S]	—	7	14	21


Cost: **BV:** 1,142

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. [LRM 15
6. [LRM 15

4-6
1. LRM 5
2. Ammo (LRM 15 Narc) 8
3. Ammo (LRM 15 Narc) 8
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

Left Torso (CASE)
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. [Double Heat Sink
4. [Double Heat Sink
5. [Double Heat Sink
6. [Double Heat Sink

4-6
1. Ammo (LRM 5 Narc) 24
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. [Double Heat Sink
6. [Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. [LRM 15
6. [LRM 15


4-6
1. Narc
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (LRM 15 Narc) 8
4. Ammo (LRM 15 Narc) 8
5. Ammo (Narc) 6
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller E

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 6

Tonnage: 30
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
1	ATM 3	LA	2	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9


Cost: **BV:** 1,415

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 3
6. ATM 3

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Jump Jet
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

4-6

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. ER PPC
2. ER PPC
3. ER Small Laser
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Ammo (ATM 3) 20
5. Ammo (ATM 3 ER) 20
6. Ammo (ATM 3 HE) 20


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller F

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	HAG/20	RA	4	20 [C,F]	2	8	16	24
2	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 1,219

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Pulse Laser 6. Medium Pulse Laser
4-6	1. Endo Steel 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Double Heat Sink 4. Double Heat Sink 5. Double Heat Sink 6. Double Heat Sink
4-6	1. Endo Steel 2. Endo Steel 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. Double Heat Sink 6. Double Heat Sink

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1-3	1. Shoulder 2. Upper Arm Actuator 3. HAG/20 4. HAG/20 5. HAG/20 6. HAG/20
4-6	1. HAG/20 2. HAG/20 3. Ammo (HAG 20) 6 4. Ammo (HAG 20) 6 5. Endo Steel 6. Ferro-Fibrous


Right Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Ferro-Fibrous
4-6	1. Ferro-Fibrous 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller G

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	RT	4	1/Msl [M,C,S]	—	7	14	21
1	LRM 10	LT	4	1/Msl [M,C,S]	—	7	14	21
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ECM Suite	LA	—	[E]	—	—	—	6


Cost: **BV:** 1,368

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ECM Suite
6. Endo Steel

4-6:
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. [Double Heat Sink
4. L Double Heat Sink
5. [Double Heat Sink
6. L Double Heat Sink

4-6:
1. LRM 10
2. Ammo (LRM 10) 12
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. [Double Heat Sink
6. L Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. [Double Heat Sink
6. L Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. ER Medium Laser


4-6:
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. [Double Heat Sink
4. L Double Heat Sink
5. LRM 10
6. Ammo (LRM 10) 12

4-6:
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. [Double Heat Sink
6. L Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O

Heat Scale (Overflow)
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller H

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
2	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9


Cost: **BV:** 1,214

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1. Heavy Medium Laser
2. Heavy Medium Laser
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle


1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. Endo Steel
6. Ferro-Fibrous

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Uller S

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 6

Tonnage: 30
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	Small Pulse Laser	RA	2	3 [P]	—	2	4	6
1	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12
1	Streak SRM 4	LA	3	2/Msl [M,C]	—	4	8	12


Cost: **BV:** 1,342

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Streak SRM 4
6. Medium Pulse Laser

1-3

1. Ammo (Streak SRM 4) 25
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Jump Jet
2. Machine Gun
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Pulse Laser
4. Large Pulse Laser
5. Small Pulse Laser
6. Endo Steel

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Machine Gun
5. Ammo (Machine Gun) 100
6. Endo Steel


1-3

1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Uller W

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 30
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
1	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 1,431

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Pulse Laser
6. Large Pulse Laser

1-3

1. Medium Pulse Laser
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Pulse Laser
6. Large Pulse Laser

1-3

1. Medium Pulse Laser
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous


1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma Prime

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
				(hexes)				
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 2,083

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Ferro-Fibrous
6. Roll Again

(4-6)
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink (1-3)

(4-6)
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

(4-6)
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Ferro-Fibrous
6. Roll Again


(4-6)
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Targeting Computer (1-3)
6. Targeting Computer (1-3)

(4-6)
1. Targeting Computer
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 11 (22) Double
O O
O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma A

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Small Pulse Laser	RT	2	3 [P]	—	2	4	6
1	Small Pulse Laser	LT	2	3 [P]	—	2	4	6
1	LRM 20	RA	6	1/Msl [M,C,S]	—	7	14	21
1	LRM 20	LA	6	1/Msl [M,C,S]	—	7	14	21


Cost: **BV:** 1,437

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. LRM 20
	6. LRM 20
4-6	1. LRM 20
	2. LRM 20
	3. Ammo (LRM 20) 6
	4. Ammo (LRM 20) 6
	5. Ferro-Fibrous
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Small Pulse Laser
	6. Endo Steel
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Flamer
	6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. LRM 20
	6. LRM 20
4-6	1. LRM 20
	2. LRM 20
	3. Ammo (LRM 20) 6
	4. Ammo (LRM 20) 6
	5. Ferro-Fibrous
	6. Roll Again


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Small Pulse Laser
	6. Endo Steel
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma B

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	LB 5-X AC	LA	1	5 [DB,C,F,S]	3	8	15	24


Cost: **BV:** 1,422

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

1-3

1. Ammo (LB-5X) 20
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. Endo Steel

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Pulse Laser
6. Large Pulse Laser

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. Endo Steel


1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma C

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Narc	RT	0	[M]	—	4	8	12
1	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	LRM 15	RA	5	1/Msl [M,C,S]	—	7	14	21
1	LRM 15	LA	5	1/Msl [M,C,S]	—	7	14	21


Cost: **BV:** 1,372

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 15
6. LRM 15

4-6
1. Ammo (LRM 15 Narc) 8
2. Ammo (LRM 15 Narc) 8
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Medium Pulse Laser
6. Endo Steel

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 15
6. LRM 15


4-6
1. Ammo (LRM 15 Narc) 8
2. Ammo (LRM 15 Narc) 8
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Narc
6. Ammo (Narc) 6

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma D

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Streak SRM 2	RT	2	2/Msl [M,C]	—	4	8	12
1	Streak SRM 2	LT	2	2/Msl [M,C]	—	4	8	12
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	—	7	14	21
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25


Cost: **BV:** 1,255

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. Ferro-Fibrous

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Streak SRM 2
6. Ammo (Streak SRM 2) 50

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ammo (Ultra AC/5) 20

1-3

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Streak SRM 2
6. Ammo (Streak SRM 2) 50

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma E

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
2	Micro Pulse Laser	RT	1	3 [P]	—	1	2	3
2	Micro Pulse Laser	LT	1	3 [P]	—	1	2	3
1	ATM 9	RA	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ATM 9	LA	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9


Cost: **BV:** 1,272

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. ATM 9
6. ATM 9

1. ATM 9
2. ATM 9

4-6
3. Ammo (ATM 9) 7
4. Ammo (ATM 9 ER) 7
5. Ferro-Fibrous
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Micro Pulse Laser
6. Micro Pulse Laser

1. Endo Steel
2. Ferro-Fibrous

4-6
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. ATM 9
6. ATM 9

1. ATM 9
2. ATM 9

4-6
3. Ammo (ATM 9) 7
4. Ammo (ATM 9 HE) 7
5. Ferro-Fibrous
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. Double Heat Sink
4. Double Heat Sink
5. Micro Pulse Laser
6. Micro Pulse Laser

1. Endo Steel
2. Ferro-Fibrous

4-6
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma H

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	Heavy Large Laser	RA	18	16 [DE]	—	5	10	15
1	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15


Cost: **BV:** 1,453

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Heavy Large Laser
6. Heavy Large Laser

1-3

1. Heavy Large Laser
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Heavy Large Laser
2. Heavy Large Laser
3. Heavy Large Laser
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Targeting Computer
2. Targeting Computer
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Puma J

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 35
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	HAG/20	RA	4	20 [C,F]	2	8	16	24
4	AP Gauss Rifle	LA	1	3 [DB,X]	—	3	6	9


Cost: **BV:** 1,222

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. AP Gauss Rifle
4. AP Gauss Rifle
5. AP Gauss Rifle
6. AP Gauss Rifle

4-6
1. Ammo (AP Gauss) 40
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20


4-6
1. HAG/20
2. HAG/20
3. Ammo (HAG 20) 6
4. Ammo (HAG 20) 6
5. Ammo (HAG 20) 6
6. Ferro-Fibrous

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly Prime

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	AMS	LT	1	— [PD]	—	—	—	—
2	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	SRM 4	LA	3	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,450

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. SRM 4 6. Ammo (SRM 4) 25
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso (CASE)

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Jump Jet 5. AMS 6. Ammo (AMS) 24
4-6	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Ferro-Fibrous 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. Endo Steel 6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Pulse Laser 6. Medium Pulse Laser
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso (CASE)

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Jump Jet 5. Machine Gun 6. Machine Gun
4-6	1. Ammo (Machine Gun) 100 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Ferro-Fibrous 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly A

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
2	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	SRM 6 w/Artemis IV FCS	LA	4	2/Msl [M,C]	—	3	6	9

Cost:


BV: 1,989

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. Artemis IV FCS

4-6
1. Ammo (SRM 6 Artemis) 15
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. ER Medium Laser
6. ER Medium Laser

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. Ferro-Fibrous


4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. ER Medium Laser
6. ER Medium Laser

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly B

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	RT	3	2 [DE,H,AI]	—	1	2	3
1	Small Pulse Laser	LT	2	3 [P]	—	2	4	6
1	Small Pulse Laser	RA	2	3 [P]	—	2	4	6
1	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 1,830

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6: Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet (1-3)
4. Jump Jet (1-3)
5. Small Pulse Laser
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous (4-6)
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine (4-6)
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator (1-3)
4. Hand Actuator (1-3)
5. Small Pulse Laser
6. Ferro-Fibrous


1. Ferro-Fibrous
2. Roll Again
3. Roll Again (4-6)
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet (1-3)
4. Jump Jet (1-3)
5. Flamer
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous (4-6)
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly C

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
2	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
2	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Active Probe	LA	—	[E]	—	—	—	5
2	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 1,344

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Active Probe
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. Machine Gun
6. Machine Gun

1-3

1. Ammo (Machine Gun) 200
2. Ammo (Machine Gun) 200
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Flamer
6. Flamer

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. Machine Gun
6. Machine Gun


1-3

1. Ammo (Machine Gun) 200
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly D

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 5	RT	2	1/Msl [M,C,S]	—	7	14	21
1	ER Small Laser	LT	2	5 [DE]	—	2	4	6
2	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	Streak SRM 6	LA	4	2/Msl [M,C]	—	4	8	12


Cost: **BV:** 1,779

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Streak SRM 6
6. Streak SRM 6

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. ER Small Laser
6. Ammo (Streak SRM 6) 15

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. LRM 5
6. Ammo (LRM 5) 24


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 10 (20) Double

O O O O O O O O O O

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly E

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	RT	2	5 [DE]	—	2	4	6
1	ER Small Laser	LT	2	5 [DE]	—	2	4	6
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ATM 6	LA	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9

Cost:


BV: 1,561

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 6
6. ATM 6

4-6
1. ATM 6
2. Ammo (ATM 6) 10
3. Ammo (ATM 6 ER) 10
4. Ammo (ATM 6 HE) 10
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. ER Small Laser
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. Ferro-Fibrous


4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. ER Small Laser
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly F

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	7 [DE]	—	5	10	15
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
4	Heavy Machine Gun	RA	0	3 [DB,AI]	—	1	2	—
1	Heavy Machine Gun Array	RA	—	[T]	—	—	—	—
4	Heavy Machine Gun	LA	0	3 [DB,AI]	—	1	2	—
1	Heavy Machine Gun Array	LA	—	[T]	—	—	—	—

Cost:


BV: 1,689

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Heavy Machine Gun 6. Heavy Machine Gun
4-6	1. Heavy Machine Gun 2. Heavy Machine Gun 3. Heavy Machine Gun Array 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Roll Again

Left Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Jump Jet 5. ER Medium Laser 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Ferro-Fibrous 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. ER Medium Laser 6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Heavy Machine Gun 6. Heavy Machine Gun
4-6	1. Heavy Machine Gun 2. Heavy Machine Gun 3. Heavy Machine Gun Array 4. Ammo (Heavy Machine Gun) 100 5. Ferro-Fibrous 6. Ferro-Fibrous


Right Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Jump Jet 5. ER Medium Laser 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Ferro-Fibrous 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly G

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng (hexes)
1	Light Active Probe	CT	—	[E]	—	—	—	—
1	Heavy Medium Laser	LT	7	10 [DE]	—	3	6	9
4	AP Gauss Rifle	RA	1	3 [DB,X]	—	3	6	9
1	Plasma Cannon	LA	7	[DE,H,AI]	—	6	12	18


Cost: **BV:** 1,574

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Plasma Cannon
6. Ammo (Plasma Cannon) 10

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Light Active Probe
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. AP Gauss Rifle
4. AP Gauss Rifle
5. AP Gauss Rifle
6. AP Gauss Rifle

1-3

1. Ammo (AP Gauss) 40
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. Endo Steel
6. Endo Steel


1-3

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly H

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	Small Pulse Laser	RT	2	3 [P]	—	2	4	6
1	AMS	LT	1	— [PD]	—	—	—	—
1	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	Small Pulse Laser	LT	2	3 [P]	—	2	4	6
1	Heavy Medium Laser	RA	7	10 [DE]	—	3	6	9
1	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9


Cost: **BV:** 1,732

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. ER Medium Laser
6. Small Pulse Laser

1-3

1. AMS
2. Ammo (AMS) 24
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet


1-3

1. ER Medium Laser
2. Small Pulse Laser
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 11 (22) Double
O O
O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Dragonfly I

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 8

Tonnage: 40
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Heavy Medium Laser	RT	7	10 [DE]	—	3	6	9
1	Light Active Probe	RT	—	[E]	—	—	—	—
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	AMS	LT	1	— [PD]	—	—	—	—
1	Heavy Medium Laser	RA	7	10 [DE]	—	3	6	9
1	ATM 3	LA	2	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9


Cost: **BV:** 1,580

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. ATM 3
2. ATM 3
3. Ammo (ATM 3) 20
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. AMS
6. Ammo (AMS) 24

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. Heavy Medium Laser
6. Heavy Medium Laser


1-3

1. Light Active Probe
2. Targeting Computer
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Fenris Prime

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	CT	—	[E]	—	—	—	5
1	Streak SRM 2	RA	2	2/Msl [M,C]	—	4	8	12
1	ER PPC	LA	15	15 [DE]	—	7	14	23
1	ER Small Laser	LA	2	5 [DE]	—	2	4	6


Cost: **BV:** 1,678

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. ER PPC
	4. ER PPC
	5. ER Small Laser
	6. Ferro-Fibrous
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Endo Steel
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Active Probe
	6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Streak SRM 2
	6. Ammo (Streak SRM 2) 50
4-6	1. Ferro-Fibrous
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Endo Steel
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Fenris A

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	7 [DE]	—	5	10	15
1	AMS	RA	1	— [PD]	—	—	—	—
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	LB 2-X AC	LA	1	2 [DB,C,F,S]	4	10	20	30


Cost: **BV:** 1,323

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 2-X AC (1-3)
4. LB 2-X AC (1-3)
5. LB 2-X AC (1-3)
6. Ammo (LB-2X) 45

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel (1-3)
4. Ferro-Fibrous (1-3)
5. Ferro-Fibrous (1-3)
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. ER Medium Laser (4-6)
6. Endo Steel (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator (1-3)
4. Hand Actuator (1-3)
5. ER Medium Laser (1-3)
6. AMS (1-3)


1. Ammo (AMS) 24
2. Ferro-Fibrous
3. Roll Again
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel (1-3)
4. Ferro-Fibrous (1-3)
5. Ferro-Fibrous (1-3)
6. Roll Again (1-3)

1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Fenris B

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Pulse Laser	CT	2	3 [P]	—	2	4	6
1	SRM 6	RA	4	2/Msl [M,C]	—	3	6	9
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	SRM 4	LA	3	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,461

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. SRM 4

4-6
1. Ammo (SRM 4) 25
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Small Pulse Laser
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. Ammo (SRM 6) 15


4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Fenris C

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
1	LRM 5 w/Artemis IV FCS	LT	2	1/Msl [M,C,S]	—	7	14	21
1	LRM 5 w/Artemis IV FCS	RA	2	1/Msl [M,C,S]	—	7	14	21
1	LRM 5 w/Artemis IV FCS	LA	2	1/Msl [M,C,S]	—	7	14	21


Cost: **BV:** 1,211

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 5
6. Artemis IV FCS

4-6
1. Ammo (LRM 5 Artemis) 24
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 5
4. Artemis IV FCS
5. Ammo (LRM 5 Artemis) 24
6. Endo Steel

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Small Laser
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 5
6. Artemis IV FCS

4-6
1. Ammo (LRM 5 Artemis) 24
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Fenris D

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Pulse Laser	CT	4	7 [P]	—	4	8	12
2	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	AMS	LA	1	—[PD]	—	—	—	—
1	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12


Cost: **BV:** 1,653

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. AMS

1-3

1. Ammo (AMS) 24
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Pulse Laser
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



CATALYST game labs

Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. Medium Pulse Laser

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Fenris E

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
1	ATM 9	LA	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9


Cost: **BV:** 1,483

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. ATM 9
4. ATM 9
5. ATM 9
6. ATM 9

(1-3: 3–6)

1. Ammo (ATM 9) 7
2. Ammo (ATM 9 ER) 7
3. Ammo (ATM 9 HE) 7
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

(4-6)

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

(1-3)

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

(4-6)

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


(1-3)

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

(4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Small Laser

(1-3)

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

(4-6)

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again


(1-3)

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

(4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Fenris H

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Heavy Medium Laser	RA	7	10 [DE]	—	3	6	9
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,619

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. SRM 6

4-6
1. Ammo (SRM 6) 15
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

4-6
1. Heavy Medium Laser
2. Heavy Medium Laser
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Fenris L

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 45
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	CT	—	[E]	—	—	—	—
1	Plasma Cannon	RA	7	[DE,H,AI]	—	6	12	18
3	AP Gauss Rifle	LA	1	3 [DB,X]	—	3	6	9


Cost: **BV:** 1,380

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. AP Gauss Rifle
4. AP Gauss Rifle
5. AP Gauss Rifle
6. Ammo (AP Gauss) 40

4-6
1. Ammo (AP Gauss) 40
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Targeting Computer
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Plasma Cannon
6. Ammo (Plasma Cannon) 10

4-6
1. Ammo (Plasma Cannon) 10
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk Prime

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
6	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
6	ER Medium Laser	LA	5	7 [DE]	—	5	10	15

Cost:


BV: 2,663

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. [Double Heat Sink
6. L Double Heat Sink

4-6
1. ER Medium Laser
2. ER Medium Laser
3. ER Medium Laser
4. ER Medium Laser
5. ER Medium Laser
6. ER Medium Laser

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. [Double Heat Sink
4. L Double Heat Sink
5. [Double Heat Sink
6. L Double Heat Sink

4-6
1. [Double Heat Sink
2. L Double Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. [Double Heat Sink
6. L Double Heat Sink

4-6
1. ER Medium Laser
2. ER Medium Laser
3. ER Medium Laser
4. ER Medium Laser
5. ER Medium Laser
6. ER Medium Laser

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. [Double Heat Sink
4. L Double Heat Sink
5. [Double Heat Sink
6. L Double Heat Sink

4-6
1. [Double Heat Sink
2. L Double Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 18 (36) Double
O O
O O
O O
O O
O O
O O
O O
O O
O O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	RT	1	—[PD]	—	—	—	—
1	AMS	LT	1	—[PD]	—	—	—	—
1	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER PPC	LA	15	15 [DE]	—	7	14	23

Cost:


BV: 2,422

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. ER PPC
	4. ER PPC
4-6	5. Roll Again
	6. Roll Again
	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. Medium Pulse Laser
	2. AMS
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Jump Jet
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. ER PPC
	4. ER PPC
4-6	5. Roll Again
	6. Roll Again
	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso (CASE)

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. AMS
	2. Ammo (AMS) 24
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk B

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	RT	2	5 [DE]	—	2	4	6
2	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	—	7	14	21
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20


Cost: **BV:** 1,543

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Pulse Laser
6. Large Pulse Laser

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

4-6
1. Machine Gun
2. Machine Gun
3. Ammo (Machine Gun) 200
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ammo (Ultra AC/5) 20

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

4-6
1. ER Small Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Pulse Laser	RT	2	3 [P]	—	2	4	6
1	SRM 4	LT	3	2/Msl [M,C]	—	3	6	9
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22


Cost: **BV:** 1,515

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6:
1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. SRM 4
2. Ammo (SRM 4) 25
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again


4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Small Pulse Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 14 (28) Double
O O
O O
O O
O O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk D

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 20	RA	6	1/Msl [M,C,S]	—	7	14	21
1	LB 5-X AC	LA	1	5 [DB,C,F,S]	3	8	15	24


Cost: **BV:** 1,450

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

4-6:
1. Ammo (LB-5X) 20
2. Ammo (LB-5X Cluster) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator

1-3:
5. LRM 20
6. LRM 20

4-6:
1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 14 (28) Double
O O
O O
O O
O O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk E

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ATM 12	RA	8	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
3	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,078

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. ER Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 12
6. ATM 12

1-3

1. ATM 12
2. ATM 12
3. ATM 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Ammo (ATM 12) 5
2. Ammo (ATM 12) 5
3. Ammo (ATM 12 ER) 5
4. Ammo (ATM 12 ER) 5
5. Ammo (ATM 12 HE) 5
6. Ammo (ATM 12 HE) 5

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **14 (28) Double**
O O
O O
O O
O O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk F

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	HAG/20	RA	4	20 [C,F]	2	8	16	24
3	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 1,976

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. ER Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20

1-3

1. HAG/20
2. HAG/20
3. Ammo (HAG 20) 6
4. Ammo (HAG 20) 6
5. Ammo (HAG 20) 6
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk H

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
5	Heavy Medium Laser	RA	7	10 [DE]	—	3	6	9
5	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9


Cost: **BV:** 1,832

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator

1-3
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Heavy Medium Laser
6. Heavy Medium Laser

4-6
1. Heavy Medium Laser
2. Heavy Medium Laser
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Heavy Medium Laser
6. Heavy Medium Laser

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Heavy Medium Laser
6. Heavy Medium Laser

4-6
1. Heavy Medium Laser
2. Heavy Medium Laser
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Heavy Medium Laser
6. Heavy Medium Laser


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Black Hawk S

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 50
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	AMS	CT	1	— [PD]	—	—	—	—
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
2	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
3	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
3	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 2,056

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Pulse Laser
	6. Medium Pulse Laser
4-6	1. Medium Pulse Laser
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso (CASE)

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. Machine Gun
	2. Machine Gun
	3. Ammo (Machine Gun) 100
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Jump Jet
	6. AMS

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Pulse Laser
	6. Medium Pulse Laser
4-6	1. Medium Pulse Laser
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso (CASE)

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. Double Heat Sink
	4. Double Heat Sink
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. Machine Gun
	2. Machine Gun
	3. Ammo (AMS) 24
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 14 (28) Double
O O
O O
O O
O O
O
O
O
O
O
O

Heat Scale: Overflow, 30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken Prime

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	HD	5	7 [DE]	—	5	10	15
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,073

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. ER Large Laser
6. ER Medium Laser

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. ER Large Laser
6. ER Medium Laser

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **22 (44) Double**
O O O
O O O
O O
O O
O O
O O
O O
O O
O O
O O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken A

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
1	LRM 20	RA	6	1/Msl [M,C,S]	—	7	14	21
4	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12


Cost: **BV:** 2,319

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. Medium Pulse Laser

1-3

1. Medium Pulse Laser
2. Medium Pulse Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Ammo (Streak SRM 6) 15
6. Endo Steel

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 20
6. LRM 20

1-3

1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Ammo (Streak SRM 6) 15
6. Endo Steel


1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken B

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
6	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	Ultra AC/20	LA	7	20/Sht [DB,R/C]	—	4	8	12


Cost: **BV:** 2,281

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (Ultra AC/20) 5
4. Ammo (Ultra AC/20) 5
5. Endo Steel
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser


1. ER Medium Laser
2. ER Medium Laser
3. ER Medium Laser
4. ER Medium Laser
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale (Overflow)

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken C

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Pulse Laser	RT	4	7 [P]	—	4	8	12
1	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	LB 10-X AC	LA	2	10 [DB,C,F,S]	—	6	12	18


Cost: **BV:** 1,881

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

4-6:
1. LB 10-X AC
2. Ammo (LB-10X) 10
3. Ammo (LB-10X) 10
4. Ammo (LB-10X Cluster) 10
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Medium Pulse Laser
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6:
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs

Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator

1-3:
5. Large Pulse Laser
6. Large Pulse Laser

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Medium Pulse Laser

1-3:
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6:
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken D

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Narc	RT	0	[M]	—	4	8	12
2	SRM 2	LT	2	2/Msl [M,C]	—	3	6	9
1	LRM 20	RA	6	1/Msl [M,C,S]	—	7	14	21
1	LRM 20	LA	6	1/Msl [M,C,S]	—	7	14	21

Cost:


BV: 1,863

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Ammo (LRM 20 Narc) 6
4. Ammo (LRM 20 Narc) 6
5. Ammo (LRM 20 Narc) 6
6. Roll Again

Left Torso (CASE)
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. SRM 2
4. SRM 2
5. Ammo (SRM 2 Narc) 50
6. Ammo (SRM 2 Narc) 50

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 20
6. LRM 20


4-6
1. LRM 20
2. LRM 20
3. Ammo (LRM 20 Narc) 6
4. Ammo (LRM 20 Narc) 6
5. Ammo (LRM 20 Narc) 6
6. Roll Again

Right Torso (CASE)
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Narc
4. Ammo (Narc) 6
5. Ammo (Narc) 6
6. Endo Steel

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken E

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
2	ER Small Laser	RT	2	5 [DE]	—	2	4	6
2	ER Small Laser	LT	2	5 [DE]	—	2	4	6
1	ATM 9	RA	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ATM 9	LA	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,110

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 9
6. ATM 9

1. ATM 9
2. ATM 9
3. ER Medium Laser
4. Ammo (ATM 9) 7
5. Ammo (ATM 9 ER) 7
6. Ammo (ATM 9 HE) 7

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Small Laser
6. ER Small Laser

1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 9
6. ATM 9


1. ATM 9
2. ATM 9
3. ER Medium Laser
4. Ammo (ATM 9) 7
5. Ammo (ATM 9 ER) 7
6. Ammo (ATM 9 HE) 7

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Small Laser
6. ER Small Laser

1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken F

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	ER Small Laser	RT	2	5 [DE]	—	2	4	6
2	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	ER Small Laser	LT	2	5 [DE]	—	2	4	6
2	AP Gauss Rifle	RA	1	3 [DB,X]	—	3	6	9
1	Plasma Cannon	RA	7	[DE,H,AI]	—	6	12	18
2	AP Gauss Rifle	LA	1	3 [DB,X]	—	3	6	9
1	Plasma Cannon	LA	7	[DE,H,AI]	—	6	12	18

Cost:


BV: 2,227

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. AP Gauss Rifle
4. AP Gauss Rifle
5. Plasma Cannon
6. Ammo (AP Gauss) 40

4-6
1. Ammo (Plasma Cannon) 10
2. Ammo (Plasma Cannon) 10
3. Ammo (Plasma Cannon) 10
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. ER Medium Laser

4-6
1. ER Small Laser
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. AP Gauss Rifle
4. AP Gauss Rifle
5. Plasma Cannon
6. Ammo (AP Gauss) 40

4-6
1. Ammo (Plasma Cannon) 10
2. Ammo (Plasma Cannon) 10
3. Ammo (Plasma Cannon) 10
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. ER Medium Laser

4-6
1. ER Small Laser
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken G

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
5	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	HAG/20	LA	4	20 [C,F]	2	8	16	24


Cost: **BV:** 2,152

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20

4-6:
1. HAG/20
2. HAG/20
3. Ammo (HAG 20) 6
4. Ammo (HAG 20) 6
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator

1-3:
5. ER Medium Laser
6. ER Medium Laser

4-6:
1. ER Medium Laser
2. ER Medium Laser
3. ER Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken H

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	HD	5	7 [DE]	—	5	10	15
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	Heavy Large Laser	RA	18	16 [DE]	—	5	10	15
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15


Cost: **BV:** 2,061

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Heavy Large Laser
4. Heavy Large Laser
5. Heavy Large Laser
6. ER Medium Laser

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Heavy Large Laser
4. Heavy Large Laser
5. Heavy Large Laser
6. ER Medium Laser


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 22 (44) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken I

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Active Probe	HD	—	[E]	—	—	—	5
1	LRM 15	RT	5	1/Msl [M,C,S]	—	7	14	21
1	LRM 15	LT	5	1/Msl [M,C,S]	—	7	14	21
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,319

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. ER Medium Laser

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. LRM 15
6. LRM 15

1-3

1. Ammo (LRM 15) 8
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Active Probe
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. ER Large Laser
2. ER Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. LRM 15
6. LRM 15


1-3

1. Ammo (LRM 15) 8
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Ryoken Kotare

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 55
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 20	RT	6	1/Msl [M,C,S]	—	7	14	21
2	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
5	ER Medium Laser	RA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,382

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Streak SRM 6
6. Streak SRM 6

1-3

1. Ammo (Streak SRM 6) 15
2. Ammo (Streak SRM 6) 15
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. ER Medium Laser
2. ER Medium Laser
3. ER Medium Laser
4. ER Medium Laser
5. ER Medium Laser
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20


1-3

1. Ammo (LRM 20) 6
2. Ammo (LRM 20) 6
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Vulture Prime

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 20	RT	6	1/Msl [M,C,S]	—	7	14	21
1	LRM 20	LT	6	1/Msl [M,C,S]	—	7	14	21
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
1	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 2,351

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Pulse Laser
5. Large Pulse Laser
6. Medium Pulse Laser

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1-3

1. Ammo (LRM 20) 6
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Pulse Laser
5. Large Pulse Laser
6. Medium Pulse Laser

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20


1-3

1. Ammo (LRM 20) 6
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O

Heat Scale: Overflow, 30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Vulture A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
3	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
3	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	LB 5-X AC	LA	1	5 [DB,C,F,S]	3	8	15	24


Cost: **BV:** 1,923

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

4-6:
1. Ammo (LB-5X) 20
2. Ammo (LB-5X Cluster) 20
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. SRM 6
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6:
1. Ammo (SRM 6) 15
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. SRM 6
4. SRM 6
5. SRM 6
6. Ammo (SRM 6) 15

4-6:
1. Ammo (SRM 6) 15
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Vulture B

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
1	LRM 20 w/Artemis IV FCS	LT	6	1/Msl [M,C,S]	—	7	14	21
3	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
2	ER Large Laser	LA	12	10 [DE]	—	8	15	25

Cost:


BV: 2,284

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. ER Large Laser

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1-3

1. Artemis IV FCS
2. Ammo (LRM 20 Artemis) 6
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. Medium Pulse Laser

1-3

1. Medium Pulse Laser
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Streak SRM 6
6. Streak SRM 6


1-3

1. Ammo (Streak SRM 6) 15
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Vulture C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Cost:


BV: 1,892

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

	1. Shoulder
	2. Upper Arm Actuator
1-3	3. Gauss Rifle
1-3	4. Gauss Rifle
1-3	5. Gauss Rifle
1-3	6. Gauss Rifle
4-6	1. Gauss Rifle
4-6	2. Gauss Rifle
4-6	3. Ammo (Gauss) 8
4-6	4. Ammo (Gauss) 8
4-6	5. Ferro-Fibrous
4-6	6. Roll Again

Left Torso

	1. XL Fusion Engine
	2. XL Fusion Engine
1-3	3. Ferro-Fibrous
1-3	4. Ferro-Fibrous
1-3	5. Roll Again
1-3	6. Roll Again
4-6	1. Roll Again
4-6	2. Roll Again
4-6	3. Roll Again
4-6	4. Roll Again
4-6	5. Roll Again
4-6	6. Roll Again

Left Leg

	1. Hip
	2. Upper Leg Actuator
	3. Lower Leg Actuator
	4. Foot Actuator
	5. Roll Again
	6. Roll Again


Head

	1. Life Support
	2. Sensors
	3. Cockpit
	4. Ferro-Fibrous
	5. Sensors
	6. Life Support

Center Torso

	1. XL Fusion Engine
	2. XL Fusion Engine
1-3	3. XL Fusion Engine
1-3	4. Gyro
1-3	5. Gyro
1-3	6. Gyro
4-6	1. Gyro
4-6	2. XL Fusion Engine
4-6	3. XL Fusion Engine
4-6	4. XL Fusion Engine
4-6	5. Roll Again
4-6	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

	1. Shoulder
	2. Upper Arm Actuator
1-3	3. Gauss Rifle
1-3	4. Gauss Rifle
1-3	5. Gauss Rifle
1-3	6. Gauss Rifle
4-6	1. Gauss Rifle
4-6	2. Gauss Rifle
4-6	3. Ammo (Gauss) 8
4-6	4. Ammo (Gauss) 8
4-6	5. Ferro-Fibrous
4-6	6. Roll Again


Right Torso

	1. XL Fusion Engine
	2. XL Fusion Engine
1-3	3. Ferro-Fibrous
1-3	4. Ferro-Fibrous
1-3	5. Roll Again
1-3	6. Roll Again
4-6	1. Roll Again
4-6	2. Roll Again
4-6	3. Roll Again
4-6	4. Roll Again
4-6	5. Roll Again
4-6	6. Roll Again

Right Leg

	1. Hip
	2. Upper Leg Actuator
	3. Lower Leg Actuator
	4. Foot Actuator
	5. Roll Again
	6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Vulture D

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Medium Pulse Laser	CT	4	7 [P]	—	4	8	12
1	ATM 12	RT	8	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ATM 12	LT	8	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	ER Small Laser	LA	2	5 [DE]	—	2	4	6


Cost: **BV:** 2,447

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Small Laser
6. Ferro-Fibrous

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. ATM 12
4. ATM 12
5. ATM 12
6. ATM 12

1-3

1. ATM 12
2. Ammo (ATM 12) 5
3. Ammo (ATM 12 ER) 5
4. Ammo (ATM 12 HE) 5
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Pulse Laser
6. Medium Pulse Laser

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. ER Medium Laser

1-3

1. ER Small Laser
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. ATM 12
4. ATM 12
5. ATM 12
6. ATM 12


1-3

1. ATM 12
2. Ammo (ATM 12) 5
3. Ammo (ATM 12 ER) 5
4. Ammo (ATM 12 HE) 5
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **13 (26) Double**
○○
○○
○○
○
○
○
○
○
○
○
○

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Vulture E

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	HAG/30	RA	6	30 [C,F]	2	8	16	24
1	HAG/30	LA	6	30 [C,F]	2	8	16	24


Cost: **BV:** 2,031

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1. Shoulder
2. Upper Arm Actuator

1-3:
3. HAG/30
4. HAG/30
5. HAG/30
6. HAG/30

4-6:
1. HAG/30
2. HAG/30
3. HAG/30
4. HAG/30
5. Ferro-Fibrous
6. Roll Again

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Ammo (HAG 30) 4
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1. Shoulder
2. Upper Arm Actuator

1-3:
3. HAG/30
4. HAG/30
5. HAG/30
6. HAG/30

4-6:
1. HAG/30
2. HAG/30
3. HAG/30
4. HAG/30
5. Ferro-Fibrous
6. Roll Again

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine


1-3:
3. Ammo (HAG 30) 4
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Vulture F

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
2	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	HAG/20	RA	4	20 [C,F]	2	8	16	24
1	HAG/20	LA	4	20 [C,F]	2	8	16	24


Cost: **BV:** 2,300

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20

1. HAG/20
2. HAG/20

4-6:
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. ER Medium Laser
4. ER Medium Laser
5. Ammo (HAG 20) 6
6. Ammo (HAG 20) 6

1. Ferro-Fibrous
2. Ferro-Fibrous

4-6:
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine

4-6:
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20

1. HAG/20
2. HAG/20

4-6:
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine


1-3:
3. ER Medium Laser
4. ER Medium Laser
5. Ammo (HAG 20) 6
6. Ammo (HAG 20) 6

1. Ferro-Fibrous
2. Ferro-Fibrous

4-6:
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Vulture H

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 15 w/Artemis IV FCS	RT	5	1/Msl [M,C,S]	—	7	14	21
1	LRM 15 w/Artemis IV FCS	LT	5	1/Msl [M,C,S]	—	7	14	21
1	Heavy Large Laser	RA	18	16 [DE]	—	5	10	15
3	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9


Cost: **BV:** 2,097

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Heavy Medium Laser

1. Heavy Medium Laser

4-6
2. Heavy Medium Laser
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Heavy Medium Laser
6. Ferro-Fibrous

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. LRM 15
6. LRM 15

1. Artemis IV FCS

4-6
2. Ammo (LRM 15 Artemis) 8
3. Ammo (LRM 15 Artemis) 8
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro

4-6
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink

4-6
3. Heavy Large Laser
4. Heavy Large Laser
5. Heavy Large Laser
6. Ferro-Fibrous

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. Double Heat Sink
4. Double Heat Sink
5. LRM 15
6. LRM 15

1. Artemis IV FCS

4-6
2. Ammo (LRM 15 Artemis) 8
3. Ammo (LRM 15 Artemis) 8
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Loki Prime

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	HD	1	—[PD]	—	—	—	—
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
1	Active Probe	LT	—	[E]	—	—	—	5
1	ECM Suite	LT	—	[E]	—	—	—	6
3	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	Targeting Computer	LT	—	[E]	—	—	—	—
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER PPC	LA	15	15 [DE]	—	7	14	23
2	A-Pod	RL	—	—[PD,OS,AI]	—	—	—	—
2	A-Pod	LL	—	—[PD,OS,AI]	—	—	—	—

Cost:


BV: 2,654

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. ER Medium Laser (1-3)
4. ER Medium Laser (1-3)
5. ER Medium Laser (1-3)
6. Active Probe

1. ECM Suite
2. Targeting Computer (4-6)
3. Targeting Computer (4-6)
4. Targeting Computer (4-6)
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. A-Pod

Head
1. Life Support
2. Sensors
3. Cockpit
4. AMS
5. Sensors
6. Life Support

Center Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Ammo (AMS) 24 (4-6)
6. Roll Again (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Roll Again
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6 (1-3)
4. Streak SRM 6 (1-3)
5. Machine Gun (1-3)
6. Machine Gun (1-3)

1. Ammo (Streak SRM 6) 15 (4-6)
2. Ammo (Machine Gun) 100 (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. A-Pod

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O

Heat Scale: Overflow, 30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Loki A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	HD	5	7 [DE]	—	5	10	15
1	LRM 20	RT	6	1/Msl [M,C,S]	—	7	14	21
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Active Probe	LT	—	[E]	—	—	—	5
1	Narc	LT	0	[M]	—	4	8	12
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	—	7	14	21
2	ER Large Laser	LA	12	10 [DE]	—	8	15	25


Cost: **BV:** 1,948

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Large Laser
5. ER Large Laser
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Narc
4. Ammo (Narc) 6
5. Active Probe
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support

Center Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (Machine Gun) 200
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ammo (Ultra AC/5) 20


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. Machine Gun
2. Machine Gun
3. Ammo (LRM 20 Narc) 6
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 13 (26) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Loki B

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	SRM 6 w/Artemis IV FCS	RT	4	2/Msl [M,C]	—	3	6	9
1	ER Small Laser	LT	2	5 [DE]	—	2	4	6
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	LB 5-X AC	LA	1	5 [DB,C,F,S]	3	8	15	24


Cost: **BV:** 1,592

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

4-6:
1. Ammo (LB-5X) 20
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. ER Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6:
1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. SRM 6
4. Artemis IV FCS
5. SRM 6
6. Artemis IV FCS

4-6:
1. Ammo (SRM 6 Artemis) 15
2. Ammo (SRM 6 Artemis) 15
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O

Heat Scale: Overflow, 30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Loki C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LB 20-X AC	RT	6	20 [DB,C,F,S]	—	4	8	12
2	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	ATM 6	RA	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
2	ER Small Laser	LA	2	5 [DE]	—	2	4	6

Cost:


BV: 2,076

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. ER Small Laser

1-3

1. ER Small Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. ER Medium Laser
4. ER Medium Laser
5. Ammo (LB-20X) 5
6. Ammo (LB-20X) 5

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 6
6. ATM 6

1-3

1. ATM 6
2. Ammo (ATM 6) 10
3. Ammo (ATM 6 ER) 10
4. Ammo (ATM 6 HE) 10
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC


1-3

1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. Ammo (LB-20X Cluster) 5

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **13 (26) Double**
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Loki D

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Micro Pulse Laser	HD	1	3 [P]	—	1	2	3
2	Medium Pulse Laser	RT	4	7 [P]	—	4	8	12
2	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
2	Plasma Cannon	RA	7	[DE,H,AI]	—	6	12	18
2	Plasma Cannon	LA	7	[DE,H,AI]	—	6	12	18
2	B-Pod	RL	0	1 [DB,PD,AI,X,OS]	—	—	—	—
2	B-Pod	LL	0	1 [DB,PD,AI,X,OS]	—	—	—	—


Cost: **BV:** 2,145

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Plasma Cannon
5. Plasma Cannon
6. Ammo (Plasma Cannon) 10

1. Ammo (Plasma Cannon) 10
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Medium Pulse Laser
4. Medium Pulse Laser
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg (CASE)
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. B-Pod
6. B-Pod

Head
1. Life Support
2. Sensors
3. Cockpit
4. Micro Pulse Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Plasma Cannon
5. Plasma Cannon
6. Ammo (Plasma Cannon) 10


1. Ammo (Plasma Cannon) 10
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Medium Pulse Laser
4. Medium Pulse Laser
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg (CASE)
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. B-Pod
6. B-Pod

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **13 (26) Double**
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Loki E

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 65
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	RT	4	1/Msl [M,C,S]	—	7	14	21
2	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	HAG/20	LA	4	20 [C,F]	2	8	16	24

Cost:


BV: 2,304

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20

4-6:
1. HAG/20
2. HAG/20
3. Ammo (HAG 20) 6
4. Ammo (HAG 20) 6
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Jump Jet
4. Jump Jet
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Lower Arm Actuator
4. ER Large Laser
5. ER Large Laser
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Jump Jet
4. Jump Jet
5. LRM 10
6. Ammo (LRM 10) 12

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Loki F

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	LB 10-X AC	RA	2	10 [DB,C,F,S]	—	6	12	18
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	LB 10-X AC	LA	2	10 [DB,C,F,S]	—	6	12	18


Cost: **BV:** 1,839

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1-3

1. LB 10-X AC
2. ER Medium Laser
3. Ammo (LB-10X) 10
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. ER Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1-3

1. LB 10-X AC
2. ER Medium Laser
3. Ammo (LB-10X Cluster) 10
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. SRM 6
4. ER Medium Laser
5. Ammo (SRM 6) 15
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **13 (26) Double**
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Loki H

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Ultra AC/5	RT	1	5/Sht [DB,R/C]	—	7	14	21
1	Active Probe	LT	—	[E]	—	—	—	5
4	Heavy Small Laser	LT	3	6 [DE]	—	1	2	3
1	LRM 15	LT	5	1/Msl [M,C,S]	—	7	14	21
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15
1	A-Pod	RL	—	[PD,OS,AI]	—	—	—	—
1	A-Pod	LL	—	[PD,OS,AI]	—	—	—	—

Cost:


BV: 1,952

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Heavy Large Laser
4. Heavy Large Laser
5. Heavy Large Laser
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 15
4. LRM 15
5. Heavy Small Laser
6. Heavy Small Laser

1-3

1. Heavy Small Laser
2. Heavy Small Laser
3. Ammo (LRM 15) 8
4. Ammo (LRM 15) 8
5. Active Probe
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ammo (Ultra AC/5) 20


1-3

1. Ammo (Ultra AC/5) 20
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Thor Prime

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 15	LT	5	1/Msl [M,C,S]	—	7	14	21
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	LB 10-X AC	LA	2	10 [DB,C,F,S]	—	6	12	18


Cost: **BV:** 2,298

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1. LB 10-X AC
2. Ammo (LB-10X) 10
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 15
4. LRM 15
5. Ammo (LRM 15) 8
6. Ammo (LRM 15) 8

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: **14 (28) Double**

Heat Level*	Effects	
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Cost:


BV: 2,145

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. SRM 6
4. Ammo (SRM 6) 15
5. Ammo (SRM 6) 15
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Pulse Laser
4. Large Pulse Laser
5. Ferro-Fibrous
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor B

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	LT	1	—[PD]	—	—	—	—
1	Narc	LT	0	[M]	—	4	8	12
1	LRM 20	RA	6	1/Msl [M,C,S]	—	7	14	21
1	SRM 4	RA	3	2/Msl [M,C]	—	3	6	9
1	LRM 20	LA	6	1/Msl [M,C,S]	—	7	14	21
1	SRM 4	LA	3	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 2,159

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. LRM 20
5. LRM 20
6. LRM 20

1. LRM 20
2. SRM 4

4-6
3. Ammo (LRM 20 Narc) 6
4. Ammo (LRM 20 Narc) 6
5. Ammo (SRM 4 Narc) 25
6. Ferro-Fibrous

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. AMS
4. Narc
5. Ammo (AMS) 24
6. Ammo (Narc) 6

1. Ferro-Fibrous
2. Ferro-Fibrous

4-6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. LRM 20
5. LRM 20
6. LRM 20

1. LRM 20
2. SRM 4

4-6
3. Ammo (LRM 20 Narc) 6
4. Ammo (LRM 20 Narc) 6
5. Ammo (SRM 4 Narc) 25
6. Ferro-Fibrous

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again

4-6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
1	Ultra AC/20	LA	7	20/Sht [DB,R/C]	—	4	8	12


Cost: **BV:** 2,379

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Ferro-Fibrous
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Ammo (Ultra AC/20) 5
6. Ammo (Ultra AC/20) 5

1. Ammo (Streak SRM 6) 15
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Large Laser
5. ER Small Laser
6. Ferro-Fibrous


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor D

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	RT	1	—[PD]	—	—	—	—
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	AMS	LT	1	—[PD]	—	—	—	—
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15

Cost:


BV: 2,643

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1	Shoulder
2	Upper Arm Actuator
3	Lower Arm Actuator
1-3 4	Double Heat Sink
5	Double Heat Sink
6	Double Heat Sink
1	Double Heat Sink
4-6 2	Double Heat Sink
3	Double Heat Sink
4	ER Large Laser
5	ER Medium Laser
6	Ferro-Fibrous

Left Torso (CASE)

1	XL Fusion Engine
2	XL Fusion Engine
1-3 3	Machine Gun
4	AMS
5	Ammo (Machine Gun) 200
6	Ammo (AMS) 24
1	Ammo (AMS) 24
2	Ferro-Fibrous
4-6 3	Ferro-Fibrous
4	Roll Again
5	Roll Again
6	Roll Again

Left Leg

1	Hip
2	Upper Leg Actuator
3	Lower Leg Actuator
4	Foot Actuator
5	Jump Jet
6	Jump Jet


Head

1	Life Support
2	Sensors
3	Cockpit
4	Ferro-Fibrous
5	Sensors
6	Life Support

Center Torso

1	XL Fusion Engine
2	XL Fusion Engine
3	XL Fusion Engine
1-3 4	Gyro
5	Gyro
6	Gyro
1	Gyro
2	XL Fusion Engine
4-6 3	XL Fusion Engine
4	XL Fusion Engine
5	Jump Jet
6	Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1	Shoulder
2	Upper Arm Actuator
3	Lower Arm Actuator
1-3 4	Double Heat Sink
5	Double Heat Sink
6	Double Heat Sink
1	Double Heat Sink
4-6 2	Double Heat Sink
3	Double Heat Sink
4	ER Large Laser
5	ER Medium Laser
6	Ferro-Fibrous


Right Torso

1	XL Fusion Engine
2	XL Fusion Engine
1-3 3	Machine Gun
4	AMS
5	Targeting Computer
6	Targeting Computer
1	Ferro-Fibrous
2	Ferro-Fibrous
4-6 3	Roll Again
4	Roll Again
5	Roll Again
6	Roll Again

Right Leg

1	Hip
2	Upper Leg Actuator
3	Lower Leg Actuator
4	Foot Actuator
5	Jump Jet
6	Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor E

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ATM 12	RA	8	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ATM 6	RA	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 2,612

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Ferro-Fibrous
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous (1-3)
4. Ferro-Fibrous (1-3)
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Jump Jet (4-6)
6. Roll Again (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ATM 12 (1-3)
4. ATM 12 (1-3)
5. ATM 12 (1-3)
6. ATM 12 (1-3)


1. ATM 12 (4-6)
2. ATM 6 (4-6)
3. ATM 6 (4-6)
4. ATM 6 (4-6)
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (ATM 12) 5 (1-3)
4. Ammo (ATM 12 ER) 5 (1-3)
5. Ammo (ATM 12 HE) 5 (1-3)
6. Ammo (ATM 6) 10 (1-3)

1. Ammo (ATM 6 ER) 10 (4-6)
2. Ammo (ATM 6 HE) 10 (4-6)
3. Ferro-Fibrous (4-6)
4. Ferro-Fibrous (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor F

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	LRM 10	LT	4	1/Msl [M,C,S]	—	7	14	21
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	—	7	14	21
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	—	7	14	21


Cost: **BV:** 2,186

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAMOND



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5 (1-3)
4. Ultra AC/5 (1-3)
5. Ultra AC/5 (1-3)
6. ER Medium Laser

1. Ammo (Ultra AC/5) 20
2. Ferro-Fibrous
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 10 (1-3)
4. Ammo (LRM 10) 12 (1-3)
5. Ferro-Fibrous (1-3)
6. Ferro-Fibrous (1-3)

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Jump Jet (4-6)
6. Roll Again (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5 (1-3)
4. Ultra AC/5 (1-3)
5. Ultra AC/5 (1-3)
6. ER Medium Laser


1. Ammo (Ultra AC/5) 20
2. Ferro-Fibrous
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. ER Medium Laser (1-3)
4. Ferro-Fibrous (1-3)
5. Ferro-Fibrous (1-3)
6. Roll Again (1-3)

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor G

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Heavy Small Laser	CT	3	6 [DE]	—	1	2	3
3	SRM 4	RT	3	2/Msl [M,C]	—	3	6	9
3	SRM 4	LT	3	2/Msl [M,C]	—	3	6	9
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25


Cost: **BV:** 2,452

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Large Laser
5. Ferro-Fibrous
6. Roll Again

4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6: 1. SRM 4; 2. SRM 4; 3. SRM 4; 4. Ammo (SRM 4) 25; 5. Ferro-Fibrous; 6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3: 1. XL Fusion Engine; 2. XL Fusion Engine; 3. XL Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro

4-6: 1. Gyro; 2. XL Fusion Engine; 3. XL Fusion Engine; 4. XL Fusion Engine; 5. Jump Jet; 6. Heavy Small Laser

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again


1-3: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6: 1. SRM 4; 2. SRM 4; 3. SRM 4; 4. Ammo (SRM 4) 25; 5. Ferro-Fibrous; 6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale: Overflow, 30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 18 (36) Double
O O
O O
O O
O O
O O
O O
O O
O O
O
O

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor H

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	AMS	LT	1	— [PD]	—	—	—	—
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	Heavy Large Laser	RA	18	16 [DE]	—	5	10	15
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15


Cost: **BV:** 2,536

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink

4-6
2. Heavy Large Laser
3. Heavy Large Laser
4. Heavy Large Laser
5. ER Medium Laser
6. Ferro-Fibrous

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink

4-6
3. AMS
4. Ammo (AMS) 24
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro

4-6
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink

4-6
2. Heavy Large Laser
3. Heavy Large Laser
4. Heavy Large Laser
5. ER Medium Laser
6. Ferro-Fibrous

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Targeting Computer
2. Targeting Computer

4-6
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 23 (46) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor HH

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	7 [DE]	—	5	10	15
1	Heavy Medium Laser	RT	7	10 [DE]	—	3	6	9
1	Plasma Cannon	LT	7	[DE,H,AI]	—	6	12	18
1	HAG/20	RA	4	20 [C,F]	2	8	16	24
1	AP Gauss Rifle	LA	1	3 [DB,X]	—	3	6	9
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,490

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. ER Medium Laser
4. AP Gauss Rifle
5. Ammo (AP Gauss) 40
6. Ferro-Fibrous

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Plasma Cannon
4. Ammo (Plasma Cannon) 10
5. Ammo (Plasma Cannon) 10
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. ER Medium Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20


4-6
1. HAG/20
2. HAG/20
3. Ammo (HAG 20) 6
4. Ammo (HAG 20) 6
5. Ammo (HAG 20) 6
6. Ferro-Fibrous

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thor M

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	LT	2	5 [DE]	—	2	4	6
1	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	LB 10-X AC	LA	2	10 [DB,C,F,S]	—	6	12	18


Cost: **BV:** 2,251

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1. LB 10-X AC
2. Ammo (LB-10X) 10
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. ER Small Laser
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (Streak SRM 6) 15
4. Ammo (Streak SRM 6) 15
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **14 (28) Double**
O O
O O
O O
O O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Thor Q

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 70
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Heavy Small Laser	CT	3	6 [DE]	—	1	2	3
3	SRM 4	RT	3	2/Msl [M,C]	—	3	6	9
1	Heavy Medium Laser	LT	7	10 [DE]	—	3	6	9
3	SRM 4	LT	3	2/Msl [M,C]	—	3	6	9
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20


Cost: **BV:** 2,479

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Pulse Laser
5. Large Pulse Laser
6. Ferro-Fibrous

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Heavy Medium Laser
4. Heavy Medium Laser
5. SRM 4
6. SRM 4

1-3

1. SRM 4
2. Ammo (SRM 4) 25
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Heavy Small Laser

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. SRM 4
6. SRM 4


1-3

1. SRM 4
2. Ammo (SRM 4) 25
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat Prime

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Machine Gun	CT	0	2 [DB,AI]	—	1	2	3
1	LRM 20	RT	6	1/Msl [M,C,S]	—	7	14	21
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	LRM 20	LT	6	1/Msl [M,C,S]	—	7	14	21
1	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,737

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

1. ER Medium Laser
2. Ferro-Fibrous
3. Roll Again

4-6
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. Medium Pulse Laser
2. Ammo (LRM 20) 6

4-6
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. Machine Gun
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

1. ER Medium Laser
2. Ferro-Fibrous
3. Roll Again

4-6
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. Machine Gun
2. Ammo (Machine Gun) 200

4-6
3. Ammo (LRM 20) 6
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 17 (34) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
3	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER PPC	LA	15	15 [DE]	—	7	14	23

Cost:


BV: 2,854

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER PPC
2. ER PPC
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Medium Pulse Laser
4. Medium Pulse Laser
5. Medium Pulse Laser
6. Endo Steel

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Small Laser
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. Double Heat Sink
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Ammo (Streak SRM 6) 15
6. Endo Steel

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat B

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 4 w/Artemis IV FCS	RT	3	2/Msl [M,C]	—	3	6	9
1	LRM 10 w/Artemis IV FCS	LT	4	1/Msl [M,C,S]	—	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
1	Small Pulse Laser	LA	2	3 [P]	—	2	4	6

Cost:


BV: 2,224

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Large Pulse Laser
5. Large Pulse Laser
6. Small Pulse Laser

1. Ferro-Fibrous
2. Roll Again

4-6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. LRM 10
4. Artemis IV FCS
5. Ammo (LRM 10 Artemis) 12
6. Endo Steel

1. Ferro-Fibrous
2. Ferro-Fibrous

4-6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1. Gauss Rifle
2. Gauss Rifle

4-6
3. Gauss Rifle
4. Ammo (Gauss) 8
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. SRM 4
4. Artemis IV FCS
5. Ammo (SRM 4 Artemis) 25
6. Endo Steel

1. Ferro-Fibrous
2. Ferro-Fibrous

4-6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	7 [DE]	—	5	10	15
1	LRM 15	RT	5	1/Msl [M,C,S]	—	7	14	21
1	AMS	LT	1	— [PD]	—	—	—	—
1	LRM 15	LT	5	1/Msl [M,C,S]	—	7	14	21
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	—	7	14	21
2	ER Large Laser	LA	12	10 [DE]	—	8	15	25


Cost: **BV:** 2,500

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Large Laser
5. ER Large Laser
6. Ferro-Fibrous

1-3

4-6 Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 15
4. LRM 15
5. AMS
6. Ammo (LRM 15) 8

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Medium Laser
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ammo (Ultra AC/5) 20

1-3

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 15
4. LRM 15
5. Ammo (LRM 15) 8
6. Ammo (AMS) 24

1-3

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat D

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6(R)	RT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6(R)	LT	4	2/Msl [M,C]	—	4	8	12
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 2,682

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Ferro-Fibrous
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6 (1-3)
4. Streak SRM 6 (1-3)
5. Streak SRM 6 (R) (1-3)
6. Streak SRM 6 (R) (1-3)

1. Ammo (Streak SRM 6) 15
2. Endo Steel
3. Ferro-Fibrous (4-6)
4. Ferro-Fibrous (4-6)
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. ER Small Laser
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Ferro-Fibrous
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6 (1-3)
4. Streak SRM 6 (1-3)
5. Streak SRM 6 (R) (1-3)
6. Streak SRM 6 (R) (1-3)

1. Ammo (Streak SRM 6) 15
2. Ammo (Streak SRM 6) 15
3. Endo Steel (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat E

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Light TAG	CT	0	0 [S]	—	3	6	9
1	ATM 9	RT	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ATM 9	LT	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25

Cost:


BV: 2,444

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. ATM 9
4. ATM 9
5. ATM 9
6. ATM 9

4-6
1. Ammo (ATM 9) 7
2. Ammo (ATM 9 ER) 7
3. Ammo (ATM 9 HE) 7
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Light TAG
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. ER Large Laser
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. ATM 9
4. ATM 9
5. ATM 9
6. ATM 9

4-6
1. Ammo (ATM 9) 7
2. Ammo (ATM 9 ER) 7
3. Ammo (ATM 9 HE) 7
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 18 (36) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat F

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AP Gauss Rifle	CT	1	3 [DB,X]	—	3	6	9
1	AP Gauss Rifle	RT	1	3 [DB,X]	—	3	6	9
1	LRM 20	RT	6	1/Msl [M,C,S]	—	7	14	21
1	AP Gauss Rifle	LT	1	3 [DB,X]	—	3	6	9
1	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	LRM 20	LT	6	1/Msl [M,C,S]	—	7	14	21
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,764

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

1. ER Medium Laser
2. Ferro-Fibrous
3. Roll Again

4-6
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. ER Medium Laser
2. AP Gauss Rifle
3. Ammo (LRM 20) 6

4-6
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. AP Gauss Rifle
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

1. ER Medium Laser
2. Ferro-Fibrous
3. Roll Again

4-6
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. AP Gauss Rifle
2. Ammo (LRM 20) 6

4-6
3. Ammo (AP Gauss) 40
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 17 (34) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat H

Movement Points:
Walking: 5
Running: 8
Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
1	LRM 20 w/Artemis IV FCS	RT	6	1/Msl [M,C,S]	—	7	14	21
1	LRM 20 w/Artemis IV FCS	LT	6	1/Msl [M,C,S]	—	7	14	21
1	Heavy Large Laser	RA	18	16 [DE]	—	5	10	15
1	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15


Cost: **BV:** 2,627

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. Double Heat Sink
5. Double Heat Sink
6. Heavy Large Laser

1. Heavy Large Laser
2. Heavy Large Laser

4-6:
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. Artemis IV FCS
2. Ammo (LRM 20 Artemis) 6

4-6:
3. Ammo (LRM 20 Artemis) 6
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine

4-6:
4. XL Fusion Engine
5. ER Small Laser
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink

4-6:
2. Heavy Large Laser
3. Heavy Large Laser
4. Heavy Large Laser
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine


1-3:
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. Artemis IV FCS
2. Ammo (LRM 20 Artemis) 6

4-6:
3. Ammo (LRM 20 Artemis) 6
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 18 (36) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat S

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 75
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	ER Small Laser	RT	2	5 [DE]	—	2	4	6
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
2	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
2	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
2	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20

Cost:


BV: 2,462

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Pulse Laser
5. Large Pulse Laser
6. Ammo (SRM 6) 15

4-6
1. Ammo (SRM 6) 15
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. SRM 6
6. SRM 6

4-6
1. Machine Gun
2. Ammo (Machine Gun) 100
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. Medium Pulse Laser


4-6
1. Medium Pulse Laser
2. Ammo (SRM 6) 15
3. Ammo (SRM 6) 15
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. SRM 6
6. SRM 6

4-6
1. ER Small Laser
2. Machine Gun
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat Bounty Hunter

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Light TAG	CT	0	0 [S]	—	3	6	9
1	ECM Suite	RT	—	[E]	—	—	—	6
1	Medium Pulse Laser	RT	4	7 [P]	—	4	8	12
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	Active Probe	LT	—	[E]	—	—	—	5
1	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
1	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 2,829

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Large Pulse Laser
5. Large Pulse Laser
6. Medium Pulse Laser

1. Ferro-Fibrous
2. Roll Again
3. Roll Again

4-6
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Medium Pulse Laser
6. Active Probe

1. Endo Steel
2. Ferro-Fibrous

4-6
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. Light TAG
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Large Pulse Laser
5. Large Pulse Laser
6. Medium Pulse Laser

1. Ferro-Fibrous
2. Roll Again

4-6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Medium Pulse Laser


1-3
4. ECM Suite
5. Targeting Computer
6. Targeting Computer

1. Targeting Computer
2. Targeting Computer

4-6
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Mad Cat Pryde

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 4

Tonnage: 75
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
1	LRM 20	RT	6	1/Msl [M,C,S]	—	7	14	21
1	LRM 20	LT	6	1/Msl [M,C,S]	—	7	14	21
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 2,900

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Double Heat Sink 5. Double Heat Sink 6. ER Large Laser
4-6	1. ER Medium Laser 2. Ferro-Fibrous 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso (CASE)

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Jump Jet 5. LRM 20 6. LRM 20
4-6	1. LRM 20 2. LRM 20 3. Ammo (LRM 20) 6 4. Endo Steel 5. Ferro-Fibrous 6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. ER Small Laser 6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. ER Large Laser 5. ER Medium Laser 6. Ferro-Fibrous
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso (CASE)

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Jump Jet 5. LRM 20 6. LRM 20
4-6	1. LRM 20 2. LRM 20 3. Ammo (LRM 20) 6 4. Endo Steel 5. Ferro-Fibrous 6. Ferro-Fibrous

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War Prime

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
1	LB 5-X AC	RA	1	5 [DB,C,F,S]	3	8	15	24
1	SRM 6	RA	4	2/Msl [M,C]	—	3	6	9
1	LB 5-X AC	LA	1	5 [DB,C,F,S]	3	8	15	24
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,537

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. SRM 6

1-3: 4. LB 5-X AC; 5. LB 5-X AC; 6. LB 5-X AC

1. LB 5-X AC

4-6: 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3: 3. Ammo (LB-5X) 20; 4. Ammo (SRM 6) 15; 5. Ferro-Fibrous; 6. Ferro-Fibrous

1. Roll Again

4-6: 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3: 3. XL Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro

1. Gyro

4-6: 2. XL Fusion Engine; 3. XL Fusion Engine; 4. XL Fusion Engine; 5. ER Small Laser; 6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. SRM 6

1-3: 4. LB 5-X AC; 5. LB 5-X AC; 6. LB 5-X AC

1. LB 5-X AC

4-6: 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine


1-3: 3. Ammo (LB-5X Cluster) 20; 4. Ammo (SRM 6) 15; 5. Ferro-Fibrous; 6. Ferro-Fibrous

1. Roll Again

4-6: 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **16 (32) Double**
O O
O O
O O
O O
O O
O O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	ER Small Laser	LA	2	5 [DE]	—	2	4	6
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
1	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 2,689

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Pulse Laser
6. Large Pulse Laser

1-3

1. Medium Pulse Laser
2. ER Medium Laser
3. ER Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. ER PPC
6. ER PPC

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **16 (32) Double**
O O
O O
O O
O O
O O
O O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War B

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	LRM 10 w/Artemis IV FCS	LA	4	1/Msl [M,C,S]	—	7	14	21
1	SRM 4 w/Artemis IV FCS	LA	3	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,843

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 10
6. Artemis IV FCS

1-3

1. SRM 4
2. Artemis IV FCS
3. Ammo (LRM 10 Artemis) 12
4. Ammo (SRM 4 Artemis) 25
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **16 (32) Double**
O O
O O
O O
O O
O O
O O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
6	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	Ultra AC/20	LA	7	20/Shot [DB,R/C]	—	4	8	12
1	A-Pod	RL	—	[PD,OS,AI]	—	—	—	—
1	A-Pod	LL	—	[PD,OS,AI]	—	—	—	—


Cost: **BV:** 2,437

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (Ultra AC/20) 5
4. Ammo (Ultra AC/20) 5
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Small Laser
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser


1. ER Medium Laser
2. ER Medium Laser
3. ER Medium Laser
4. ER Medium Laser
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War D

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
1	Medium Pulse Laser	CT	4	7 [P]	—	4	8	12
1	Targeting Computer	LT	—	[E]	—	—	—	—
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 2,499

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. Medium Pulse Laser

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

4-6
1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Pulse Laser
6. ER Small Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. Medium Pulse Laser

1-3

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War E

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	CT	—	[E]	—	—	—	—
2	ER Micro Laser	RT	1	2 [DE]	—	1	2	4
2	Heavy Medium Laser	LT	7	10 [DE]	—	3	6	9
1	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
1	ATM 12	RA	8	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
2	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9


Cost: **BV:** 2,257

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Medium Laser
6. Heavy Medium Laser

4-6
1. Heavy Medium Laser
2. Heavy Medium Laser
3. Ammo (Streak SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Streak SRM 6
6. Streak SRM 6

4-6
1. Heavy Medium Laser
2. Heavy Medium Laser
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Targeting Computer
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 12
6. ATM 12


4-6
1. ATM 12
2. ATM 12
3. ATM 12
4. Ammo (ATM 12) 5
5. Ammo (ATM 12 ER) 5
6. Ammo (ATM 12 HE) 5

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Micro Laser
6. ER Micro Laser

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 18 (36) Double
O O
O O
O O
O O
O O
O O
O O
O O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War G

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
4	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	LB 20-X AC	RA	6	20 [DB,C,F,S]	—	4	8	12
3	AP Gauss Rifle	LA	1	3 [DB,X]	—	3	6	9


Cost: **BV:** 2,156

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. AP Gauss Rifle
4. AP Gauss Rifle
5. AP Gauss Rifle
6. Ammo (AP Gauss) 40

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. ER Medium Laser
4. ER Medium Laser
5. ER Medium Laser
6. ER Medium Laser

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC


1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (LB-20X) 5
4. Ammo (LB-20X) 5
5. Ammo (LB-20X Cluster) 5
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War H

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	LT	4	1/Msl [M,C,S]	—	7	14	21
1	Ultra AC/10	RA	3	10/Sht [DB,R/C]	—	6	12	18
2	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15

Cost:


BV: 2,183

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Large Laser
6. Heavy Large Laser

1. Heavy Large Laser
2. ER Medium Laser
3. ER Medium Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 10
4. Ammo (LRM 10) 12
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/10
4. Ultra AC/10
5. Ultra AC/10
6. Ultra AC/10


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (Ultra AC/10) 10
4. Ammo (Ultra AC/10) 10
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 16 (32) Double
O O
O O
O O
O O
O O
O O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Man O' War M

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 80
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
3	SRM 2	LT	2	2/Msl [M,C]	—	3	6	9
1	HAG/20	RA	4	20 [C,F]	2	8	16	24
1	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 2,182

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC (1-3)
4. ER PPC (1-3)
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. SRM 2 (1-3)
4. SRM 2 (1-3)
5. SRM 2 (1-3)
6. Ammo (SRM 2) 50

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. HAG/20 (1-3)
4. HAG/20 (1-3)
5. HAG/20 (1-3)
6. HAG/20 (1-3)


1. HAG/20 (4-6)
2. HAG/20 (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (HAG 20) 6 (1-3)
4. Ammo (HAG 20) 6 (1-3)
5. Ammo (HAG 20) 6 (1-3)
6. Ferro-Fibrous

1. Ferro-Fibrous (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale (Overflow)

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Masakari Prime

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	RT	—	[E]	—	—	—	—
2	ER PPC	RA	15	15 [DE]	—	7	14	23
2	ER PPC	LA	15	15 [DE]	—	7	14	23
1	LRM 10	LA	4	1/Msl [M,C,S]	—	7	14	21

Cost:


BV: 3,194

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3
3. [ER PPC
4. L ER PPC
5. [ER PPC
6. L ER PPC

4-6
1. LRM 10
2. Ammo (LRM 10) 12
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. [Double Heat Sink
4. L Double Heat Sink
5. [Double Heat Sink
6. L Double Heat Sink

4-6
1. [Double Heat Sink
2. L Double Heat Sink
3. [Double Heat Sink
4. L Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. [Double Heat Sink
6. L Double Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3
3. [ER PPC
4. L ER PPC
5. [ER PPC
6. L ER PPC

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. [Double Heat Sink
4. L Double Heat Sink
5. [Targeting Computer
6. Targeting Computer

4-6
1. Targeting Computer
2. Targeting Computer
3. L Targeting Computer
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. [Double Heat Sink
6. L Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Masakari A

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 15	RT	5	1/Msl [M,C,S]	—	7	14	21
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	LB 10-X AC	RA	2	10 [DB,C,F,S]	—	6	12	18
2	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	Streak SRM 6	LA	4	2/Msl [M,C]	—	4	8	12


Cost: **BV:** 2,399

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3
3. Streak SRM 6
4. Streak SRM 6

5. ER Large Laser
6. ER Large Laser

4-6
1. Ammo (Streak SRM 6) 15
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. Ammo (LB-10X) 10
3. Ammo (LB-10X Cluster) 10
4. Ammo (LRM 15) 8
5. Ferro-Fibrous
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. LRM 15
6. LRM 15

4-6
1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	O O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Masakari B

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Narc	CT	0	[M]	—	4	8	12
2	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	Targeting Computer	RT	—	[E]	—	—	—	—
3	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Small Laser	LA	2	5 [DE]	—	2	4	6
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22


Cost: **BV:** 2,320

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6
1. Gauss Rifle
2. Gauss Rifle
3. ER Small Laser
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Narc
6. Ammo (Narc) 6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. ER Medium Laser

4-6
1. Ammo (SRM 6 Narc) 15
2. Ammo (SRM 6 Narc) 15
3. Ammo (SRM 6 Narc) 15
4. Ammo (SRM 6 Narc) 15
5. Ammo (SRM 6 Narc) 15
6. Ferro-Fibrous


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. SRM 6
6. SRM 6

4-6
1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 20 (40) Double
O O
O O
O O
O O
O O
O O
O O
O O
O O
O O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Masakari C

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
1	Targeting Computer	RT	—	[E]	—	—	—	—
2	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
2	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 2,998

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink (1-3)
1. ER PPC (4-6)
2. ER PPC (4-6)
3. ER PPC (4-6)
4. ER PPC (4-6)
5. Ferro-Fibrous (4-6)
6. Roll Again (4-6)


Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink (1-3)
1. Double Heat Sink (4-6)
2. Double Heat Sink (4-6)
3. Double Heat Sink (4-6)
4. Double Heat Sink (4-6)
5. Ferro-Fibrous (4-6)
6. Ferro-Fibrous (4-6)

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)
1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Flamer (4-6)
6. Roll Again (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O




Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Large Pulse Laser (1-3)
1. Large Pulse Laser (4-6)
2. Large Pulse Laser (4-6)
3. Large Pulse Laser (4-6)
4. Ferro-Fibrous (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Targeting Computer (1-3)
6. Targeting Computer (1-3)
1. Targeting Computer (4-6)
2. Targeting Computer (4-6)
3. Targeting Computer (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 23 (46) Double
O O O
O O O
O O O
O O
O O
O O
O O
O O
O O
O O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Masakari D

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
2	ER Large Laser	RT	12	10 [DE]	—	8	15	25
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	Ultra AC/10	RA	3	10/Sht [DB,R/C]	—	6	12	18
1	ATM 9	LA	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9


Cost: **BV:** 2,474

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. ATM 9
4. ATM 9
5. ATM 9
6. ATM 9

4-6:
1. Ammo (ATM 9) 7
2. Ammo (ATM 9 ER) 7
3. Ammo (ATM 9 HE) 7
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Small Laser
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. Ultra AC/10
5. Ultra AC/10
6. Ultra AC/10

4-6:
1. Ultra AC/10
2. Ammo (Ultra AC/10) 10
3. Ammo (Ultra AC/10) 10
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. ER Large Laser
6. ER Large Laser

4-6:
1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 20 (40) Double
O O
O O
O O
O O
O O
O O
O O
O O
O O
O O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Masakari E

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
3	Plasma Cannon	LA	7	[DE,H,AI]	—	6	12	18
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 2,895

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. SRM 6
4. Plasma Cannon
5. Plasma Cannon
6. Plasma Cannon

1. Ammo (SRM 6) 15
2. Ammo (Plasma Cannon) 10
3. Ammo (Plasma Cannon) 10
4. Ammo (Plasma Cannon) 10
5. Ammo (Plasma Cannon) 10
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Large Pulse Laser
6. Large Pulse Laser


1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Targeting Computer
6. Targeting Computer

1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Masakari F

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	CT	4	1/Msl [M,C,S]	—	7	14	21
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	Ultra AC/2	RT	1	2/Sht [DB,R/C]	2	9	18	27
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ER PPC	LA	15	15 [DE]	—	7	14	23
1	LRM 20	LA	6	1/Msl [M,C,S]	—	7	14	21


Cost: **BV:** 2,775

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. ER PPC
4. ER PPC
5. LRM 20
6. LRM 20

4-6:
1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Ferro-Fibrous
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso (CASE)
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. LRM 10
6. Ammo (LRM 10) 12

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. ER PPC
4. ER PPC
5. Ammo (Ultra AC/2) 45
6. Ferro-Fibrous

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Ultra AC/2
6. Ultra AC/2

4-6:
1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Masakari H

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 85
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	RT	—	[E]	—	—	—	—
2	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	LRM 10	RA	4	1/Msl [M,C,S]	—	7	14	21
2	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15


Cost: **BV:** 2,601

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Heavy Large Laser
6. Heavy Large Laser

4-6:
1. Heavy Large Laser
2. Heavy Large Laser
3. Heavy Large Laser
4. Heavy Large Laser
5. Ammo (LRM 10) 12
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Large Pulse Laser
2. Large Pulse Laser
3. Large Pulse Laser
4. Large Pulse Laser
5. LRM 10
6. Ferro-Fibrous


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 25 (50) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O O
24	+4 Modifier to Fire	O O O
23	Ammo Exp. avoid on 6+	O O O
22	Shutdown, avoid on 8+	O O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator Prime

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
2	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22


Cost: **BV:** 2,749

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Gauss Rifle
6. Gauss Rifle

1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ferro-Fibrous
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. MASC
6. MASC

1. MASC
2. MASC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. Double Heat Sink
3. ER Large Laser
4. ER Large Laser
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Machine Gun
6. Machine Gun

1. Ammo (Machine Gun) 200
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 19 (38) Double
O O
O O
O O
O O
O O
O O
O O
O O
O O
O O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator A

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
4	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
3	Large Pulse Laser	LA	10	10 [P]	—	6	14	20


Cost: **BV:** 3,112

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Large Pulse Laser
6. Large Pulse Laser

1-3

1. Large Pulse Laser
2. Large Pulse Laser
3. Large Pulse Laser
4. Large Pulse Laser
5. Ferro-Fibrous
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. MASC
4. MASC
5. MASC
6. MASC

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. ER Medium Laser
3. ER Medium Laser
4. ER Medium Laser
5. ER Medium Laser
6. Ferro-Fibrous

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Machine Gun
6. Machine Gun


1-3

1. Ammo (Machine Gun) 200
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 19 (38) Double
O O
O O
O O
O O
O O
O O
O O
O O
O O
O O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator B

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	RT	1	— [PD]	—	—	—	—
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	Ultra AC/20	LA	7	20/Sht [DB,R/C]	—	4	8	12

Cost:


BV: 2,940

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Ferro-Fibrous
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (Ultra AC/20) 5
4. Ammo (Ultra AC/20) 5
5. Ammo (Ultra AC/20) 5
6. MASC

1. MASC
2. MASC
3. MASC
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. Double Heat Sink
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. AMS

1. Ammo (AMS) 24
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **19 (38) Double**
O O
O O
O O
O O
O O
O O
O O
O O
O O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator C

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	ER Small Laser	LT	2	5 [DE]	—	2	4	6
1	Ultra AC/20	RA	7	20/Sht [DB,R/C]	—	4	8	12
1	LRM 20 w/Artemis IV FCS	LA	6	1/Msl [M,C,S]	—	7	14	21


Cost: **BV:** 2,740

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. LRM 20
5. LRM 20
6. LRM 20

1. LRM 20
2. Artemis IV FCS

4-6
3. Ammo (LRM 20 Artemis) 6
4. Ammo (LRM 20 Artemis) 6
5. Ferro-Fibrous
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. ER Small Laser

1-3
4. MASC
5. MASC
6. MASC

1. MASC

4-6
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

1. Ultra AC/20
2. Ultra AC/20

4-6
3. Ultra AC/20
4. Ultra AC/20
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. Double Heat Sink
4. Double Heat Sink
5. Ammo (Ultra AC/20) 5
6. Ammo (Ultra AC/20) 5

1. Ammo (Ultra AC/20) 5

4-6
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator D

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Small Pulse Laser	RT	2	3 [P]	—	2	4	6
1	ER Small Laser	LT	2	5 [DE]	—	2	4	6
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
3	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
3	Small Pulse Laser	RA	2	3 [P]	—	2	4	6
2	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 2,698

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

1-3
1. Ammo (SRM 6) 15
2. Ammo (SRM 6) 15
3. Ammo (SRM 6) 15
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Small Laser
6. MASC

1-3
1. MASC
2. MASC
3. MASC
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Pulse Laser
4. Large Pulse Laser
5. Medium Pulse Laser
6. Medium Pulse Laser


1-3
1. Medium Pulse Laser
2. Small Pulse Laser
3. Small Pulse Laser
4. Small Pulse Laser
5. Ferro-Fibrous
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Small Pulse Laser
4. Small Pulse Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 19 (38) Double
O O
O O
O O
O O
O O
O O
O O
O O
O O
O O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator E

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Heavy Medium Laser	RT	7	10 [DE]	—	3	6	9
1	Heavy Small Laser	RT	3	6 [DE]	—	1	2	3
2	ER Large Laser	RA	12	10 [DE]	—	8	15	25
2	ATM 9	LA	6	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9


Cost: **BV:** 2,988

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ATM 9 (1-3)
4. ATM 9 (1-3)
5. ATM 9 (1-3)
6. ATM 9 (1-3)
1. ATM 9 (4-6)
2. ATM 9 (4-6)
3. ATM 9 (4-6)
4. ATM 9 (4-6)
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Ammo (ATM 9) 7 (1-3)
4. Ammo (ATM 9) 7 (1-3)
5. Ammo (ATM 9) 7 (1-3)
6. Ammo (ATM 9 ER) 7 (1-3)
1. Ammo (ATM 9 HE) 7 (4-6)
2. MASC (4-6)
3. MASC (4-6)
4. MASC (4-6)
5. MASC (4-6)
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)
1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Ferro-Fibrous (4-6)
6. Ferro-Fibrous (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs




Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator (1-3)
4. Hand Actuator (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink (1-3)
1. ER Large Laser (4-6)
2. ER Large Laser (4-6)
3. Ferro-Fibrous (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Heavy Medium Laser (1-3)
6. Heavy Medium Laser (1-3)
1. Heavy Medium Laser (4-6)
2. Heavy Medium Laser (4-6)
3. Heavy Small Laser (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 17 (34) Double
O O
O O
O O
O O
O O
O O
O O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator H

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	Flamer	LT	3	2 [DE,H,AI]	—	1	2	3
1	Heavy Large Laser	RA	18	16 [DE]	—	5	10	15
1	Ultra AC/20	LA	7	20/Sht [DB,R/C]	—	4	8	12


Cost: **BV:** 3,059

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

4-6:
1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Ferro-Fibrous
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Flamer
4. Ammo (Ultra AC/20) 5
5. Ammo (Ultra AC/20) 5
6. Ammo (Ultra AC/20) 5

4-6:
1. Ammo (Ultra AC/20) 5
2. MASC
3. MASC
4. MASC
5. MASC
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator

1-3:
5. Heavy Large Laser
6. Heavy Large Laser

4-6:
1. Heavy Large Laser
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. ER Medium Laser

4-6:
1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 16 (32) Double
O O
O O
O O
O O
O O
O O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator K

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Light Active Probe	RT	—	[E]	—	—	—	—
2	ER Large Laser	RA	12	10 [DE]	—	8	15	25
3	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	HAG/20	LA	4	20 [C,F]	2	8	16	24


Cost: **BV:** 3,125

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3
3. HAG/20
4. HAG/20
5. HAG/20
6. HAG/20

4-6
1. HAG/20
2. HAG/20
3. Ammo (HAG 20) 6
4. Ammo (HAG 20) 6
5. Ammo (HAG 20) 6
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. MASC
6. MASC

4-6
1. MASC
2. MASC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3
3. Lower Arm Actuator
4. Hand Actuator
5. ER Large Laser
6. ER Large Laser

4-6
1. ER Medium Laser
2. ER Medium Laser
3. ER Medium Laser
4. Ferro-Fibrous
5. Roll Again
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Light Active Probe
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 18 (36) Double
O O
O O
O O
O O
O O
O O
O O
O O
O O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Gladiator P

Movement Points:
- Walking: 4
- Running: 6 [8]
- Jumping: 4

Tonnage: 95
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
1	LRM 10	RT	4	1/Msl [M,C,S]	—	7	14	21
3	Heavy Medium Laser	LT	7	10 [DE]	—	3	6	9
1	HAG/30	RA	6	30 [C,F]	2	8	16	24
1	Plasma Cannon	LA	7	[DE,H,AI]	—	6	12	18


Cost: **BV:** 3,052

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Plasma Cannon
6. Ammo (Plasma Cannon) 10

1-3

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Heavy Medium Laser
4. Heavy Medium Laser
5. Heavy Medium Laser
6. Heavy Medium Laser

1-3

4-6
1. Heavy Medium Laser
2. Heavy Medium Laser
3. MASC
4. MASC
5. MASC
6. MASC

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. HAG/30
4. HAG/30
5. HAG/30
6. HAG/30

1-3

4-6
1. HAG/30
2. HAG/30
3. HAG/30
4. HAG/30
5. Ferro-Fibrous
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. LRM 10
6. Ammo (HAG 30) 4

1-3

4-6
1. Ammo (HAG 30) 4
2. Ammo (HAG 30) 4
3. Ammo (LRM 10) 12
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Daishi Prime

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	LT	4	1/Msl [M,C,S]	—	7	14	21
2	ER Large Laser	RA	12	10 [DE]	—	8	15	25
2	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	—	7	14	21
2	ER Large Laser	LA	12	10 [DE]	—	8	15	25
2	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	—	7	14	21


Cost: **BV:** 2,712

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Ultra AC/5
6. Ultra AC/5

4-6
1. Ultra AC/5
2. Medium Pulse Laser
3. Medium Pulse Laser
4. Ammo (Ultra AC/5) 20
5. Roll Again
6. Roll Again

Left Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. LRM 10
6. Ammo (LRM 10) 12

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Ultra AC/5
6. Ultra AC/5

4-6
1. Ultra AC/5
2. Medium Pulse Laser
3. Medium Pulse Laser
4. Ammo (Ultra AC/5) 20
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 22 (44) Double
O O O
O O O
O O
O O
O O
O O
O O
O O
O O
O O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Daishi A

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	RT	1	— [PD]	—	—	—	—
2	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
3	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22


Cost: **BV:** 2,896

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6:
1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Streak SRM 6
2. Streak SRM 6
3. Streak SRM 6
4. Streak SRM 6
5. Ammo (Streak SRM 6) 15
6. Ammo (Streak SRM 6) 15

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. Double Heat Sink
5. Double Heat Sink
6. Large Pulse Laser

4-6:
1. Large Pulse Laser
2. Large Pulse Laser
3. Large Pulse Laser
4. Large Pulse Laser
5. Large Pulse Laser
6. Roll Again


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. AMS
4. Ammo (AMS) 24
5. Ammo (AMS) 24
6. Ammo (AMS) 24

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 21 (42) Double
30	Shutdown	O O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Daishi B

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6
2	Ultra AC/2	RT	1	2/Sht [DB,R/C]	2	9	18	27
2	Ultra AC/2	LT	1	2/Sht [DB,R/C]	2	9	18	27
1	LB 10-X AC	RA	2	10 [DB,C,F,S]	—	6	12	18
2	ER PPC	LA	15	15 [DE]	—	7	14	23
2	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12

Cost:


BV: 2,609

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. ER PPC
6. ER PPC

1. Medium Pulse Laser
2. Medium Pulse Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Ultra AC/2
6. Ultra AC/2

1. Ultra AC/2
2. Ultra AC/2
3. Ammo (Ultra AC/2) 45
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Small Laser
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC


1. LB 10-X AC
2. Ammo (LB-10X) 10
3. Ammo (LB-10X Cluster) 10
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Ultra AC/2
6. Ultra AC/2

1. Ultra AC/2
2. Ultra AC/2
3. Ammo (Ultra AC/2) 45
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Daishi C

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 4 (OS)	HD	3	2/Msl [M,C]	—	4	8	12
1	ECM Suite	CT	—	[E]	—	—	—	6
1	Medium Pulse Laser	RT	4	7 [P]	—	4	8	12
1	Targeting Computer	RT	—	[E]	—	—	—	—
3	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	ATM 6	RA	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	ATM 6	LA	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 3,610

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. ER PPC
2. ER PPC
3. ATM 6
4. ATM 6
5. ATM 6
6. Ammo (ATM 6) 10

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Jump Jet
4. Medium Pulse Laser
5. Medium Pulse Laser
6. Medium Pulse Laser

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. Streak SRM 4 (OS)
5. Sensors
6. Life Support

Center Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. ECM Suite

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. ER PPC
2. ER PPC
3. ATM 6
4. ATM 6
5. ATM 6
6. Ammo (ATM 6) 10


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Jump Jet
2. Medium Pulse Laser
3. Targeting Computer
4. Targeting Computer
5. Targeting Computer
6. Targeting Computer

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 23 (46) Double
30	Shutdown	O O O
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Daishi D

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	5 [DE]	—	2	4	6
2	Medium Pulse Laser	CT	4	7 [P]	—	4	8	12
1	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
1	HAG/40	RA	8	40 [C,F]	2	8	16	24
1	HAG/40	LA	8	40 [C,F]	2	8	16	24


Cost: **BV:** 3,403

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)

	1.	Shoulder
	2.	Upper Arm Actuator
1-3	3.	HAG/40
1-3	4.	HAG/40
1-3	5.	HAG/40
1-3	6.	HAG/40
4-6	1.	HAG/40
4-6	2.	HAG/40
4-6	3.	HAG/40
4-6	4.	HAG/40
4-6	5.	HAG/40
4-6	6.	HAG/40

Left Torso (CASE)

	1.	XL Fusion Engine
	2.	XL Fusion Engine
1-3	3.	Double Heat Sink
1-3	4.	Double Heat Sink
1-3	5.	Streak SRM 6
1-3	6.	Streak SRM 6
4-6	1.	Ammo (HAG 40) 3
4-6	2.	Ammo (HAG 40) 3
4-6	3.	Ammo (HAG 40) 3
4-6	4.	Ammo (HAG 40) 3
4-6	5.	Ammo (HAG 40) 3
4-6	6.	Ammo (Streak SRM 6) 15

Left Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Double Heat Sink
	6.	Double Heat Sink


Head

	1.	Life Support
	2.	Sensors
	3.	Cockpit
	4.	ER Small Laser
	5.	Sensors
	6.	Life Support

Center Torso

1-3	1.	XL Fusion Engine
1-3	2.	XL Fusion Engine
1-3	3.	XL Fusion Engine
1-3	4.	Gyro
1-3	5.	Gyro
1-3	6.	Gyro
4-6	1.	Gyro
4-6	2.	XL Fusion Engine
4-6	3.	XL Fusion Engine
4-6	4.	XL Fusion Engine
4-6	5.	Medium Pulse Laser
4-6	6.	Medium Pulse Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)

	1.	Shoulder
	2.	Upper Arm Actuator
1-3	3.	HAG/40
1-3	4.	HAG/40
1-3	5.	HAG/40
1-3	6.	HAG/40
4-6	1.	HAG/40
4-6	2.	HAG/40
4-6	3.	HAG/40
4-6	4.	HAG/40
4-6	5.	HAG/40
4-6	6.	HAG/40


Right Torso

	1.	XL Fusion Engine
	2.	XL Fusion Engine
1-3	3.	Double Heat Sink
1-3	4.	Double Heat Sink
1-3	5.	Ammo (HAG 40) 3
1-3	6.	Ammo (HAG 40) 3
4-6	1.	Ammo (HAG 40) 3
4-6	2.	Ammo (HAG 40) 3
4-6	3.	Ammo (HAG 40) 3
4-6	4.	Roll Again
4-6	5.	Roll Again
4-6	6.	Roll Again

Right Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Roll Again
	6.	Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Daishi H

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	HD	3	2 [DE,H,AI]	—	1	2	3
1	Medium Pulse Laser	RT	4	7 [P]	—	4	8	12
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Heavy Large Laser	RA	18	16 [DE]	—	5	10	15
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22
1	Heavy Large Laser	LA	18	16 [DE]	—	5	10	15


Cost: **BV:** 2,992

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Heavy Large Laser
4. Heavy Large Laser
5. Heavy Large Laser
6. Gauss Rifle

1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Ammo (Gauss) 8

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Flamer
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Heavy Large Laser
4. Heavy Large Laser
5. Heavy Large Laser
6. Gauss Rifle


1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Ammo (Gauss) 8

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Medium Pulse Laser
6. Targeting Computer

1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Targeting Computer
6. Targeting Computer

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	O O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Daishi S

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng (hexes)
1	Medium Pulse Laser	HD	4	7 [P]	—	4	8	12
1	Streak SRM 4	CT	3	2/Msl [M,C]	—	4	8	12
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
2	Medium Pulse Laser	RT	4	7 [P]	—	4	8	12
1	Machine Gun	LT	0	2 [DB,AI]	—	1	2	3
2	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	Streak SRM 4	LT	3	2/Msl [M,C]	—	4	8	12
1	LB 20-X AC	RA	6	20 [DB,C,F,S]	—	4	8	12
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
2	A-Pod	RL	—	[PD,OS,AI]	—	—	—	—


Cost: **BV:** 2,985

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Large Pulse Laser
6. Large Pulse Laser

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Jump Jet
2. Streak SRM 4
3. Medium Pulse Laser
4. Medium Pulse Laser
5. Machine Gun
6. Ammo (Streak SRM 4) 25


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Medium Pulse Laser
5. Sensors
6. Life Support

Center Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Streak SRM 4

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

4-6:
1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. Ammo (LB-20X) 5


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Medium Pulse Laser

4-6:
1. Medium Pulse Laser
2. Machine Gun
3. Ammo (LB-20X) 5
4. Ammo (LB-20X Cluster) 5
5. Ammo (LB-20X Cluster) 5
6. Ammo (Machine Gun) 200

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. A-Pod
6. A-Pod

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Daishi W

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	5 [DE]	—	2	4	6
2	Medium Pulse Laser	CT	4	7 [P]	—	4	8	12
1	Ultra AC/20	RT	7	20/Sht [DB,R/C]	—	4	8	12
1	LRM 20	LT	6	1/Msl [M,C,S]	—	7	14	21
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22

Cost:


BV: 2,951

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

4-6:
1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. LRM 20
6. LRM 20

4-6:
1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Ammo (Ultra AC/20) 5
6. Ammo (Ultra AC/20) 5


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Pulse Laser
6. Medium Pulse Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. ER Large Laser
6. Roll Again


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Ultra AC/20
6. Ultra AC/20

4-6:
1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (40) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Daishi X

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 2	HD	2	2/Msl [M,C]	—	4	8	12
2	ER Micro Laser	CT	1	2 [DE]	—	1	2	4
1	ATM 6	RT	4	[M,S,C]				
	Standard			2/Msl	4	5	10	15
	Extended-Range			1/Msl	4	9	18	27
	High-Explosive			3/Msl	—	3	6	9
1	LRM 15 w/Artemis IV FCS	LT	5	1/Msl [M,C,S]	—	7	14	21
1	SRM 4 w/Artemis IV FCS	LT	3	2/Msl [M,C]	—	3	6	9
1	LB 5-X AC	RA	1	5 [DB,C,F,S]	3	8	15	24
1	Ultra AC/10	RA	3	10/Sht [DB,R/C]	—	6	12	18
1	Heavy Medium Laser	LA	7	10 [DE]	—	3	6	9
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
1	Targeting Computer	LA	—	[E]	—	—	—	—


Cost: **BV:** 2,645

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Pulse Laser (1-3)
4. Large Pulse Laser (1-3)
5. Heavy Medium Laser
6. Heavy Medium Laser

1. Targeting Computer (4-6)
2. Targeting Computer (4-6)
3. Targeting Computer (4-6)
4. Targeting Computer (4-6)
5. Targeting Computer (4-6)
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. LRM 15
6. LRM 15

1. Artemis IV FCS (4-6)
2. SRM 4 (4-6)
3. Artemis IV FCS (4-6)
4. Ammo (LRM 15 Artemis) 8 (4-6)
5. Ammo (SRM 4 Artemis) 25 (4-6)
6. Ammo (Streak SRM 2) 50 (4-6)


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Streak SRM 2
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. ER Micro Laser (4-6)
6. ER Micro Laser (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/10 (1-3)
4. Ultra AC/10 (1-3)
5. Ultra AC/10 (1-3)
6. Ultra AC/10 (1-3)


1. LB 5-X AC (4-6)
2. LB 5-X AC (4-6)
3. LB 5-X AC (4-6)
4. LB 5-X AC (4-6)
5. Ammo (Ultra AC/10) 10
6. Ammo (Ultra AC/10) 10

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. ATM 6
6. ATM 6

1. ATM 6 (4-6)
2. Ammo (ATM 6) 10 (4-6)
3. Ammo (ATM 6 ER) 10 (4-6)
4. Ammo (ATM 6 HE) 10 (4-6)
5. Ammo (LB-5X) 20 (4-6)
6. Ammo (LB-5X Cluster) 20 (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Daishi Hohiro

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	5 [DE]	—	2	4	6
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
3	Large Pulse Laser	LT	10	10 [P]	—	6	14	20
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	ER PPC	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 3,048

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. ER PPC
6. ER PPC

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Large Pulse Laser
6. Large Pulse Laser

4-6:
1. Large Pulse Laser
2. Large Pulse Laser
3. Large Pulse Laser
4. Large Pulse Laser
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Streak SRM 6
2. Streak SRM 6
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. Ammo (Streak SRM 6) 15
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 23 (46) Double
30	Shutdown	O O O
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Daishi Prometheus

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
3	Large Pulse Laser	RT	10	10 [P]	—	6	14	20
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	Ultra AC/20	LT	7	20/Sht [DB,R/C]	—	4	8	12
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25

Cost:


BV: 2,900

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. ER Large Laser
5. Ammo (Ultra AC/20) 5
6. Ammo (Ultra AC/20) 5

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Ultra AC/20
6. Ultra AC/20

4-6
1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser


Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Large Pulse Laser
6. Large Pulse Laser

4-6
1. Large Pulse Laser
2. Large Pulse Laser
3. Large Pulse Laser
4. Large Pulse Laser
5. SRM 6
6. Ammo (SRM 6) 15

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **23 (46) Double**
O O O
O O O
O O O
O O
O O
O O
O O
O O
O O
O O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Daishi Widowmaker

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Clan
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	5 [DE]	—	2	4	6
2	ER Medium Laser	CT	5	7 [DE]	—	5	10	15
1	Ultra AC/20	RT	7	20/Shot [DB,R/C]	—	4	8	12
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	ER PPC	LA	15	15 [DE]	—	7	14	23
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20


Cost: **BV:** 3,041

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. ER PPC
4. ER PPC
5. Large Pulse Laser
6. Large Pulse Laser

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Medium Laser
6. ER Medium Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs

Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6:
1. ER PPC
2. ER PPC
3. Large Pulse Laser
4. Large Pulse Laser
5. Ammo (Ultra AC/20) 5
6. Ammo (Ultra AC/20) 5


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine

1-3:
3. Double Heat Sink
4. Double Heat Sink
5. Ultra AC/20
6. Ultra AC/20

4-6:
1. Ultra AC/20
2. Ultra AC/20
3. Ultra AC/20
4. Ultra AC/20
5. Ultra AC/20
6. Ultra AC/20

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 25 (50) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O O
24	+4 Modifier to Fire	O O O
23	Ammo Exp. avoid on 6+	O O O
22	Shutdown, avoid on 8+	O O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.



STAR LEAGUE VEHICLES

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Gabriel Reconnaissance Hovercraft

Movement Points:
Cruising: 13
Flank: 20
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 5
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Medium Laser	T	5 [DE]	—	3	6	9


Cost: **BV:** 198

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Gabriel Reconnaissance Hovercraft (ERSL)

Movement Points:
Cruising: 13
Flank: 20
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 5
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	ER Small Laser	T	3 [DE]	—	2	4	5

Cost:

BV: 162

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Gabriel Reconnaissance Hovercraft (TDF)

Movement Points:
Cruising: 13
Flank: 20
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 5
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Rocket Launcher 10	T	1/Msl [M,C]	—	5	11	18


Cost: **BV:** 168

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Ripper Infantry Transport

Movement Points:
Cruising: 12
Flank: 18
Engine Type: Fusion Engine

Tonnage: 10
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Medium Laser	FR	5 [DE]	—	3	6	9

Infantry - 1 platoon

Cost: **BV:** 345

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1
Modifier to all To-Hit rolls


Pilot Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐ Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Ripper Infantry Transport (ERML)

Movement Points:
Cruising: 12
Flank: 18
Tonnage: 10
Tech Base: Inner Sphere
Era: Clan Invasion
Engine Type: Fusion Engine

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	FR	5 [DE]	—	4	8	12

Infantry - 1 platoon

Cost: **BV:** 432

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1
Modifier to all To-Hit rolls


Pilot Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐ Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Ripper Infantry Transport (Infantry)

Movement Points:
Cruising: 12
Flank: 18
Engine Type: XL Fusion Engine

Tonnage: 10
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Small Pulse Laser	FR	3 [P]	—	1	2	3

Infantry - 4 platoons

Cost: **BV:** 108

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1
Modifier to all To-Hit rolls


Pilot Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐ Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Ripper Infantry Transport (Light PPC)

Movement Points:
Cruising: 12
Flank: 18
Tonnage: 10
Tech Base: Inner Sphere
Era: Jihad
Engine Type: XL Fusion Engine

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Light PPC	FR	5 [DE]	3	6	12	18

Infantry - 1 platoon

Cost: **BV:** 371

CREW DATA

Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___


Co-Pilot Hit +1 — Modifier to all To-Hit rolls
Pilot Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐ Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM



CATALYST game labs

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Ripper Infantry Transport (MG)

Movement Points:
Cruising: 12
Flank: 18
Engine Type: Fusion Engine

Tonnage: 10
Tech Base: Inner Sphere
Era: (Clan Invasion)

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Machine Gun	FR	2 [DB,AI]	—	1	2	3

Infantry - 1 platoon

Ammo: (Machine Gun) 200

Cost: **BV:** 125

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1
Modifier to all To-Hit rolls


Pilot Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐ Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Ripper Infantry Transport (SPL)

Movement Points:
Cruising: 12
Flank: 18
Engine Type: Fusion Engine

Tonnage: 10
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Small Pulse Laser	FR	3 [P]	—	1	2	3

Infantry - 1 platoon

Cost: **BV:** 160

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1
Modifier to all To-Hit rolls


Pilot Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐ Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Beagle Hover Scout

Movement Points:
Cruising: 12
Flank: 18
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 15
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Beagle Active Probe	T	[E]	—	—	—	4
1	Medium Laser	T	5 [DE]	—	3	6	9
1	Small Laser	T	3 [DE]	—	1	2	3


Cost: **BV:** 335

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Beagle Hover Scout (C3i)

Movement Points:
Cruising: 14
Flank: 21
Movement Type: Hover
Engine Type: XL Fusion Engine

Tonnage: 15
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	BD	[E]	—	—	—	—
1	AMS	T	—	—	—	—	—

Ammo: (AMS) 12

Cost: **BV:** 266

CREW DATA

Crew: _____


Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1
Modifier to all Skill rolls


Driver Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Beagle Hover Scout (TAG)

Movement Points:
Cruising: 14
Flank: 21
Movement Type: Hover
Engine Type: XL Fusion Engine

Tonnage: 15
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Guardian ECM Suite	BD	[E]	—	—	—	6
1	Beagle Active Probe	T	[E]	—	—	—	4
1	TAG	T	0 [S]	—	5	10	15


Cost: **BV:** 295

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Rotunda Scout Vehicle

Movement Points:
Cruising: 9
Flank: 14
Movement Type: Wheeled
Engine Type: Fusion Engine

Tonnage: 20
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Large Laser	FR	8 [DE]	—	5	10	15
1	SRM 2	FR	2/Msl [M,C]	—	3	6	9

Ammo: (SRM 2) 50

Cost: **BV:** 400

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐

Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Nightshade ECM VTOL

Movement Points:
Cruising: 14
Flank: 21
Engine Type: Fusion Engine

Tonnage: 25
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Guardian ECM Suite	BD	[E]	—	—	—	6
1	Medium Laser	FR	5 [DE]	—	3	6	9

Cargo Space - 0.50 tons

Cost: **BV:** 367

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1 — Modifier to all To-Hit rolls

Pilot Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE


Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D


Stabilizers

Front ☐ Left ☐ Right ☐ Rear ☐

*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Nightshade ECM VTOL (Armor)

Movement Points:
- **Cruising:** 14
- **Flank:** 21

Engine Type: Fusion Engine

Tonnage: 25

Tech Base: Inner Sphere (Intro)

Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Medium Laser	FR	5 [DE]	—	3	6	9

Cargo Space - 1 tons

Cost: **BV:** 344

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1 — Modifier to all To-Hit rolls

Pilot Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE


Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D


Stabilizers

Front ☐ Left ☐ Right ☐ Rear ☐

*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Nightshade ECM VTOL (LAC)

Movement Points:
Cruising: 12
Flank: 18
Engine Type: Fusion Engine

Tonnage: 25
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	LAC/2	FR	2 [DB,S]	—	6	12	18
1	TAG	FR	0 [S]	—	5	10	15

Ammo: (LAC/2) 45

Cost: **BV:** 325

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1 — Modifier to all To-Hit rolls

Pilot Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE


Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D


Stabilizers

Front ☐ Left ☐ Right ☐ Rear ☐

*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Nightshade ECM VTOL (Light PPC)

Movement Points:
- **Cruising:** 12
- **Flank:** 18

Engine Type: Fusion Engine

Tonnage: 25

Tech Base: Inner Sphere

Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	BD	[E]	—	—	—	—
1	Guardian ECM Suite	BD	[E]	—	—	—	6
1	Light PPC	FR	5 [DE]	3	6	12	18

Cost: **BV:** 490

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1
Modifier to all To-Hit rolls

Pilot Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE


Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D


Stabilizers

Front ☐ Left ☐ Right ☐ Rear ☐

*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Cyrano Gunship

Movement Points:
Cruising: 12
Flank: 18
Engine Type: Fusion Engine

Tonnage: 30
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Beagle Active Probe	FR	[E]	—	—	—	4
1	Large Laser	FR	8 [DE]	—	5	10	15

Cost: **BV:** 459

CREW DATA

Crew: _____


Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1
Modifier to all To-Hit rolls


Pilot Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐ Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Cyrano Gunship (ML)

Movement Points:
Cruising: 12
Flank: 18
Engine Type: Fusion Engine

Tonnage: 30
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Beagle Active Probe	FR	[E]	—	—	—	4
2	Medium Laser	FR	5 [DE]	—	3	6	9
5	Rocket Launcher 10	FR	1/Msl [M,C]	—	5	11	18

Cost: **BV:** 645

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1 — Modifier to all To-Hit rolls

Pilot Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE


Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D


Stabilizers

Front ☐ Left ☐ Right ☐ Rear ☐

*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

V.T.O.L. RECORD SHEET

VEHICLE DATA

Type: Cyrano Gunship (Plasma)

Movement Points:
Cruising: 12
Flank: 18
Engine Type: Light Fusion Engine

Tonnage: 30
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Plasma Rifle	FR	10 [DE,H,AI]	—	5	10	15

Ammo: (Plasma Rifle) 20

Cost: **BV:** 927

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Co-Pilot Hit +1 — Modifier to all To-Hit rolls

Pilot Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE


Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D


Stabilizers

Front ☐ Left ☐ Right ☐ Rear ☐

*Move at Cruising speed only



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

VTOL COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Rotors†	Rotors†	Rotors†
5	Right Side	Left Side	Front
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)†	Rotors (critical)†	Rotors (critical)†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

†Damage Value / 10 (round up); see *Rotor Hits*, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOL VEHICLES TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACK ALLOWED
–1 or lower	None
0	All except Punch
1–2	All except Kick
3	Club and Physical Weapons only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	ROTORS
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Co-Pilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotot Damage
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit
11	Weapon Destroyed	Ammunition**	Engine Hit	Rotots Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	Rotors Destroyed

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
**If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Lightning Attack Hovercraft

Movement Points:
Cruising: 11
Flank: 17
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 35
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Medium Pulse Laser	FR	6 [P]	—	2	4	6
1	SRM 4 (OS)	RS	2/Msl [M,C]	—	3	6	9
1	SRM 4 (OS)	LS	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 510

CREW DATA

Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls


CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



ARMOR DIAGRAM

Front Armor (20)
Left Side Armor (16)
Right Side Armor (16)
Rear Armor (10)



CATALYST game labs™

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Lightning Attack Hovercraft (ERML)

Movement Points:
Cruising: 11
Flank: 17
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 35
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	FR	5 [DE]	—	4	8	12
7	Rocket Launcher 15	FR	1/Msl [M,C]	—	4	9	15

Cost: **BV:** 956

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

	ATTACK DIRECTION		
2D6 Roll	FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT			
2D6 Roll	FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Lightning Attack Hovercraft (ERSL)

Movement Points:
Cruising: 11
Flank: 17
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 35
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	FR	5 [DE]	—	4	8	12
2	ER Small Laser	FR	3 [DE]	—	2	4	5
7	Rocket Launcher 15	FR	1/Msl [M,C]	—	4	9	15


Cost: **BV:** 884

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Lightning Attack Hovercraft (RL)

Movement Points:
Cruising: 11
Flank: 17
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 35
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	AMS	FR	—	—	—	—	—
7	Rocket Launcher 15	FR	1/Msl [M,C]	—	4	9	15

Ammo: (AMS) 12

Cost: **BV:** 709

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Zephyr Hovertank

Movement Points:
Cruising: 9
Flank: 14
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 40
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Guardian ECM Suite	BD	[E]	—	—	—	6
1	SRM 6	FR	2/Msl [M,C]	—	3	6	9
1	Small Laser	RR	3 [DE]	—	1	2	3
3	Medium Laser	T	5 [DE]	—	3	6	9
1	TAG	T	0 [S]	—	5	10	15

Ammo: (SRM 6) 30


Cost: **BV:** 904

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Zephyr Hovertank (C3i)

Movement Points:
Cruising: 9
Flank: 14
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 40
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	BD	[E]	—	—	—	—
1	Guardian ECM Suite	BD	[E]	—	—	—	6
1	Streak SRM 2	FR	2/Msl [M,C]	—	3	6	9
1	Small Laser	RR	3 [DE]	—	1	2	3
3	Medium Laser	T	5 [DE]	—	3	6	9
1	TAG	T	0 [S]	—	5	10	15

Ammo: (Streak SRM 2) 50


Cost: **BV:** 820

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Zephyr Hovertank (LRM)

Movement Points:
Cruising: 9
Flank: 14
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 40
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	BD	[E]	—	—	—	—
2	LRM 5	FR	1/Msl [M,C,S]	6	7	14	21
2	ER Medium Laser	T	5 [DE]	—	4	8	12

Ammo: (LRM 5) 48


Cost: **BV:** 867

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Zephyr Hovertank (SRM2)

Movement Points:
Cruising: 9
Flank: 14
Movement Type: Hover
Engine Type: Fusion Engine

Tonnage: 40
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	SRM 6	FR	2/Msl [M,C]	—	3	6	9
1	Small Laser	RR	3 [DE]	—	1	2	3
1	SRM 2	RR	2/Msl [M,C]	—	3	6	9
3	Medium Laser	T	5 [DE]	—	3	6	9

Ammo: (SRM 2) 50, (SRM 6) 30


Cost: **BV:** 896

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Chaparral Missile Artillery Tank

Movement Points:
- **Cruising:** 4
- **Flank:** 6

Movement Type: Tracked

Engine Type: Fusion Engine

Tonnage: 50

Tech Base: Inner Sphere (Advanced)

Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Arrow IV	FR	20 [AE,S,F]	—	1	2	8
1	Medium Laser	RS	5 [DE]	—	3	6	9
1	Medium Laser	LS	5 [DE]	—	3	6	9
1	SRM 6	RR	2/Msl [M,C]	—	3	6	9

Ammo: (SRM 6) 15, (Arrow IV Homing) 5, (Arrow IV) 10

Cost: **BV:** 812

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.

†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.

§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Chaparral Missile Artillery Tank (ERML)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 50
Tech Base: Inner Sphere (Advanced)
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Arrow IV	FR	20 [AE,S,F]	—	1	2	8
1	ER Medium Laser	RS	5 [DE]	—	4	8	12
1	ER Medium Laser	LS	5 [DE]	—	4	8	12
1	SRM 6	RR	2/Msl [M,C]	—	3	6	9

Ammo: (SRM 6) 15, (Arrow IV Homing) 5, (Arrow IV) 10

Cost: **BV:** 847

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Chaparral Missile Artillery Tank (MG)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 50
Tech Base: Inner Sphere (Advanced)
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Arrow IV	FR	20 [AE,S,F]	—	1	2	8
1	Medium Laser	RS	5 [DE]	—	3	6	9
1	Medium Laser	LS	5 [DE]	—	3	6	9
1	Machine Gun	RR	2 [DB,AI]	—	1	2	3
1	SRM 4	RR	2/Msl [M,C]	—	3	6	9

Ammo: (SRM 4) 25, (Machine Gun) 100, (Arrow IV Homing) 5 (Arrow IV) 10


Cost: **BV:** 801

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Chaparral Missile Artillery Tank (SRM)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 50
Tech Base: Inner Sphere (Advanced)
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Arrow IV	FR	20 [AE,S,F]	—	1	2	8
1	Medium Laser	RS	5 [DE]	—	3	6	9
1	Medium Laser	LS	5 [DE]	—	3	6	9
1	SRM 4	RR	2/Msl [M,C]	—	3	6	9

Ammo: (SRM 4) 25, (Arrow IV Homing) 10, (Arrow IV) 10

Cost: **BV:** 832

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐



ARMOR DIAGRAM



CATALYST game labs™

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Kanga Medium Hovertank

Movement Points:
Cruising: 8
Flank: 12
Movement Type: Hover
Engine Type: I.C.E.

Tonnage: 50
Tech Base: Inner Sphere (Advanced)
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
6	Jump Jet	BD	[E]	—	—	—	—
1	AC/5	FR	5 [DB,S]	3	6	12	18
1	LRM 10	FR	1/Msl [M,C,S]	6	7	14	21
1	Machine Gun	FR	2 [DB,AI]	—	1	2	3
1	SRM 4	FR	2/Msl [M,C]	—	3	6	9

Ammo: (SRM 4) 25, (Machine Gun) 100, (LRM 10) 12 (AC/5) 20


Cost: **BV:** 752

CREW DATA

Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls


CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



ARMOR DIAGRAM

Front Armor (20)
Left Side Armor (12)
Right Side Armor (12)
Rear Armor (12)



CATALYST game labs™

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Thor Artillery Vehicle

Movement Points:
Cruising: 5
Flank: 8
Movement Type: Wheeled
Engine Type: Fusion Engine

Tonnage: 55
Tech Base: Inner Sphere (Advanced)
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Thumper	FR	15 [AE,S,F]	—	1	2	21
2	Medium Laser	T	5 [DE]	—	3	6	9

Ammo (CASE): (Thumper) 40

Cost: **BV:** 608

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐

Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



ARMOR DIAGRAM



CATALYST game labs™

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Thor Artillery Vehicle (C3i)

Movement Points:
Cruising: 5
Flank: 8
Movement Type: Wheeled
Engine Type: Fusion Engine

Tonnage: 55
Tech Base: Inner Sphere (Advanced)
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	BD	[E]	—	—	—	—
1	Thumper	FR	15 [AE,S,F]	—	1	2	21

Ammo (CASE): (Thumper) 40

Cost: **BV:** 482

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Thor Artillery Vehicle (Clan)

Movement Points:
Cruising: 5
Flank: 8
Movement Type: Wheeled
Engine Type: Fusion Engine

Tonnage: 55
Tech Base: Clan (Advanced)
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Thumper	FR	15 [AE,S,F]	—	1	2	21
2	ER Medium Laser	T	7 [DE]	—	5	10	15

Ammo: (Thumper) 40

Cost: **BV:** 830

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Demon Tank

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Wheeled
Engine Type: Fusion Engine

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	SRM 6	FR	2/Msl [M,C]	—	3	6	9
1	Medium Laser	RS	5 [DE]	—	3	6	9
1	Medium Laser	LS	5 [DE]	—	3	6	9
1	Gauss Rifle	T	15 [DB,X]	2	7	15	22

Ammo (CASE):(SRM 6) 30, (Gauss) 16


Cost: **BV:** 1,094

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Demon Tank (HGR)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Wheeled
Engine Type: XL Fusion Engine

Tonnage: 60
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	BD	[E]	—	—	—	—
1	Targeting Computer	BD	[E]	—	—	—	—
1	Heavy Gauss Rifle	FR	25/20/10 [DB,X]	4	6	13	20
1	Streak SRM 6	FR	2/Msl [M,C]	—	3	6	9
1	ER Medium Laser	RS	5 [DE]	—	4	8	12
1	ER Medium Laser	LS	5 [DE]	—	4	8	12

Ammo (CASE): (Heavy Gauss) 12, (Streak SRM 6) 15

Cost: **BV:** 1,314

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Demon Tank (Horned Demon)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Wheeled
Engine Type: Fusion Engine

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
4	Medium Laser	FR	5 [DE]	—	3	6	9
1	Gauss Rifle	T	15 [DB,X]	2	7	15	22

Ammo: (Gauss) 24

Cost: **BV:** 1,179

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Demon Tank (PPC)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Wheeled
Engine Type: Fusion Engine

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Cargo (0.5 tons)	BD	[E]	—	—	—	—
2	PPC	T	10 [DE]	3	6	12	18


Cost: **BV:** 836

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Marksman Artillery Vehicle

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 65
Tech Base: Inner Sphere (Advanced)
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Sniper	FR	20 [AE,S,F]	—	1	2	18
1	Large Laser	T	8 [DE]	—	5	10	15

Ammo: (Sniper) 20


Cost: **BV:** 688

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Marksman Artillery Vehicle (Light PPC)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Light Fusion Engine

Tonnage: 65
Tech Base: Inner Sphere (Advanced)
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Sniper	FR	20 [AE,S,F]	—	1	2	18
1	Heavy Machine Gun	RS	3 [DB,AI]	—	1	2	—
1	Heavy Machine Gun	LS	3 [DB,AI]	—	1	2	—
2	Heavy Machine Gun	T	3 [DB,AI]	—	1	2	—
1	Light PPC	T	5 [DE]	3	6	12	18

Ammo: (Heavy Machine Gun) 200, (Sniper) 20


Cost: **BV:** 684

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Magi Infantry Support Vehicle

Movement Points:
Cruising: 5
Flank: 8
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 70
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Machine Gun	FR	2 [DB,AI]	—	1	2	3
1	Medium Laser	FR	5 [DE]	—	3	6	9
1	Medium Laser	RS	5 [DE]	—	3	6	9
1	Medium Laser	LS	5 [DE]	—	3	6	9

Ammo (CASE): (Machine Gun) 200

Cost: **BV:** 798

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1
Modifier to all Skill rolls

Driver Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐

Sensor Hits +1 +2 +3 D


Motive System Hits +1 +2 +3

Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



ARMOR DIAGRAM

Front Armor (44)



Rear Armor (40)

CATALYST game labs

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Magi Infantry Support Vehicle (UCSV)

Movement Points:
Cruising: 5
Flank: 8
Movement Type: Tracked
Engine Type: Light Fusion Engine

Tonnage: 70
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	BD	[E]	—	—	—	—
4	Machine Gun	FR	2 [DB,AI]	—	1	2	3
1	Machine Gun Array	FR	[T]	—	—	—	—
1	Medium Laser	FR	5 [DE]	—	3	6	9
1	Medium Laser	RS	5 [DE]	—	3	6	9
1	Medium Laser	LS	5 [DE]	—	3	6	9

Cargo, Infantry (6 tons)

Ammo (CASE): (Machine Gun) 300

Cost: **BV:** 831

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Burke Defense Tank

Movement Points:
Cruising: 2
Flank: 3
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 75
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	LRM 10	FR	1/Msl [M,C,S]	6	7	14	21
3	PPC	T	10 [DE]	3	6	12	18

Ammo: (LRM 10) 12

Cost: **BV:** 815

CREW DATA

Crew: _____


Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1
Modifier to all Skill rolls


Driver Hit +2
Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Burke Defense Tank (Heavy PPC)

Movement Points:
Cruising: 2
Flank: 3
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 75
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	BD	[E]	—	—	—	—
1	Streak SRM 4	FR	2/Msl [M,C]	—	3	6	9
2	Heavy PPC	T	15 [DE]	3	6	12	18

Ammo: (Streak SRM 4) 50


Cost: **BV:** 875

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Fury Command Tank

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	T	15 [DB,X]	2	7	15	22

Cargo, Infantry (1 ton)

Ammo: (Gauss) 16

Cost: **BV:** 1,184

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Fury Command Tank (C3M)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Light Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	C^3 Master	BD	[E]	—	5	10	15
1	Plasma Rifle	T	10 [DE,H,AI]	—	5	10	15
1	Rotary AC/5	T	5/Sht [DB,R/C]	—	5	10	15

Cargo, Infantry (4 tons)

Ammo: (RAC/5) 20, (Plasma Rifle) 10


Cost: **BV:** 1,336

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Fury Command Tank (C3S)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Light Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	C^3 Slave	BD	[E]	—	—	—	—
1	LAC/5	FR	5 [DB,S]	—	5	10	15
1	Gauss Rifle	T	15 [DB,X]	2	7	15	22

Ammo: (LAC/5) 40, (Gauss) 24


Cost: **BV:** 1,413

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Fury Command Tank (Fury II)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Medium Laser	FR	5 [DE]	—	3	6	9
1	Gauss Rifle	T	15 [DB,X]	2	7	15	22

Ammo: (Gauss) 8

Cost: **BV:** 1,234

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Fury Command Tank (Original)

Movement Points:
Cruising: 4
Flank: 6
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	T	15 [DB,X]	2	7	15	22

Ammo: (Gauss) 16

Cost: **BV:** 1,184

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Rhino Fire Support Tank

Movement Points:
Cruising: 3
Flank: 5
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere (Intro)
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	LRM 10	FR	1/Msl [M,C,S]	6	7	14	21
2	LRM 20	T	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	T	5 [DE]	—	3	6	9

Ammo: (LRM 20) 18, (LRM 10) 12


Cost: **BV:** 1,463

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

	ATTACK DIRECTION		
2D6 Roll	FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT			
2D6 Roll	FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Rhino Fire Support Tank (Flamer)

Movement Points:
Cruising: 3
Flank: 5
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere (Intro)
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	SRM 6	FR	2/Msl [M,C]	—	3	6	9
2	Vehicle Flamer	FR	2 [DE,S]	—	1	2	3
2	LRM 20	T	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	T	5 [DE]	—	3	6	9

Ammo: (LRM 20) 18, (Flamer) 20, (SRM 6) 15


Cost: **BV:** 1,439

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Rhino Fire Support Tank (MG)

Movement Points:
- **Cruising:** 3
- **Flank:** 5

Movement Type: Tracked

Engine Type: Fusion Engine

Tonnage: 80

Tech Base: Inner Sphere (Intro)

Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
3	Machine Gun	FR	2 [DB,AI]	—	1	2	3
1	SRM 6	FR	2/Msl [M,C]	—	3	6	9
2	LRM 20	T	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	T	5 [DE]	—	3	6	9

Ammo: (LRM 20) 18, (Machine Gun) 100, (SRM 6) 15

Cost: **BV:** 1,444

CREW DATA

Crew: _____

Gunnery Skill: ___ **Driving Skill:** ___

Commander Hit +1 — Modifier to all Skill rolls

Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐


Sensor Hits +1 +2 +3 D

Motive System Hits +1 +2 +3


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Rhino Fire Support Tank (ML)

Movement Points:
Cruising: 3
Flank: 5
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere (Intro)
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Medium Laser	FR	5 [DE]	—	3	6	9
1	SRM 2	FR	2/Msl [M,C]	—	3	6	9
2	LRM 20	T	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	T	5 [DE]	—	3	6	9

Ammo: (LRM 20) 18, (SRM 2) 50


Cost: **BV:** 1,478

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Rhino Fire Support Tank (SL)

Movement Points:
Cruising: 3
Flank: 5
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 80
Tech Base: Inner Sphere (Intro)
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
4	Small Laser	FR	3 [DE]	—	1	2	3
1	SRM 6	FR	2/Msl [M,C]	—	3	6	9
2	LRM 20	T	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	T	5 [DE]	—	3	6	9

Ammo: (LRM 20) 18, (SRM 6) 15


Cost: **BV:** 1,464

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Puma Assault Tank PAT-005

Movement Points:
Cruising: 3
Flank: 5
Movement Type: Tracked
Engine Type: Fusion Engine

Tonnage: 95
Tech Base: Inner Sphere (Intro)
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	Medium Laser	FR	5 [DE]	—	3	6	9
1	SRM 4	FR	2/Msl [M,C]	—	3	6	9
1	LRM 20	RS	1/Msl [M,C,S]	6	7	14	21
1	LRM 20	LS	1/Msl [M,C,S]	6	7	14	21
1	Small Laser	RR	3 [DE]	—	1	2	3
1	Vehicle Flamer	RR	2 [DE,S]	—	1	2	3
1	PPC	T	10 [DE]	3	6	12	18

Ammo: (SRM 4) 25, (LRM 20) 12, (Flamer) 20

Cost: **BV:** 1,353

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Puma Assault Tank PAT-007

Movement Points:
Cruising: 3
Flank: 5
Movement Type: Tracked
Engine Type: Light Fusion Engine

Tonnage: 95
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Improved C³ CPU	BD	[E]	—	—	—	—
1	B-Pod	FR	1 [DB,PD,AI,X,OS]	—	—	—	—
2	Medium Laser	FR	5 [DE]	—	3	6	9
1	MML 7	FR	[M,S,C]				
	LRM		1/Msl	6	7	14	21
	SRM		2/Msl	—	3	6	9
2	Machine Gun	RS	2 [DB,AI]	—	1	2	3
1	Machine Gun Array	RS	[T]	—	—	—	—
1	MML 7	RS	[M,S,C]				
	LRM		1/Msl	6	7	14	21
	SRM		2/Msl	—	3	6	9
2	Machine Gun	LS	2 [DB,AI]	—	1	2	3
1	Machine Gun Array	LS	[T]	—	—	—	—
1	MML 7	LS	[M,S,C]				
	LRM		1/Msl	6	7	14	21
	SRM		2/Msl	—	3	6	9
1	Small Laser	RR	3 [DE]	—	1	2	3
1	Vehicle Flamer	RR	2 [DE,S]	—	1	2	3
1	Heavy PPC	T	15 [DE]	3	6	12	18

Ammo: (MML 7/LRM) 34, (Machine Gun) 200, (Flamer) 20
(MML 7/SRM) 28

Cost: **BV:** 1,323

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:
Hit from rear +1
Hit from the sides +2

Vehicle Type Modifiers:
Tracked, Naval +0
Wheeled +2
Hovercraft, Hydrofoil +3
WiGE +4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH™

GROUND VEHICLE RECORD SHEET

VEHICLE DATA

Type: Puma Assault Tank PAT-008

Movement Points:
Cruising: 3
Flank: 5
Movement Type: Tracked
Engine Type: Light Fusion Engine

Tonnage: 95
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Guardian ECM Suite	BD	[E]	—	—	—	6
1	Targeting Computer	BD	[E]	—	—	—	—
2	AMS	FR	—	—	—	—	—
1	B-Pod	FR	1 [DB,PD,AI,X,OS]	—	—	—	—
1	MML 9	FR	[M,S,C]				
	LRM		1/Msl	6	7	14	21
	SRM		2/Msl	—	3	6	9
	w/ Artemis IV FCS						
1	AMS	RS	—	—	—	—	—
1	B-Pod	RS	1 [DB,PD,AI,X,OS]	—	—	—	—
1	MML 9	RS	[M,S,C]				
	LRM		1/Msl	6	7	14	21
	SRM		2/Msl	—	3	6	9
	w/ Artemis IV FCS						
1	AMS	LS	—	—	—	—	—
1	B-Pod	LS	1 [DB,PD,AI,X,OS]	—	—	—	—
1	MML 9	LS	[M,S,C]				
	LRM		1/Msl	6	7	14	21
	SRM		2/Msl	—	3	6	9
	w/ Artemis IV FCS						
1	AMS	RR	—	—	—	—	—
1	AMS	T	—	—	—	—	—
1	ER PPC	T	10 [DE]	—	7	14	23

Ammo: (MML 9/SRM) 11, (AMS) 60, (MML 9/LRM) 26

Cost: **BV:** 1,631

CREW DATA


Crew: _____
Gunnery Skill: ___ **Driving Skill:** ___
Commander Hit +1 — Modifier to all Skill rolls
Driver Hit +2 — Modifier to Driving Skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐
Sensor Hits +1 +2 +3 D
Motive System Hits +1 +2 +3
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐ Turret ☐



ARMOR DIAGRAM



© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

GROUND COMBAT VEHICLE HIT LOCATION TABLE

2D6 Roll	ATTACK DIRECTION FRONT	REAR	SIDE§
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see *Combat*, p. 192 in *Total Warfare* for more information). A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
†The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see *Combat*, p. 192 in *Total Warfare* for more information). Apply damage at the end of the phase in which the damage takes effect.
§Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 Roll	EFFECT*
2–5	No effect
6–7	Minor damage; +1 modifier to all Driving Skill Rolls
8–9	Moderate damage; –1 Cruising MP, +2 modifier to all Driving Skill Rolls
10–11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12+	Major damage; no movement for the rest of the game. Vehicle is immobile.

Attack Direction Modifier:

Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifiers:

Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the first unit inflicts motive system damage and rolls a 12, the –4 immobile target modifier would not apply for the second unit. However, the –4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICAL HITS TABLE

2D6 Roll	LOCATION HIT FRONT	SIDE	REAR	TURRET
2–5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
**If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.



STAR LEAGUE BATTLEMECHS

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mercury MCY-97

Movement Points:
- **Walking:** 8
- **Running:** 12 [16]
- **Jumping:** 0

Tonnage: 20
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	Beagle Active Probe	LT	—	[E]	—	—	—	4
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

Cost:


BV: 466

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Beagle Active Probe
2. Beagle Active Probe
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Small Laser
6. MASC

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mercury MCY-99

Movement Points:
- **Walking:** 8
- **Running:** 12 [16]
- **Jumping:** 0

Tonnage: 20
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Small Laser	CT	1	3 [DE]	—	1	2	3
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

Cost:


BV: 586

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Medium Laser
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Small Laser
6. MASC

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous


1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mercury MCY-102

Movement Points:
- **Walking:** 8
- **Running:** 12 [16]
- **Jumping:** 0

Tonnage: 20
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	3 [DE]	—	2	4	5
1	Improved C³CPU	LT	—	[E]	—	—	—	—
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12


Cost: **BV:** 510

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Roll Again

Left Torso

1-3	1. Improved C³CPU
	2. Improved C³CPU
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. MASC
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ER Medium Laser
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel


Right Torso

1-3	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Mercury MCY-104

Movement Points:
- Walking: 8
- Running: 12 [16]
- Jumping: 0

Tonnage: 20
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	3 [DE]	—	2	4	5
1	TAG	CT	0	0 [S]	—	5	10	15
1	Improved C^3 CPU	LT	—	[E]	—	—	—	—
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12

Cost:


BV: 683

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Improved C^3 CPU
	5. Improved C^3 CPU
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. MASC
	6. TAG

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ER Medium Laser
	6. ER Medium Laser
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thorn THE-N

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 20
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	HD	3	5 [DE]	—	3	6	9
1	LRM 5	RA	2	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:


BV: 546

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Heat Sink 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Roll Again 6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. LRM 5 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Heat Sink 2. Ammo (LRM 5) 24 3. CASE 4. Endo Steel 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thorn THE-N1

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 20
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	ER PPC	RA	15	10 [DE]	—	7	14	23

Cost:


BV: 656

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	Double Heat Sink
	2.	Double Heat Sink
	3.	Double Heat Sink
	4.	Double Heat Sink
	5.	Roll Again
	6.	Roll Again

Left Torso

1-3	1.	XL Fusion Engine
	2.	XL Fusion Engine
	3.	XL Fusion Engine
	4.	Double Heat Sink
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	Endo Steel
	2.	Endo Steel
	3.	Endo Steel
	4.	Endo Steel
	5.	Endo Steel
	6.	Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1.	XL Fusion Engine
	2.	XL Fusion Engine
	3.	XL Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	XL Fusion Engine
	3.	XL Fusion Engine
	4.	XL Fusion Engine
	5.	Roll Again
	6.	Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Double Heat Sink
	4.	Double Heat Sink
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	Double Heat Sink
	2.	Double Heat Sink
	3.	ER PPC
	4.	ER PPC
	5.	ER PPC
	6.	Roll Again


Right Torso

1-3	1.	XL Fusion Engine
	2.	XL Fusion Engine
	3.	XL Fusion Engine
	4.	Double Heat Sink
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	Endo Steel
	2.	Endo Steel
	3.	Endo Steel
	4.	Endo Steel
	5.	Endo Steel
	6.	Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Thorn THE-N2

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 20
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	3 [DE]	—	2	4	5
1	MML 7	RA	4	[M,S,C]				
	LRM			1/Msl	6	7	14	21
	SRM			2/Msl	—	3	6	9

Cost:


BV: 410

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. Double Heat Sink
3. MML 7
4. MML 7
5. MML 7
6. MML 7

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Ammo (MML 7/LRM) 17
2. Ammo (MML 7/SRM) 14
3. CASE
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-66

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 25
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Beagle Active Probe	LT	—	[E]	—	—	—	4
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:


BV: 758

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Laser
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Left Torso

1-3	1. Beagle Active Probe
	2. Beagle Active Probe
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Medium Laser
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Laser
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous


Right Torso

1-3	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-69

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 25
Tech Base: Inner Sphere
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	SRM 2	LT	2	2/Msl [M,C]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:


BV: 737

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Laser
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Left Torso

1-3	1. SRM 2
	2. Ammo (SRM 2) 50
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Medium Laser
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Laser
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous


Right Torso

1-3	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-70

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 25
Tech Base: Inner Sphere
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Flamer	RA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:


BV: 750

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Flamer
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous

Left Torso

1-3	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Medium Laser 6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Flamer
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous


Right Torso

1-3	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Mongoose MON-76

Movement Points:
- Walking: 8
- Running: 12 [16]
- Jumping: 0

Tonnage: 25
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	Guardian ECM Suite	LT	—	[E]	—	—	—	6
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6

Cost:


BV: 894

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Pulse Laser
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Double Heat Sink
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. Guardian ECM Suite
	2. Guardian ECM Suite
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Medium Pulse Laser
	6. MASC

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Pulse Laser
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Double Heat Sink
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-1S

Movement Points:
- Walking: 9
- Running: 14
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Flamer	LA	3	2 [DE,H,AI]	—	1	2	3

Cost:

BV: 716

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAMOND



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Flamer
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Roll Again

Left Torso

1-3	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Medium Laser
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Laser
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous


Right Torso

1-3	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-3S

Movement Points:
- Walking: 9
- Running: 14 [18]
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Beagle Active Probe	RT	—	[E]	—	—	—	4
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost: **BV:** 649

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Torso
1. MASC
2. MASC
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Torso
1. Beagle Active Probe
2. Beagle Active Probe
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-3S1

Movement Points:
- Walking: 9
- Running: 14 [18]
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:

BV: 726

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Torso
1. MASC
2. MASC
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Torso
1. Guardian ECM Suite
2. Guardian ECM Suite
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-3S2

Movement Points:
- Walking: 9
- Running: 14 [18]
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	TAG	LT	0	0 [S]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

Cost: **BV:** 600

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous

4-6
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso
1. MASC
2. MASC
3. TAG

1-3
4. Endo Steel
5. Endo Steel
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel

4-6
4. Endo Steel
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine

4-6
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. Medium Laser
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous

4-6
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso
1. Guardian ECM Suite
2. Guardian ECM Suite
3. Endo Steel


1-3
4. Endo Steel
5. Endo Steel
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel

4-6
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-4K

Movement Points:
- Walking: 9
- Running: 14 [18]
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	CT	5	5 [DE]	—	4	8	12
1	ER Small Laser	RT	2	3 [DE]	—	2	4	5
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	C^3 Slave	LT	—	[E]	—	—	—	—
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
2	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

Cost: **BV:** 1,470

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAMOND



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. C^3 Slave
5. MASC
6. MASC

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Medium Laser
6. ER Medium Laser

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. ER Small Laser
5. Guardian ECM Suite
6. Guardian ECM Suite


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-4M

Movement Points:
- Walking: 9
- Running: 14 [18]
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	CT	—	[E]	—	—	—	—
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
2	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

Cost: **BV:** 1,362

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. [MASC
5. [MASC
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. [Improved C³CPU
6. [Improved C³CPU

4-6

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



CATALYST game labs

Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. ER Medium Laser
5. [Guardian ECM Suite
6. [Guardian ECM Suite


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-4S

Movement Points:
- Walking: 9
- Running: 14 [18]
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6

Cost:

BV: 1,012

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Pulse Laser
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. [MASC
5. [MASC
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Pulse Laser
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. [Guardian ECM Suite
5. [Guardian ECM Suite
6. Endo Steel


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Hermes HER-4WB

Movement Points:
- Walking: 9
- Running: 14 [18]
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6

Cost:

BV: 1,042

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Medium Pulse Laser
	5. Endo Steel
	6. Endo Steel
4-6	1. Stealth
	2. Stealth
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. [MASC
	5. [MASC
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Stealth
	6. Stealth

Left Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Stealth
6.	Stealth


Head

1.	Life Support
2.	Sensors
3.	Cockpit
4.	Roll Again
5.	Sensors
6.	Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Medium Pulse Laser
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Pulse Laser
	6. Endo Steel
4-6	1. Endo Steel
	2. Stealth
	3. Stealth
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. [Guardian ECM Suite
	5. [Guardian ECM Suite
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Stealth
	6. Stealth

Right Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Stealth
6.	Stealth

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-200-D

Movement Points:
- Walking: 9
- Running: 14
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Large Laser	CT	12	8 [DE]	—	7	14	19

Cost:

BV: 636

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1-3	1. Life Support
	2. Sensors
	3. Cockpit
	4. Roll Again
	5. Sensors
	6. Life Support
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. ER Large Laser
	6. ER Large Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-400-D

Movement Points:
- Walking: 8
- Running: 12
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LB 10-X AC	LT	2	10 [DB,C,F,S]	—	6	12	18

Cost:

BV: 611

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (LB 10-X) 10
6. Ferro-Fibrous

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-500-D

Movement Points:
- Walking: 9
- Running: 14
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	CT	—	[E]	—	—	—	—
1	ER PPC	LT	15	10 [DE]	—	7	14	23

Cost:

BV: 977

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Endo Steel
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. ER PPC
5. ER PPC
6. ER PPC

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Improved C³CPU
6. Improved C³CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous


1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-900-D

Movement Points:
- Walking: 9
- Running: 14
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LAC/2	CT	1	2 [DB,S]	—	6	12	18

Cost: **BV:** 551

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Heavy Ferro-Fibrous
	6.	Heavy Ferro-Fibrous
4-6	1.	Heavy Ferro-Fibrous
	2.	Heavy Ferro-Fibrous
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Torso

1-3	1.	Light Fusion Engine
	2.	Light Fusion Engine
	3.	Heavy Ferro-Fibrous
	4.	Heavy Ferro-Fibrous
	5.	Heavy Ferro-Fibrous
	6.	Heavy Ferro-Fibrous
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Leg

1.	Hip	
2.	Upper Leg Actuator	
3.	Lower Leg Actuator	
4.	Foot Actuator	
5.	Heavy Ferro-Fibrous	
6.	Heavy Ferro-Fibrous	


Head

1.	Life Support
2.	Sensors
3.	Cockpit
4.	Heavy Ferro-Fibrous
5.	Sensors
6.	Life Support

Center Torso

1-3	1.	Light Fusion Engine
	2.	Light Fusion Engine
	3.	Light Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Light Fusion Engine
	3.	Light Fusion Engine
	4.	Light Fusion Engine
	5.	LAC/2
	6.	Heavy Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Heavy Ferro-Fibrous
	6.	Heavy Ferro-Fibrous
4-6	1.	Heavy Ferro-Fibrous
	2.	Heavy Ferro-Fibrous
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again


Right Torso

1-3	1.	Light Fusion Engine
	2.	Light Fusion Engine
	3.	Ammo (LAC/2) 45
	4.	CASE
	5.	Heavy Ferro-Fibrous
	6.	Heavy Ferro-Fibrous
4-6	1.	Heavy Ferro-Fibrous
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Right Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Heavy Ferro-Fibrous
6.	Heavy Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 10 (20) Double
O O O O O O O O O O

Heat Scale
Overflow
30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Hussar HSR-950-D

Movement Points:
- Walking: 9
- Running: 14
- Jumping: 0

Tonnage: 30
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Snub-Nose PPC	CT	10	10/8/5 [DE,V]	—	9	13	15
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

Cost:

BV: 1,131

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ER Medium Laser
	6. Heavy Ferro-Fibrous
4-6	1. Heavy Ferro-Fibrous
	2. Heavy Ferro-Fibrous
	3. Heavy Ferro-Fibrous
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Heavy Ferro-Fibrous
	5. Heavy Ferro-Fibrous
	6. Heavy Ferro-Fibrous
4-6	1. Heavy Ferro-Fibrous
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Heavy Ferro-Fibrous
6.	Heavy Ferro-Fibrous


Head

1.	Life Support
2.	Sensors
3.	Cockpit
4.	Heavy Ferro-Fibrous
5.	Sensors
6.	Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Snub-Nose PPC
	6. Snub-Nose PPC

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ER Medium Laser
	6. Heavy Ferro-Fibrous
4-6	1. Heavy Ferro-Fibrous
	2. Heavy Ferro-Fibrous
	3. Heavy Ferro-Fibrous
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Heavy Ferro-Fibrous
	5. Heavy Ferro-Fibrous
	6. Heavy Ferro-Fibrous
4-6	1. Heavy Ferro-Fibrous
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Heavy Ferro-Fibrous
6.	Heavy Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-3L

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 40
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	RT	1	3 [DE]	—	1	2	3
1	Streak SRM 2	RT	2	2/Msl [M,C]	—	3	6	9
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	2	6	13	20


Cost: **BV:** 717

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

	1.	Shoulder
	2.	Upper Arm Actuator
1-3	3.	Ultra AC/5
1-3	4.	Ultra AC/5
1-3	5.	Ultra AC/5
1-3	6.	Ultra AC/5
4-6	1.	Ultra AC/5
4-6	2.	Roll Again
4-6	3.	Roll Again
4-6	4.	Roll Again
4-6	5.	Roll Again
4-6	6.	Roll Again

Left Torso

	1.	Heat Sink
	2.	Ammo (Ultra AC/5) 20
1-3	3.	Roll Again
1-3	4.	Roll Again
1-3	5.	Roll Again
1-3	6.	Roll Again
4-6	1.	Roll Again
4-6	2.	Roll Again
4-6	3.	Roll Again
4-6	4.	Roll Again
4-6	5.	Roll Again
4-6	6.	Roll Again

Left Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Roll Again
	6.	Roll Again


Head

	1.	Life Support
	2.	Sensors
	3.	Cockpit
	4.	Roll Again
	5.	Sensors
	6.	Life Support

Center Torso

	1.	Fusion Engine
	2.	Fusion Engine
1-3	3.	Fusion Engine
1-3	4.	Gyro
1-3	5.	Gyro
1-3	6.	Gyro
4-6	1.	Gyro
4-6	2.	Fusion Engine
4-6	3.	Fusion Engine
4-6	4.	Fusion Engine
4-6	5.	Roll Again
4-6	6.	Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

	1.	Shoulder
	2.	Upper Arm Actuator
1-3	3.	Lower Arm Actuator
1-3	4.	Hand Actuator
1-3	5.	Roll Again
1-3	6.	Roll Again
4-6	1.	Roll Again
4-6	2.	Roll Again
4-6	3.	Roll Again
4-6	4.	Roll Again
4-6	5.	Roll Again
4-6	6.	Roll Again


Right Torso

	1.	Streak SRM 2
	2.	Small Laser
1-3	3.	Ammo (Streak SRM 2) 50
1-3	4.	Roll Again
1-3	5.	Roll Again
1-3	6.	Roll Again
4-6	1.	Roll Again
4-6	2.	Roll Again
4-6	3.	Roll Again
4-6	4.	Roll Again
4-6	5.	Roll Again
4-6	6.	Roll Again

Right Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Roll Again
	6.	Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-3M

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 40
Tech Base: Inner Sphere
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	SRM 2	RT	2	2/Msl [M,C]	—	3	6	9
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	2	6	13	20


Cost: **BV:** 758

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5
4. Ultra AC/5
5. Ultra AC/5
6. Ultra AC/5

1. Ultra AC/5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Heat Sink
2. Ammo (Ultra AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. Medium Laser
2. SRM 2
3. Ammo (SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-4D

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 40
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	Rotary AC/5	LA	1	5/Sht [DB,R/C]	—	5	10	15


Cost: **BV:** 1,179

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Rotary AC/5
	4.	Rotary AC/5
	5.	Rotary AC/5
	6.	Rotary AC/5
4-6	1.	Rotary AC/5
	2.	Rotary AC/5
	3.	Endo Steel
	4.	Endo Steel
	5.	Ferro-Fibrous
	6.	Ferro-Fibrous

Left Torso

1-3	1.	Double Heat Sink
	2.	Double Heat Sink
	3.	Double Heat Sink
	4.	Ammo (RAC/5) 20
	5.	Ammo (RAC/5) 20
	6.	CASE
4-6	1.	Endo Steel
	2.	Endo Steel
	3.	Endo Steel
	4.	Ferro-Fibrous
	5.	Ferro-Fibrous
	6.	Ferro-Fibrous

Left Leg

1.	Hip	
2.	Upper Leg Actuator	
3.	Lower Leg Actuator	
4.	Foot Actuator	
5.	Endo Steel	
6.	Ferro-Fibrous	


Head

1.	Life Support	
2.	Sensors	
3.	Cockpit	
4.	Roll Again	
5.	Sensors	
6.	Life Support	

Center Torso

1-3	1.	Fusion Engine
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Fusion Engine
	5.	Endo Steel
	6.	Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Endo Steel
	6.	Endo Steel
4-6	1.	Ferro-Fibrous
	2.	Ferro-Fibrous
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again


Right Torso

1-3	1.	ER Medium Laser
	2.	Endo Steel
	3.	Endo Steel
	4.	Endo Steel
	5.	Endo Steel
	6.	Ferro-Fibrous
4-6	1.	Ferro-Fibrous
	2.	Ferro-Fibrous
	3.	Ferro-Fibrous
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Right Leg

1.	Hip	
2.	Upper Leg Actuator	
3.	Lower Leg Actuator	
4.	Foot Actuator	
5.	Endo Steel	
6.	Ferro-Fibrous	

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-5WB

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 40
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	CT	5	5 [DE]	—	4	8	12
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
2	LAC/5	LA	1	5 [DB,S]	—	5	10	15

Cost:


BV: 999

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	LAC/5
	4.	LAC/5
	5.	LAC/5
	6.	LAC/5
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Torso

1-3	1.	Light Fusion Engine
	2.	Light Fusion Engine
	3.	ER Medium Laser
	4.	Ammo (LAC/5) 20
	5.	CASE
	6.	Roll Again
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Roll Again
	6.	Roll Again


Head

	1.	Life Support
	2.	Sensors
	3.	Cockpit
	4.	Roll Again
	5.	Sensors
	6.	Life Support

Center Torso

1-3	1.	Light Fusion Engine
	2.	Light Fusion Engine
	3.	Light Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Light Fusion Engine
	3.	Light Fusion Engine
	4.	Light Fusion Engine
	5.	ER Medium Laser
	6.	Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Roll Again
	6.	Roll Again
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again


Right Torso

1-3	1.	Light Fusion Engine
	2.	Light Fusion Engine
	3.	Double Heat Sink
	4.	Double Heat Sink
	5.	Double Heat Sink
	6.	ER Medium Laser
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Right Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Roll Again
	6.	Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Sentinel STN-C

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 40
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	C^3 Slave	CT	—	[E]	—	—	—	—
1	SRM 2	RT	2	2/Msl [M,C]	—	3	6	9
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	2	6	13	20


Cost: **BV:** 689

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/5 (1-3)
4. Ultra AC/5 (1-3)
5. Ultra AC/5 (1-3)
6. Ultra AC/5 (1-3)
1. Ultra AC/5 (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)


Left Torso
1. Ammo (Ultra AC/5) 20
2. Roll Again (1-3)
3. Roll Again (1-3)
4. Roll Again (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)
1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)
1. Gyro (4-6)
2. Fusion Engine (4-6)
3. Fusion Engine (4-6)
4. Fusion Engine (4-6)
5. C^3 Slave (4-6)
6. Roll Again (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O




Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again (1-3)
6. Roll Again (1-3)
1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso
1. SRM 2
2. Ammo (SRM 2) 50
3. Roll Again (1-3)
4. Roll Again (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)
1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Wyvern WVE-5N

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 4

Tonnage: 45
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Small Laser	RA	1	3 [DE]	—	1	2	3

Cost:

BV: 1,089

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. Heat Sink
	2. Heat Sink
	3. Jump Jet
	4. Ammo (LRM 10) 12
	5. CASE
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. LRM 10
	6. LRM 10

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Large Laser
	6. Large Laser
4-6	1. Small Laser
	2. Small Laser
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. Heat Sink
	2. Heat Sink
	3. Jump Jet
	4. SRM 6
	5. SRM 6
	6. Ammo (SRM 6) 15
4-6	1. CASE
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (12) Single
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Wyvern WVE-9N

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 4

Tonnage: 45
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
1	Streak SRM 2	RT	2	2/Msl [M,C]	—	3	6	9
1	Large Pulse Laser	RA	10	9 [P]	—	3	7	10
2	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6

Cost:

BV: 1,067

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Endo Steel
6. Endo Steel

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Jump Jet
2. Ammo (LRM 10) 12
3. CASE
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. LRM 10
6. LRM 10

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Pulse Laser
6. Large Pulse Laser

1-3

1. Medium Pulse Laser
2. Medium Pulse Laser
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

4-6

Right Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Jump Jet
5. Streak SRM 2
6. Ammo (Streak SRM 2) 50


1-3

1. CASE
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Wyvern WVE-10N

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 4

Tonnage: 45
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
1	Improved C³CPU	RT	—	[E]	—	—	—	—
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6

Cost: **BV:** 1,199

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Jump Jet
2. Ammo (LRM 10) 12
3. CASE
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. LRM 10
6. LRM 10

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER PPC
6. ER PPC


1. ER PPC
2. Medium Pulse Laser
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Jump Jet
5. Guardian ECM Suite
6. Guardian ECM Suite

1. Improved C³CPU
2. Improved C³CPU
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 11 (22) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Crab CRB-27

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 50
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Cost:


BV: 1,198

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Large Laser
	6. Large Laser
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. Heat Sink
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Medium Laser
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Large Laser
	5. Large Laser
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. Heat Sink
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (16) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Crab CRB-30

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 50
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	3 [DE]	—	2	4	5
1	ER Medium Laser	CT	5	5 [DE]	—	4	8	12
1	Improved C^3 CPU	RT	—	[E]	—	—	—	—
1	Guardian ECM Suite	LT	—	[E]	—	—	—	6
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	ER PPC	LA	15	10 [DE]	—	7	14	23

Cost:


BV: 1,509

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink

4-6
4. ER PPC
5. ER PPC
6. ER PPC

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Guardian ECM Suite
5. Guardian ECM Suite
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous

4-6
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine

4-6
4. XL Fusion Engine
5. ER Medium Laser
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink

4-6
4. ER PPC
5. ER PPC
6. ER PPC

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3
4. Improved C^3 CPU
5. Improved C^3 CPU
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous

4-6
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Crab CRB-45

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 50
Tech Base: Inner Sphere
Era: Crab

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Large Laser	CT	12	8 [DE]	—	7	14	19
1	Improved C³ CPU	RT	—	[E]	—	—	—	—
1	Light PPC	LT	5	5 [DE]	3	6	12	18
1	Light PPC	RA	5	5 [DE]	3	6	12	18
1	Light PPC	LA	5	5 [DE]	3	6	12	18


Cost: **BV:** 1,342

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Light PPC
2. Light PPC

4-6
3. Heavy Ferro-Fibrous
4. Heavy Ferro-Fibrous
5. Heavy Ferro-Fibrous
6. Heavy Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Light PPC
5. Light PPC
6. Heavy Ferro-Fibrous

1. Heavy Ferro-Fibrous
2. Heavy Ferro-Fibrous

4-6
3. Heavy Ferro-Fibrous
4. Heavy Ferro-Fibrous
5. Heavy Ferro-Fibrous
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heavy Ferro-Fibrous
6. Heavy Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine

4-6
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Large Laser
6. ER Large Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Light PPC
2. Light PPC

4-6
3. Heavy Ferro-Fibrous
4. Heavy Ferro-Fibrous
5. Heavy Ferro-Fibrous
6. Heavy Ferro-Fibrous

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Improved C³ CPU
2. Improved C³ CPU

4-6
3. Heavy Ferro-Fibrous
4. Heavy Ferro-Fibrous
5. Heavy Ferro-Fibrous
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heavy Ferro-Fibrous
6. Heavy Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Crab CRB-C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 50
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	C^3 Slave	CT	—	[E]	—	—	—	—
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15


Cost: **BV:** 1,135

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. Lower Arm Actuator; 4. Hand Actuator; 5. Large Laser; 6. Large Laser
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again


Left Torso
- 1-3: 1. Heat Sink; 2. Ferro-Fibrous; 3. Ferro-Fibrous; 4. Ferro-Fibrous; 5. Ferro-Fibrous; 6. Ferro-Fibrous
- 4-6: 1. Ferro-Fibrous; 2. Ferro-Fibrous; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso
- 1-3: 1. Fusion Engine; 2. Fusion Engine; 3. Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro
- 4-6: 1. Gyro; 2. Fusion Engine; 3. Fusion Engine; 4. Fusion Engine; 5. C^3 Slave; 6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O




Damage Transfer Diagram

Right Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. Lower Arm Actuator; 4. Large Laser; 5. Large Laser; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso
- 1-3: 1. Heat Sink; 2. Ferro-Fibrous; 3. Ferro-Fibrous; 4. Ferro-Fibrous; 5. Ferro-Fibrous; 6. Ferro-Fibrous
- 4-6: 1. Ferro-Fibrous; 2. Ferro-Fibrous; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (16) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-19

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 55
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Narc	CT	0	[M]	—	3	6	9
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 5	LA	2	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,160

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

1-3

1. Medium Laser
2. LRM 5
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Ammo (LRM 5 Artemis) 24
2. Ammo (SRM 6 Narc) 15
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Narc
6. Narc

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. SRM 6
2. SRM 6
3. Ammo (SRM 6 Narc) 15
4. Ammo (Narc) 6
5. Ammo (Narc) 6
6. Ferro-Fibrous


1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-20

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 55
Tech Base: Inner Sphere
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,357

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Ammo (SRM 6) 15
2. Ammo (LRM 5) 24
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Large Laser
6. Large Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. SRM 6
2. SRM 6
3. LRM 5
4. Ammo (SRM 6) 15
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-21

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 55
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	CT	—	[E]	—	—	—	—
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	iNarc	LT	0	[M]	—	4	9	15
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,295

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. SRM 6 6. SRM 6
4-6	1. Endo Steel 2. Endo Steel 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Roll Again

Left Torso

1-3	1. iNarc 2. iNarc 3. iNarc 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous
4-6	1. Ferro-Fibrous 2. Ferro-Fibrous 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Ferro-Fibrous 6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Improved C^3CPU 6. Improved C^3CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. ER Medium Laser 6. ER Medium Laser
4-6	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Endo Steel


Right Torso

1-3	1. SRM 6 2. SRM 6 3. Ammo (SRM 6 Narc) 15 4. Ammo (SRM 6 Narc) 15 5. Ammo (iNarc) 4 6. Ammo (iNarc) 4
4-6	1. Ammo (iNarc) 4 2. CASE 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 55
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	C^3 Slave	RT	—	[E]	—	—	—	—
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,294

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	SRM 6
	6.	SRM 6
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Torso

1-3	1.	Ammo (SRM 6) 15
	2.	Ammo (LRM 5) 24
	3.	Ferro-Fibrous
	4.	Ferro-Fibrous
	5.	Ferro-Fibrous
	6.	Ferro-Fibrous
4-6	1.	Ferro-Fibrous
	2.	Ferro-Fibrous
	3.	Ferro-Fibrous
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1.	Fusion Engine
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Fusion Engine
	5.	Large Laser
	6.	Large Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Medium Laser
	6.	Roll Again
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again


Right Torso

1-3	1.	SRM 6
	2.	SRM 6
	3.	LRM 5
	4.	Ammo (SRM 6) 15
	5.	C^3 Slave
	6.	Ferro-Fibrous
4-6	1.	Ferro-Fibrous
	2.	Ferro-Fibrous
	3.	Ferro-Fibrous
	4.	Ferro-Fibrous
	5.	Ferro-Fibrous
	6.	Ferro-Fibrous

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-K

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 55
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	C^3 Slave	HD	—	[E]	—	—	—	—
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
3	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	Streak SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,571

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Streak SRM 6
	6.	Streak SRM 6
4-6	1.	Roll Again
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Torso

1-3	1.	Ammo (Streak SRM 6) 15
	2.	Ammo (Streak SRM 6) 15
	3.	CASE
	4.	Ferro-Fibrous
	5.	Ferro-Fibrous
	6.	Ferro-Fibrous
4-6	1.	Ferro-Fibrous
	2.	Ferro-Fibrous
	3.	Ferro-Fibrous
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. C^3 Slave
5. Sensors
6. Life Support

Center Torso

1-3	1.	Fusion Engine
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Fusion Engine
	5.	Jump Jet
	6.	Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	ER Medium Laser
	6.	ER Medium Laser
4-6	1.	ER Medium Laser
	2.	Roll Again
	3.	Roll Again
	4.	Roll Again
	5.	Roll Again
	6.	Roll Again


Right Torso

1-3	1.	Streak SRM 6
	2.	Streak SRM 6
	3.	Ferro-Fibrous
	4.	Ferro-Fibrous
	5.	Ferro-Fibrous
	6.	Ferro-Fibrous
4-6	1.	Ferro-Fibrous
	2.	Ferro-Fibrous
	3.	Ferro-Fibrous
	4.	Ferro-Fibrous
	5.	Roll Again
	6.	Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Champion CHP-1N

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Small Laser	CT	1	3 [DE]	—	1	2	3
1	LB 10-X AC	RT	2	10 [DB,C,F,S]	—	6	12	18
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	SRM 6 w/Artemis IV FCS	LT	4	2/Msl [M,C]	—	3	6	9

Cost: **BV:** 1,233

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. SRM 6
	2. SRM 6
	3. Artemis IV FCS
	4. Medium Laser
	5. Medium Laser
	6. Ammo (SRM 6 Artemis) 15
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Small Laser
	6. Small Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. LB 10-X AC
	2. LB 10-X AC
	3. LB 10-X AC
	4. LB 10-X AC
	5. LB 10-X AC
	6. LB 10-X AC
4-6	1. Ammo (LB 10-X) 10
	2. Ammo (LB 10-X Cluster) 10
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Champion CHP-3N

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Small Laser	CT	1	3 [DE]	—	1	2	3
1	LB 10-X AC	RT	2	10 [DB,C,F,S]	—	6	12	18
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	SRM 6 w/Artemis IV FCS	LT	4	2/Msl [M,C]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15

Cost: **BV:** 1,400

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Ferro-Fibrous
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. SRM 6 (1-3)
5. SRM 6 (1-3)
6. Artemis IV FCS

1. Medium Laser
2. Medium Laser
3. Ammo (SRM 6 Artemis) 15 (4-6)
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Small Laser (4-6)
6. Small Laser (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Ferro-Fibrous
6. Ferro-Fibrous


1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again (4-6)
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. LB 10-X AC (1-3)
5. LB 10-X AC (1-3)
6. LB 10-X AC (1-3)

1. LB 10-X AC (4-6)
2. LB 10-X AC (4-6)
3. LB 10-X AC (4-6)
4. Ammo (LB 10-X) 10
5. Ammo (LB 10-X Cluster) 10
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale (Overflow)
30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Champion CHP-3P

Movement Points:
Walking: 5
Running: 8
Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	CT	—	[E]	—	—	—	—
1	Ultra AC/10	RT	4	10/Sht [DB,R/C]	—	6	12	18
1	iNarc	LT	0	[M]	—	4	9	15
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
2	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

Cost:

BV: 1,503

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. ER Medium Laser 4. ER Medium Laser 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. iNarc 5. iNarc 6. iNarc
4-6	1. Ammo (iNarc) 4 2. Ammo (iNarc) 4 3. Ammo (Ultra AC/10) 10 4. Ammo (Ultra AC/10) 10 5. Ammo (Ultra AC/10) 10 6. CASE

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. Improved C^3CPU 6. Improved C^3CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. ER Medium Laser 4. ER Medium Laser 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Ultra AC/10 5. Ultra AC/10 6. Ultra AC/10
4-6	1. Ultra AC/10 2. Ultra AC/10 3. Ultra AC/10 4. Ultra AC/10 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 11 (22) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Champion C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 60
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Pulse Laser	HD	2	3 [P]	—	2	4	6
1	Small Pulse Laser	CT	2	3 [P]	—	2	4	6
1	LB 10-X AC	RT	2	10 [DB,C,F,S]	—	6	12	18
2	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	SRM 6 w/Artemis IV FCS	LT	4	2/Msl [M,C]	—	3	6	9
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15

Cost:

BV: 2,191

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER Medium Laser
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. SRM 6
4. Artemis IV FCS
5. Medium Pulse Laser
6. Medium Pulse Laser

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Pulse Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER Medium Laser
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC


Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-01

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Large Laser	LA	8	8 [DE]	—	5	10	15


Cost: **BV:** 1,422

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Roll Again
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Roll Again (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Medium Laser (4-6)
6. Roll Again (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Large Laser (1-3)
4. Large Laser (1-3)
5. Roll Again
6. Roll Again


1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine (1-3)
4. PPC (1-3)
5. PPC (1-3)
6. PPC (1-3)

1. Roll Again
2. Roll Again
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (26) Double
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-03

Movement Points:
Walking: 5
Running: 8
Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	AC/5	RA	1	5 [DB,S]	3	6	12	18
1	AC/5	LA	1	5 [DB,S]	3	6	12	18


Cost: **BV:** 1,360

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. AC/5
	4. AC/5
	5. AC/5
	6. AC/5
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Ammo (AC/5) 20
	5. CASE
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Medium Laser
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. AC/5
	4. AC/5
	5. AC/5
	6. AC/5
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. PPC
	5. PPC
	6. PPC
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-04

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	CT	—	[E]	—	—	—	—
1	ER PPC	RT	15	10 [DE]	—	7	14	23
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19


Cost: **BV:** 1,640

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. ER Large Laser
	4. ER Large Laser
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Improved C^3CPU
	6. Improved C^3CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. ER Large Laser
	4. ER Large Laser
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Roll Again


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. ER PPC
	5. ER PPC
	6. ER PPC
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Sinks: **14 (28) Double**

Heat Level*	Effects	
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-05

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Large Laser	RA	8	8 [DE]	—	5	10	15
2	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Large Laser	LA	8	8 [DE]	—	5	10	15
2	Machine Gun	LA	0	2 [DB,AI]	—	1	2	3


Cost: **BV:** 1,365

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Large Laser
	4. Large Laser
	5. Machine Gun
	6. Machine Gun
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Roll Again
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. XL Fusion Engine
	5. Ammo (Machine Gun) 200
	6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Large Laser
	4. Large Laser
	5. Machine Gun
	6. Machine Gun
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. XL Fusion Engine
	2. XL Fusion Engine
	3. XL Fusion Engine
	4. PPC
	5. PPC
	6. PPC
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale: Overflow, 30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 11 (22) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-06

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	HD	—	[E]	—	—	—	—
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Targeting Computer	LT	—	[E]	—	—	—	—
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19

Cost:


BV: 1,661

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1	Shoulder
2	Upper Arm Actuator
1-3	3. ER Large Laser
	4. ER Large Laser
5	Endo Steel
6	Endo Steel
1	Endo Steel
2	Endo Steel
4-6	3. Endo Steel
	4. Endo Steel
5	Endo Steel
6	Roll Again

Left Torso

1	XL Fusion Engine
2	XL Fusion Engine
1-3	3. XL Fusion Engine
	4. Targeting Computer
5	Targeting Computer
6	Targeting Computer
1	Targeting Computer
2	Targeting Computer
4-6	3. Ferro-Fibrous
	4. Ferro-Fibrous
5	Ferro-Fibrous
6	Ferro-Fibrous

Left Leg

1	Hip
2	Upper Leg Actuator
3	Lower Leg Actuator
4	Foot Actuator
5	Ferro-Fibrous
6	Ferro-Fibrous


Head

1	Life Support
2	Sensors
3	Small Cockpit
4	Sensors
5	Improved C^3CPU
6	Improved C^3CPU

Center Torso

1	XL Fusion Engine
2	XL Fusion Engine
1-3	3. XL Fusion Engine
	4. XL Gyro
5	XL Gyro
6	XL Gyro
1	XL Gyro
2	XL Gyro
4-6	3. XL Gyro
	4. XL Fusion Engine
5	XL Fusion Engine
6	XL Fusion Engine

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1	Shoulder
2	Upper Arm Actuator
1-3	3. ER Large Laser
	4. ER Large Laser
5	Endo Steel
6	Endo Steel
1	Endo Steel
2	Endo Steel
4-6	3. Endo Steel
	4. Endo Steel
5	Endo Steel
6	Roll Again


Right Torso

1	XL Fusion Engine
2	XL Fusion Engine
1-3	3. XL Fusion Engine
	4. PPC
5	PPC
6	PPC
1	Ferro-Fibrous
2	Ferro-Fibrous
4-6	3. Ferro-Fibrous
	4. Ferro-Fibrous
5	Ferro-Fibrous
6	Ferro-Fibrous

Right Leg

1	Hip
2	Upper Leg Actuator
3	Lower Leg Actuator
4	Foot Actuator
5	Ferro-Fibrous
6	Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Lancelot LNC25-08

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 0

Tonnage: 60
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	HD	—	[E]	—	—	—	—
1	PPC	RT	10	10 [DE]	3	6	12	18
1	LB 5-X AC	RA	1	5 [DB,C,F,S]	3	7	14	21
1	LB 5-X AC	LA	1	5 [DB,C,F,S]	3	7	14	21

Cost:


BV: 1,162

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

1-3

1. LB 5-X AC
2. Ammo (LB 5-X) 20
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Endo Steel
5. Endo Steel
6. Endo Steel

1-3

1. Light Ferro-Fibrous
2. Light Ferro-Fibrous
3. Light Ferro-Fibrous
4. Light Ferro-Fibrous
5. Light Ferro-Fibrous
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. Improved C^3CPU
6. Improved C^3CPU


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Gyro
5. XL Gyro
6. XL Gyro

1-3

1. XL Gyro
2. XL Gyro
3. XL Gyro
4. XL Fusion Engine
5. XL Fusion Engine
6. XL Fusion Engine

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

1-3

1. LB 5-X AC
2. Ammo (LB 5-X Cluster) 20
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. PPC
5. PPC
6. PPC


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Light Ferro-Fibrous
5. Light Ferro-Fibrous
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Bombardier BMB-05A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Inner Sphere (Advanced)
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	HD	1	—[PD]	—	—	—	—
1	Arrow IV	LT/LA	10	20 [AE,S,F]	—	1	2	8
1	Small Laser	LT	1	3 [DE]	—	1	2	3
3	Rocket Launcher 20	RA	5	1/Msl [M,C]	—	3	7	12

Cost:


BV: 1,440

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator

1-3:
3. Arrow IV
4. Arrow IV
5. Arrow IV
6. Arrow IV

4-6:
1. Arrow IV
2. Arrow IV
3. Arrow IV
4. Arrow IV
5. Arrow IV
6. Arrow IV

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Arrow IV
5. Arrow IV
6. Arrow IV

4-6:
1. Arrow IV
2. Arrow IV
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head
1. Life Support
2. Sensors
3. Cockpit
4. AMS
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3:
4. Rocket Launcher 20
5. Rocket Launcher 20
6. Rocket Launcher 20

4-6:
1. Rocket Launcher 20
2. Rocket Launcher 20
3. Rocket Launcher 20
4. Rocket Launcher 20
5. Rocket Launcher 20
6. Rocket Launcher 20


Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3:
4. Ammo (Arrow IV) 5
5. Ammo (Arrow IV) 5
6. Ammo (Arrow IV Homing) 5

4-6:
1. Ammo (Arrow IV Homing) 5
2. Ammo (AMS) 12
3. Ammo (AMS) 12
4. CASE
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Bombardier BMB-12D

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AMS	CT	1	—[PD]	—	—	—	—
1	LRM 20	RT	6	1/Msl [M,C,S]	6	7	14	21
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	SRM 4	RA	3	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 1,480

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6:
1. LRM 20
2. LRM 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3:
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. AMS
6. Ammo (AMS) 12

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 4
6. Ammo (SRM 4) 25


4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6:
1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. CASE
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Bombardier BMB-14C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	3 [DE]	—	2	4	5
1	Improved C^3CPU	CT	—	[E]	—	—	—	—
1	LRM 20 w/Artemis IV FCS	RT	6	1/Msl [M,C,S]	6	7	14	21
1	LRM 20 w/Artemis IV FCS	LT	6	1/Msl [M,C,S]	6	7	14	21


Cost: **BV:** 1,549

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Artemis IV FCS
4. Ammo (LRM 20 Artemis) 6
5. Ammo (LRM 20 Artemis) 6
6. CASE


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Improved C^3CPU
6. Improved C^3CPU

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Endo Steel
6. Endo Steel


4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. LRM 20
2. LRM 20
3. Artemis IV FCS
4. Ammo (LRM 20 Artemis) 6
5. Ammo (LRM 20 Artemis) 6
6. CASE

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Bombardier BMB-14K

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 65
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	C^3 Slave	HD	—	[E]	—	—	—	—
2	MML 7	RT	4	[M,S,C]				
	LRM			1/Msl	6	7	14	21
	SRM			2/Msl	—	3	6	9
2	MML 7	LT	4	[M,S,C]				
	LRM			1/Msl	6	7	14	21
	SRM			2/Msl	—	3	6	9
3	Machine Gun	RA	0	2 [DB,AI]	—	1	2	3
1	Machine Gun Array	RA	—	[T]	—	—	—	—


Cost: **BV:** 1,249

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Ammo (MML 7/LRM) 17
6. Ammo (MML 7/LRM) 17

1. Ammo (MML 7/LRM) 17
2. Ammo (MML 7/SRM) 14
3. Ammo (MML 7/SRM) 14
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. MML 7
5. MML 7
6. MML 7

1. MML 7
2. MML 7
3. MML 7
4. MML 7
5. MML 7
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. C^3 Slave
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Machine Gun
6. Machine Gun


1. Machine Gun
2. Machine Gun Array
3. Ammo (Machine Gun) 100
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. MML 7
5. MML 7
6. MML 7

1. MML 7
2. MML 7
3. MML 7
4. MML 7
5. MML 7
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Exterminator EXT-4A

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 5

Tonnage: 65
Tech Base: Inner Sphere (Intro)
Era: Succession Wars

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Machine Gun	RT	0	2 [DB,AI]	—	1	2	3
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost: **BV:** 1,372

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Medium Laser
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. Jump Jet 2. Jump Jet 3. LRM 10 4. LRM 10 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Jump Jet 6. Ammo (LRM 10) 12

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Medium Laser
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. Jump Jet 2. Jump Jet 3. Machine Gun 4. Ammo (Machine Gun) 200 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (10) Single
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Exterminator EXT-4C

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 6

Tonnage: 65
Tech Base: Inner Sphere (Experimental)
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	AMS	RT	1	— [PD]	—	—	—	—
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:

BV: 1,602

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator
4-6	4. Hand Actuator 5. Medium Laser 6. Medium Laser
1-3	1. Chameleon Light Polarization Shield 2. Null Signature System 3. Roll Again
4-6	4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine
4-6	4. Jump Jet 5. Jump Jet 6. Jump Jet
1-3	1. LRM 10 2. LRM 10 3. Chameleon Light Polarization Shield
4-6	4. Null Signature System 5. Roll Again 6. Roll Again

Left Leg

1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator
4-6	4. Foot Actuator 5. Chameleon Light Polarization Shield 6. Null Signature System


Head

1-3	1. Life Support 2. Sensors 3. Cockpit
4-6	4. Small Laser 5. Sensors 6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine
4-6	4. Gyro 5. Gyro 6. Gyro
1-3	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine
4-6	4. XL Fusion Engine 5. Ammo (LRM 10) 12 6. Null Signature System

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator
4-6	4. Hand Actuator 5. Medium Laser 6. Medium Laser
1-3	1. Chameleon Light Polarization Shield 2. Null Signature System 3. Roll Again
4-6	4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine
4-6	4. Jump Jet 5. Jump Jet 6. Jump Jet
1-3	1. AMS 2. Ammo (AMS) 12 3. Chameleon Light Polarization Shield
4-6	4. Null Signature System 5. Roll Again 6. Roll Again

Right Leg

1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator
4-6	4. Foot Actuator 5. Chameleon Light Polarization Shield 6. Null Signature System

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Exterminator EXT-4D

Movement Points:
- Walking: 6
- Running: 9
- Jumping: 6

Tonnage: 65
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	AMS	RT	1	— [PD]	—	—	—	—
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
2	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:

BV: 1,385

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Medium Laser
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Jump Jet 5. Jump Jet 6. Jump Jet
4-6	1. LRM 10 2. LRM 10 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. Ammo (LRM 10) 12 6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Medium Laser 6. Medium Laser
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Right Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Jump Jet 5. Jump Jet 6. Jump Jet
4-6	1. AMS 2. Ammo (AMS) 12 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Exterminator EXT-5E

Movement Points:
- Walking: 6
- Running: 9 [12]
- Jumping: 0

Tonnage: 65
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	CT	—	[E]	—	—	—	—
1	iNarc	LT	0	[M]	—	4	9	15
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
2	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

Cost: **BV:** 1,532

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. iNarc
5. iNarc
6. iNarc

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Improved C³CPU
6. Improved C³CPU

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ammo (iNarc) 4
5. Ammo (iNarc) 4
6. Ammo (iNarc) 4


1-3

1. Ammo (iNarc) 4
2. MASC
3. MASC
4. MASC
5. Endo Steel
6. Endo Steel

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Exterminator EXT-5F

Movement Points:
- Walking: 6
- Running: 9 [12]
- Jumping: 0

Tonnage: 65
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	HD	2	3 [DE]	—	2	4	5
1	Improved C³CPU	CT	—	[E]	—	—	—	—
1	MML 7	LT	4	[M,S,C]				
	LRM			1/Msl	6	7	14	21
	SRM			2/Msl	—	3	6	9
1	Light PPC	RA	5	5 [DE]	3	6	12	18
1	Light PPC	LA	5	5 [DE]	3	6	12	18

Cost: **BV:** 1,485

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Light PPC
6. Light PPC

1-3

1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. MML 7
5. MML 7
6. MML 7

1-3

1. MML 7
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Improved C³CPU
6. Improved C³CPU

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Light PPC
6. Light PPC

1-3

1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Ammo (MML 7/LRM) 17
5. Ammo (MML 7/SRM) 14
6. MASC


1-3

1. MASC
2. MASC
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 10 (20) Double
O O O O O O O O O O O O O O

Heat Scale
Overflow
30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-3N

Movement Points:
Walking: 4
Running: 6
Jumping: 4

Tonnage: 70
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 6	CT	4	2/Msl [M,C]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15


Cost: **BV:** 1,418

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Large Laser
4. Large Laser
5. Endo Steel
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

1. Heat Sink
2. Jump Jet
3. Medium Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

Head


1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Jump Jet

1. Medium Laser
2. Ammo (SRM 6) 15
3. CASE
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 25 (25) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O O
24	+4 Modifier to Fire	O O O
23	Ammo Exp. avoid on 6+	O O O
22	Shutdown, avoid on 8+	O O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-5M

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 4

Tonnage: 70
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 6	CT	4	2/Msl [M,C]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19


Cost: **BV:** 1,472

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Endo Steel
6. Endo Steel

Left Torso
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

1. Jump Jet
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. SRM 6
6. SRM 6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Medium Laser
5. Medium Laser
6. Endo Steel


1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso
1. Heat Sink
2. Heat Sink
3. Heat Sink
4. Heat Sink
5. Heat Sink
6. Heat Sink

1. Jump Jet
2. Medium Laser
3. Ammo (SRM 6) 15
4. CASE
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 25 (25) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O O
26	Shutdown, avoid on 10+	O O O
25	–5 Movement Points	O O O
24	+4 Modifier to Fire	O O O
23	Ammo Exp. avoid on 6+	O O O
22	Shutdown, avoid on 8+	O O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-6WB

Movement Points:
Walking: 4
Running: 6
Jumping: 4

Tonnage: 70
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	HD	—	[E]	—	—	—	—
1	LRM 15	CT	5	1/Msl [M,C,S]	6	7	14	21
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	Heavy PPC	LA	15	15 [DE]	3	6	12	18


Cost: **BV:** 1,672

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Heavy PPC
4. Heavy PPC
5. Heavy PPC
6. Heavy PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. ER Medium Laser
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ferro-Fibrous

Head


1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. Improved C^3CPU
6. Improved C^3CPU

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Compact Gyro
5. Compact Gyro
6. Fusion Engine

4-6
1. Fusion Engine
2. Fusion Engine
3. LRM 15
4. LRM 15
5. LRM 15
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso


1-3
1. Jump Jet
2. ER Medium Laser
3. Ammo (LRM 15) 8
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 11 (22) Double
O O
O
O
O
O
O
O
O
O
O
O

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-6WB2

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 6

Tonnage: 70
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	CT	—	[E]	—	—	—	—
1	LRM 5 w/Artemis IV FCS	CT	2	1/Msl [M,C,S]	6	7	14	21
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
2	Light PPC	RA	5	5 [DE]	3	6	12	18
1	Light Gauss Rifle	LA	1	8 [DB,X]	3	8	17	25


Cost: **BV:** 1,635

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Light Gauss Rifle
4. Light Gauss Rifle
5. Light Gauss Rifle
6. Light Gauss Rifle

1. Light Gauss Rifle
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Improved Jump Jet
5. Improved Jump Jet
6. Improved Jump Jet

1. Improved Jump Jet
2. ER Medium Laser
3. Ammo (Light Gauss) 16
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Improved Jump Jet
6. Improved Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Compact Gyro
5. Compact Gyro
6. XL Fusion Engine

1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 5
4. Artemis IV FCS
5. Improved C³CPU
6. Improved C³CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Light PPC
5. Light PPC
6. Light PPC


1. Light PPC
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Improved Jump Jet
5. Improved Jump Jet
6. Improved Jump Jet

1. Improved Jump Jet
2. ER Medium Laser
3. Ammo (LRM 5 Artemis) 24
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Improved Jump Jet
6. Improved Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-6WB3

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 4

Tonnage: 70
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Guardian ECM Suite	HD	—	[E]	—	—	—	6
1	LRM 15	CT	5	1/Msl [M,C,S]	6	7	14	21
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	C³ Slave	LT	—	[E]	—	—	—	—
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	Heavy PPC	LA	15	15 [DE]	3	6	12	18


Cost: **BV:** 1,741

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Heavy PPC (1-3)
4. Heavy PPC (1-3)
5. Heavy PPC (1-3)
6. Heavy PPC (1-3)

4-6: Roll Again

Left Torso
1. Jump Jet
2. ER Medium Laser
3. C³ Slave (1-3)
4. Ferro-Fibrous (1-3)
5. Ferro-Fibrous (1-3)
6. Ferro-Fibrous (1-3)

4-6: Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. Guardian ECM Suite
6. Guardian ECM Suite

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Compact Gyro
5. Compact Gyro
6. Fusion Engine

1. Fusion Engine
2. Fusion Engine
3. LRM 15 (4-6)
4. LRM 15 (4-6)
5. LRM 15 (4-6)
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. Roll Again

1-3: Roll Again


4-6: Roll Again

Right Torso
1. Jump Jet
2. ER Medium Laser
3. Ammo (LRM 15) 8
4. Ferro-Fibrous (1-3)
5. Ferro-Fibrous (1-3)
6. Ferro-Fibrous (1-3)

4-6: Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 11 (22) Double
O O
O
O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Guillotine GLT-8D

Movement Points:
Walking: 4
Running: 6
Jumping: 4

Tonnage: 70
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 6	CT	4	2/Msl [M,C]	—	3	6	9
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
1	Targeting Computer	LT	—	[E]	—	—	—	—
2	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12


Cost: **BV:** 1,891

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. ER Medium Laser
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Torso

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Jump Jet
5. ER Medium Laser
6. Targeting Computer

1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Fusion Engine

1. Fusion Engine
2. Fusion Engine
3. Gyro
4. Gyro
5. Streak SRM 6
6. Streak SRM 6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso


1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Jump Jet
2. ER Large Laser
3. ER Large Laser
4. Ammo (Streak SRM 6) 15
5. CASE
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-6-KNT

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Beagle Active Probe	CT	—	[E]	—	—	—	4
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


Cost: **BV:** 1,551

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Beagle Active Probe
6. Beagle Active Probe

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC


1. PPC
2. Medium Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1. Heat Sink
2. Heat Sink
3. Large Laser
4. Large Laser
5. Medium Laser
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 20 (20) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-6-RR

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 75
Tech Base: Mixed Tech (I.S.) (Experimental)
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Beagle Active Probe	CT	—	[E]	—	—	—	4
1	ER Medium Laser (Clan)	RT	5	7 [DE]	—	5	10	15
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	ER Medium Laser (Clan)	LT	5	7 [DE]	—	5	10	15
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	ER Medium Laser (Clan)	RA	5	7 [DE]	—	5	10	15
1	ER PPC (Clan)	RA	15	15 [DE]	—	7	14	23
1	ER Medium Laser (Clan)	LA	5	7 [DE]	—	5	10	15


Cost: **BV:** 1,954

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ER Medium Laser (Clan)
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. Heat Sink
	2. Heat Sink
	3. Large Laser
	4. Large Laser
	5. ER Medium Laser (Clan)
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Beagle Active Probe
	6. Beagle Active Probe

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Heat Sink
	6. ER PPC (Clan)
	1. ER PPC (Clan)
4-6	2. ER Medium Laser (Clan)
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. Heat Sink
	2. Heat Sink
	3. Large Laser
	4. Large Laser
	5. ER Medium Laser (Clan)
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 21 (21) Single
30	Shutdown	O O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O O
15	–3 Movement Points	O O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-6b-KNT

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Beagle Active Probe	CT	—	[E]	—	—	—	4
1	Large Pulse Laser	RT	10	9 [P]	—	3	7	10
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Large Pulse Laser	LT	10	9 [P]	—	3	7	10
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


Cost: **BV:** 1,627

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. Double Heat Sink
	2. Medium Laser
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. Double Heat Sink
	2. Double Heat Sink
	3. Double Heat Sink
	4. Large Pulse Laser
	5. Large Pulse Laser
	6. Medium Laser
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again


Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Beagle Active Probe
	6. Beagle Active Probe

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Double Heat Sink
	6. Double Heat Sink
4-6	1. Double Heat Sink
	2. ER PPC
	3. ER PPC
	4. ER PPC
	5. Medium Laser
	6. Roll Again


Right Torso

1-3	1. Double Heat Sink
	2. Double Heat Sink
	3. Double Heat Sink
	4. Large Pulse Laser
	5. Large Pulse Laser
	6. Medium Laser
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-9-KNT

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Pulse Laser	CT	10	9 [P]	—	3	7	10
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Hatchet	LA	—	15	—	—	—	—
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6


Cost: **BV:** 1,678

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. Hatchet

1. Hatchet
2. Hatchet
3. Hatchet
4. Hatchet
5. Endo Steel
6. Endo Steel

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Large Laser
2. Large Laser
3. Medium Pulse Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Large Pulse Laser
6. Large Pulse Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. ER PPC
3. ER PPC
4. ER PPC
5. Medium Pulse Laser
6. Endo Steel

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Large Laser
2. Large Laser
3. Medium Pulse Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Black Knight BL-12-KNT

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	Targeting Computer	LT	—	[E]	—	—	—	—
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12


Cost: **BV:** 1,840

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. ER Medium Laser 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Endo Steel 4. Endo Steel 5. Endo Steel 6. Roll Again

Left Torso

1-3	1. Double Heat Sink 2. Double Heat Sink 3. Double Heat Sink 4. Large Laser 5. Large Laser 6. ER Medium Laser
4-6	1. Targeting Computer 2. Targeting Computer 3. Targeting Computer 4. Targeting Computer 5. Targeting Computer 6. Targeting Computer

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. Fusion Engine 3. Fusion Engine 4. Fusion Engine 5. Endo Steel 6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Double Heat Sink 6. Double Heat Sink
4-6	1. Double Heat Sink 2. ER PPC 3. ER PPC 4. ER PPC 5. ER Medium Laser 6. Roll Again


Right Torso

1-3	1. Double Heat Sink 2. Double Heat Sink 3. Double Heat Sink 4. Double Heat Sink 5. Double Heat Sink 6. Double Heat Sink
4-6	1. Large Laser 2. Large Laser 3. ER Medium Laser 4. Endo Steel 5. Endo Steel 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Flashman FLS-8K

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Flamer	HD	3	2 [DE,H,AI]	—	1	2	3
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	AMS	RT	1	— [PD]	—	—	—	—
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15
1	Medium Laser	LA	3	5 [DE]	—	3	6	9


Cost: **BV:** 1,779

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Medium Laser

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. Medium Laser (R)
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Flamer
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Large Laser
6. Large Laser

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Medium Laser

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. AMS
6. Ammo (AMS) 12


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Flashman FLS-9B

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C³CPU	HD	—	[E]	—	—	—	—
1	ER Small Laser	CT	2	3 [DE]	—	2	4	5
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6

Cost:


BV: 1,600

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Large Laser
5. ER Large Laser
6. Medium Pulse Laser

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. ER Medium Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Light Ferro-Fibrous
6. Light Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. Improved C³CPU
6. Improved C³CPU


Center Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
4. Compact Gyro
5. Compact Gyro
6. Light Fusion Engine

1-3

1. Light Fusion Engine
2. Light Fusion Engine
3. ER Small Laser
4. Light Ferro-Fibrous
5. Light Ferro-Fibrous
6. Light Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Large Laser
5. ER Large Laser
6. Medium Pulse Laser

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. ER Medium Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel


1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Light Ferro-Fibrous
6. Light Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (24) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Flashman FLS-9C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Large Laser	CT	12	8 [DE]	—	7	14	19
1	Improved C^3CPU	RT	—	[E]	—	—	—	—
1	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6


Cost:
BV: 1,779

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

1. ER Large Laser
2. Medium Pulse Laser
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Pulse Laser
5. Medium Laser (R)
6. Ferro-Fibrous

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. XL Fusion Engine

1. XL Fusion Engine
2. XL Fusion Engine
3. Gyro
4. Gyro
5. ER Large Laser
6. ER Large Laser

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Medium Pulse Laser
6. Endo Steel


1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Pulse Laser
5. Improved C^3CPU
6. Improved C^3CPU

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 16 (32) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Flashman FLS-9M

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Laser	HD	1	3 [DE]	—	1	2	3
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
2	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
1	Heavy PPC	RA	15	15 [DE]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Heavy PPC	LA	15	15 [DE]	3	6	12	18
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:


BV: 1,895

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Heavy PPC (1-3)
4. Heavy PPC (1-3)
5. Heavy PPC (1-3)
6. Heavy PPC (1-3)
1. Medium Laser (4-6)
2. Endo Steel (4-6)
3. Endo Steel (4-6)
4. Endo Steel (4-6)
5. Endo Steel (4-6)
6. Endo Steel (4-6)


Left Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Medium Pulse Laser
1. Medium Pulse Laser (4-6)
2. Medium Laser (4-6)
3. Endo Steel (4-6)
4. Endo Steel (4-6)
5. Endo Steel (4-6)
6. Light Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Light Ferro-Fibrous
6. Light Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Light Fusion Engine (1-3)
1. Light Fusion Engine (4-6)
2. Light Fusion Engine (4-6)
3. Gyro (4-6)
4. Gyro (4-6)
5. Endo Steel (4-6)
6. Light Ferro-Fibrous (4-6)

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O




Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Heavy PPC (1-3)
4. Heavy PPC (1-3)
5. Heavy PPC (1-3)
6. Heavy PPC (1-3)
1. Medium Laser (4-6)
2. Endo Steel (4-6)
3. Endo Steel (4-6)
4. Endo Steel (4-6)
5. Endo Steel (4-6)
6. Endo Steel (4-6)

Right Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink
1. Double Heat Sink (4-6)
2. Double Heat Sink (4-6)
3. Medium Pulse Laser (4-6)
4. Medium Pulse Laser (4-6)
5. Medium Laser (4-6)
6. Light Ferro-Fibrous (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Light Ferro-Fibrous
6. Light Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 15 (30) Double
O O
O O
O O
O O
O O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Flashman FLS-C

Movement Points:
- Walking: 5
- Running: 8
- Jumping: 0

Tonnage: 75
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	C^3Slave	HD	—	[E]	—	—	—	—
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	AMS	RT	1	— [PD]	—	—	—	—
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser(R)	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LA	8	8 [DE]	—	5	10	15
1	Medium Laser	LA	3	5 [DE]	—	3	6	9

Cost:


BV: 1,774

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Medium Laser

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. Medium Laser (R)
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. C^3Slave
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. XL Fusion Engine

1-3

1. XL Fusion Engine
2. XL Fusion Engine
3. Gyro
4. Gyro
5. Large Laser
6. Large Laser

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Medium Laser

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. AMS
6. Ammo (AMS) 12


1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thug THG-11E

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 80
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	PPC	LA	10	10 [DE]	3	6	12	18


Cost: **BV:** 1,640

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. PPC
3. PPC
4. PPC
5. Endo Steel
6. Endo Steel

4-6

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. CASE
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Endo Steel
6. Endo Steel

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. PPC
3. PPC
4. PPC
5. Endo Steel
6. Endo Steel

4-6

Right Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. CASE
5. Endo Steel
6. Endo Steel

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 18 (36) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thug THG-11E (Reich)

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 4

Tonnage: 80
Tech Base: Mixed Tech (I.S.) (Experimental)
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 6 (Clan)	RT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6 (Clan)	LT	4	2/Msl [M,C]	—	4	8	12
1	ER PPC (Clan)	RA	15	15 [DE]	—	7	14	23
1	ER PPC (Clan)	LA	15	15 [DE]	—	7	14	23


Cost: **BV:** 2,612

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. ER PPC (Clan)
3. ER PPC (Clan)
4. Endo Steel
5. Endo Steel
6. Roll Again

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Jump Jet
5. Jump Jet
6. Streak SRM 6 (Clan)

1. Streak SRM 6 (Clan)
2. Ammo (Streak SRM 6) 15
3. CASE
4. Endo Steel
5. Endo Steel
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Endo Steel
6. Endo Steel

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. ER PPC (Clan)
3. ER PPC (Clan)
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Jump Jet
5. Jump Jet
6. Streak SRM 6 (Clan)

1. Streak SRM 6 (Clan)
2. Ammo (Streak SRM 6) 15
3. CASE
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **16 (32) Double**
O O
O O
O O
O O
O O
O O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thug THG-12E

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 80
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	CT	—	[E]	—	—	—	—
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	ER PPC	LA	15	10 [DE]	—	7	14	23


Cost: **BV:** 1,751

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	Double Heat Sink
	2.	ER PPC
	3.	ER PPC
	4.	ER PPC
	5.	Roll Again
	6.	Roll Again

Left Torso

1-3	1.	Double Heat Sink
	2.	Double Heat Sink
	3.	Double Heat Sink
	4.	SRM 6
	5.	SRM 6
	6.	Endo Steel
4-6	1.	Endo Steel
	2.	Endo Steel
	3.	Endo Steel
	4.	Endo Steel
	5.	Endo Steel
	6.	Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso

1-3	1.	Fusion Engine
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Fusion Engine
	5.	Improved C^3CPU
	6.	Improved C^3CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	Lower Arm Actuator
	4.	Hand Actuator
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	Double Heat Sink
	2.	ER PPC
	3.	ER PPC
	4.	ER PPC
	5.	Roll Again
	6.	Roll Again


Right Torso

1-3	1.	Double Heat Sink
	2.	Double Heat Sink
	3.	Double Heat Sink
	4.	Double Heat Sink
	5.	Double Heat Sink
	6.	Double Heat Sink
4-6	1.	SRM 6
	2.	SRM 6
	3.	Ammo (SRM 6) 15
	4.	CASE
	5.	Endo Steel
	6.	Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 17 (34) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Thug THG-12K

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 80
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	C^3 Slave	HD	—	[E]	—	—	—	—
1	Guardian ECM Suite	CT	—	[E]	—	—	—	6
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	ER PPC	LA	15	10 [DE]	—	7	14	23


Cost: **BV:** 1,824

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. ER PPC
3. ER PPC
4. ER PPC
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. SRM 6
5. SRM 6
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. C^3 Slave
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Guardian ECM Suite
6. Guardian ECM Suite

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. ER PPC
3. ER PPC
4. ER PPC
5. Endo Steel
6. Roll Again

4-6

Right Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. CASE
5. Endo Steel
6. Endo Steel

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 17 (34) Double

O O
O O
O O
O O
O O
O O
O O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Thug THG-13K

Movement Points:
- Walking: 4
- Running: 6
- Jumping: 0

Tonnage: 80
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	CT	—	[E]	—	—	—	—
1	Heavy PPC	RT	15	15 [DE]	3	6	12	18
1	Heavy PPC	LT	15	15 [DE]	3	6	12	18
1	Heavy PPC	RA	15	15 [DE]	3	6	12	18
2	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6


Cost: **BV:** 2,086

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Medium Pulse Laser
2. Medium Pulse Laser

4-6
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Heavy PPC
2. Heavy PPC

4-6
3. Heavy PPC
4. Heavy PPC
5. Endo Steel
6. Endo Steel

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine


1-3
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro

4-6
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Improved C^3CPU
6. Improved C^3CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink

4-6
2. Heavy PPC
3. Heavy PPC
4. Heavy PPC
5. Heavy PPC
6. Endo Steel

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine


1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Heavy PPC
2. Heavy PPC

4-6
3. Heavy PPC
4. Heavy PPC
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **16 (32) Double**
O O
O O
O O
O O
O O
O O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Crockett CRK-5003-1

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 85
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	LB 10-X AC	LT	2	10 [DB,C,F,S]	—	6	12	18
1	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	Small Laser	LA	1	3 [DE]	—	1	2	3

Cost:


BV: 1,923

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER Large Laser
2. ER Large Laser

4-6
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. SRM 6
5. SRM 6
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. Ammo (LB 10-X Cluster) 10


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER Large Laser
2. ER Large Laser


4-6
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. SRM 6
2. SRM 6
3. Ammo (SRM 6) 15
4. Ammo (SRM 6) 15
5. Ammo (LB 10-X) 10
6. Ammo (LB 10-X) 10

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Crockett CRK-5003-3

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 85
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 6	RT	4	2/Msl [M,C]	—	3	6	9
1	LB 10-X AC	LT	2	10 [DB,C,F,S]	—	6	12	18
1	SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Small Laser	RA	1	3 [DE]	—	1	2	3
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	Small Laser	LA	1	3 [DE]	—	1	2	3


Cost: **BV:** 1,989

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER Large Laser
2. ER Large Laser

4-6
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. SRM 6
5. SRM 6
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink


4-6
4. ER Large Laser
5. ER Large Laser
6. Small Laser

Right Torso
1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. SRM 6
5. SRM 6
6. Ammo (LB 10-X) 10

4-6
1. Ammo (LB 10-X) 10
2. Ammo (LB 10-X Cluster) 10
3. Ammo (SRM 6) 15
4. Ammo (SRM 6) 15
5. CASE
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Crockett CRK-5004-1

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 85
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 4	RT	3	2/Msl [M,C]	—	3	6	9
1	Improved C³CPU	LT	—	[E]	—	—	—	—
1	LB 10-X AC	LT	2	10 [DB,C,F,S]	—	6	12	18
1	SRM 4	LT	3	2/Msl [M,C]	—	3	6	9
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	ER Small Laser	RA	2	3 [DE]	—	2	4	5
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	ER Small Laser	LA	2	3 [DE]	—	2	4	5


Cost: **BV:** 1,955

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER Large Laser
2. ER Large Laser

4-6
3. ER Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

4-6
1. LB 10-X AC
2. LB 10-X AC
3. LB 10-X AC
4. SRM 4
5. Improved C³CPU
6. Improved C³CPU


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER Large Laser
2. ER Large Laser


4-6
3. ER Small Laser
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. SRM 4
2. Ammo (LB 10-X) 10
3. Ammo (LB 10-X Cluster) 10
4. Ammo (SRM 4) 25
5. Ammo (SRM 4) 25
6. CASE

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (30) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	–5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp. avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	–4 Movement Points	○
19	Ammo Exp. avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	–3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH

'MECH RECORD SHEET

'MECH DATA

Type: Crockett CRK-5005-1

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 5

Tonnage: 85
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	HD	—	[E]	—	—	—	—
1	MML 3	RT	2	[M,S,C]				
	LRM			1/Msl	6	7	14	21
	SRM			2/Msl	—	3	6	9
1	LB 10-X AC	LT	2	10 [DB,C,F,S]	—	6	12	18
1	MML 3	LT	2	[M,S,C]				
	LRM			1/Msl	6	7	14	21
	SRM			2/Msl	—	3	6	9
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19

Cost:


BV: 1,908

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1	Shoulder
2	Upper Arm Actuator
3	Lower Arm Actuator
1-3	Double Heat Sink
4	Double Heat Sink
5	Double Heat Sink
6	Double Heat Sink
1	Double Heat Sink
2	Double Heat Sink
3	Double Heat Sink
4-6	ER Large Laser
5	ER Large Laser
6	Roll Again

Left Torso

1	Light Fusion Engine
2	Light Fusion Engine
3	Improved Jump Jet
1-3	Improved Jump Jet
4	LB 10-X AC
5	LB 10-X AC
6	LB 10-X AC
1	LB 10-X AC
2	LB 10-X AC
3	LB 10-X AC
4-6	LB 10-X AC
4	MML 3
5	MML 3
6	Roll Again

Left Leg

1	Hip
2	Upper Leg Actuator
3	Lower Leg Actuator
4	Foot Actuator
5	Improved Jump Jet
6	Improved Jump Jet


Head

1	Life Support
2	Sensors
3	Small Cockpit
4	Sensors
5	Improved C^3CPU
6	Improved C^3CPU

Center Torso

1	Light Fusion Engine
2	Light Fusion Engine
3	Light Fusion Engine
1-3	Gyro
4	Gyro
5	Gyro
6	Gyro
1	Gyro
2	Light Fusion Engine
3	Light Fusion Engine
4-6	Light Fusion Engine
4	Improved Jump Jet
5	Improved Jump Jet
6	Improved Jump Jet

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1	Shoulder
2	Upper Arm Actuator
3	Lower Arm Actuator
1-3	Double Heat Sink
4	Double Heat Sink
5	Double Heat Sink
6	Double Heat Sink
1	Double Heat Sink
2	Double Heat Sink
3	Double Heat Sink
4-6	ER Large Laser
5	ER Large Laser
6	Roll Again


Right Torso

1	Light Fusion Engine
2	Light Fusion Engine
3	Improved Jump Jet
1-3	Improved Jump Jet
4	MML 3
5	MML 3
6	MML 3
1	Ammo (LB 10-X) 10
2	Ammo (LB 10-X Cluster) 10
3	Ammo (MML 3/LRM) 40
4-6	Ammo (MML 3/SRM) 33
5	CASE
6	Roll Again

Right Leg

1	Hip
2	Upper Leg Actuator
3	Lower Leg Actuator
4	Foot Actuator
5	Improved Jump Jet
6	Improved Jump Jet

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-694

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 90
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Heavy Gauss Rifle	CT/LT	2	25/20/10 [DB,X]	4	6	13	20
2	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22

Cost:


BV: 2,358

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Ammo (Heavy Gauss) 4
6. Ammo (Heavy Gauss) 4

1. Ammo (Heavy Gauss) 4
2. Ammo (Heavy Gauss) 4
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Heavy Gauss Rifle
4. Heavy Gauss Rifle
5. Heavy Gauss Rifle
6. Heavy Gauss Rifle

1. Heavy Gauss Rifle
2. Heavy Gauss Rifle
3. Heavy Gauss Rifle
4. Heavy Gauss Rifle
5. Heavy Gauss Rifle
6. CASE


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Light Fusion Engine
3. Light Fusion Engine
4. Light Fusion Engine
5. Heavy Gauss Rifle
6. Heavy Gauss Rifle

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle


1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Large Laser
4. Large Laser
5. Large Laser
6. Large Laser

1. Ammo (Gauss) 8
2. Ammo (Gauss) 8
3. Ammo (Gauss) 8
4. CASE
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow

30* 29 28* 27 26* 25* 24* 23* 22* 21 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-732

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 90
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 20	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	SRM 6	LA	4	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 2,227

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 6
6. SRM 6

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Torso
1. Jump Jet
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1-3

1. Ammo (LRM 20) 6
2. Ammo (LRM 20) 6
3. Ammo (SRM 6) 15
4. Ammo (SRM 6) 15
5. CASE
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Torso
1. Jump Jet
2. Medium Laser
3. Medium Laser
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. CASE


1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 12 (12) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-734

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 90
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	LB 20-X AC	RT/RA	6	20 [DB,C,F,S]	—	4	8	12
2	Streak SRM 6	LT	4	2/Msl [M,C]	—	3	6	9
2	ER Medium Laser	LA	5	5 [DE]	—	4	8	12


Cost: **BV:** 2,214

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. ER Medium Laser

4-6

Left Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Streak SRM 6
6. Streak SRM 6

1-3

1. Ammo (Streak SRM 6) 15
2. Ammo (LB 20-X) 5
3. Ammo (LB 20-X) 5
4. Ammo (LB 20-X Cluster) 5
5. CASE
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Light Fusion Engine
3. Light Fusion Engine
4. Light Fusion Engine
5. Jump Jet
6. Medium Pulse Laser

4-6

Engine Hits OOO
Gyro Hits OO
Sensor Hits OO
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

1-3

1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

4-6

Right Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1-3

1. Double Heat Sink
2. Double Heat Sink
3. LB 20-X AC
4. LB 20-X AC
5. ER Large Laser
6. ER Large Laser

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: **14 (28) Double**
O O
O O
O O
O O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-736

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 90
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng (hexes)
1	Improved C³CPU	RT	—	[E]	—	—	—	—
2	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	LRM 20 w/Artemis IV FCS	LT	6	1/Msl [M,C,S]	6	7	14	21
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Streak SRM 4	LA	3	2/Msl [M,C]	—	3	6	9


Cost: **BV:** 2,255

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Streak SRM 4
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Jump Jet
2. LRM 20
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1-3

1. Artemis IV FCS
2. Ammo (LRM 20 Artemis) 6
3. Ammo (LRM 20 Artemis) 6
4. Ammo (Streak SRM 4) 25
5. CASE
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Ferro-Fibrous

4-6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Gauss Rifle
5. Roll Again
6. Roll Again

4-6

Right Torso
1. Jump Jet
2. Medium Laser
3. Medium Laser
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Improved C³CPU


1-3

1. Improved C³CPU
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: Highlander HGN-738

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 90
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	HD	5	5 [DE]	—	4	8	12
1	Streak SRM 4	CT	3	2/Msl [M,C]	—	3	6	9
1	Heavy Gauss Rifle	RT	2	25/20/10 [DB,X]	4	6	13	20
1	LRM 15 w/Artemis IV FCS	LT	5	1/Msl [M,C,S]	6	7	14	21
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12

Cost:


BV: 2,413

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ER Medium Laser
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Roll Again
	6. Roll Again

Left Torso

1-3	1. Jump Jet
	2. LRM 15
	3. LRM 15
	4. LRM 15
	5. Artemis IV FCS
	6. Ammo (Heavy Gauss) 4
4-6	1. Ammo (Heavy Gauss) 4
	2. Ammo (Heavy Gauss) 4
	3. Ammo (LRM 15 Artemis) 8
	4. Ammo (Streak SRM 4) 25
	5. CASE
	6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Jump Jet
	6. Streak SRM 4

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. ER Large Laser
	5. ER Large Laser
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Roll Again
	6. Roll Again


Right Torso

1-3	1. Jump Jet
	2. Heavy Gauss Rifle
	3. Heavy Gauss Rifle
	4. Heavy Gauss Rifle
	5. Heavy Gauss Rifle
	6. Heavy Gauss Rifle
4-6	1. Heavy Gauss Rifle
	2. Heavy Gauss Rifle
	3. Heavy Gauss Rifle
	4. Heavy Gauss Rifle
	5. Heavy Gauss Rifle
	6. Heavy Gauss Rifle

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	O
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-000

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	AC/20	RT/RA	7	20 [DB,S]	—	3	6	9
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	AC/20	LT/LA	7	20 [DB,S]	—	3	6	9
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21


Cost: **BV:** 1,906

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. AC/20
	6. AC/20
4-6	1. AC/20
	2. AC/20
	3. AC/20
	4. AC/20
	5. AC/20
	6. AC/20

Left Torso

1-3	1. AC/20
	2. AC/20
	3. LRM 15
	4. LRM 15
	5. LRM 15
	6. Ammo (AC/20) 5
4-6	1. Ammo (LRM 15) 8
	2. CASE
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Ferro-Fibrous


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. Heat Sink
	6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. AC/20
	6. AC/20
4-6	1. AC/20
	2. AC/20
	3. AC/20
	4. AC/20
	5. AC/20
	6. AC/20


Right Torso

1-3	1. AC/20
	2. AC/20
	3. Large Laser
	4. Large Laser
	5. Ammo (AC/20) 5
	6. CASE
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 15 (15) Single
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-001

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Era: Clan Invasion

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Pulse Laser	RT	10	9 [P]	—	3	7	10
1	Streak SRM 2	RT	2	2/Msl [M,C]	—	3	6	9
1	LRM 15	LT	5	1/Msl [M,C,S]	6	7	14	21
1	Streak SRM 2	LT	2	2/Msl [M,C]	—	3	6	9
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22


Cost: **BV:** 2,221

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 15
5. LRM 15
6. LRM 15

1. Streak SRM 2
2. Ammo (LRM 15) 8
3. Ammo (Streak SRM 2) 50
4. CASE
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle


1. Gauss Rifle
2. Gauss Rifle
3. Gauss Rifle
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Ferro-Fibrous

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Large Pulse Laser
5. Large Pulse Laser
6. Streak SRM 2

1. Ammo (Streak SRM 2) 50
2. CASE
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 13 (13) Single
O O
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-005

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Era: Civil War

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Improved C^3CPU	CT	—	[E]	—	—	—	—
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	LB 20-X AC	RT/RA	6	20 [DB,C,F,S]	—	4	8	12
1	LB 20-X AC	LT/LA	6	20 [DB,C,F,S]	—	4	8	12
2	Streak SRM 4	LT	3	2/Msl [M,C]	—	3	6	9

Cost:


BV: 2,264

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	LB 20-X AC
	4.	LB 20-X AC
	5.	LB 20-X AC
	6.	LB 20-X AC
4-6	1.	LB 20-X AC
	2.	LB 20-X AC
	3.	LB 20-X AC
	4.	LB 20-X AC
	5.	LB 20-X AC
	6.	Endo Steel

Left Torso

1-3	1.	LB 20-X AC
	2.	LB 20-X AC
	3.	Streak SRM 4
	4.	Streak SRM 4
	5.	Ammo (LB 20-X) 5
	6.	Ammo (LB 20-X) 5
4-6	1.	Ammo (LB 20-X Cluster) 5
	2.	Ammo (Streak SRM 4) 25
	3.	CASE
	4.	Endo Steel
	5.	Endo Steel
	6.	Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso

1-3	1.	Fusion Engine
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Gyro
	5.	Gyro
	6.	Gyro
4-6	1.	Gyro
	2.	Fusion Engine
	3.	Fusion Engine
	4.	Fusion Engine
	5.	Improved C^3CPU
	6.	Improved C^3CPU

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

1-3	1.	Shoulder
	2.	Upper Arm Actuator
	3.	LB 20-X AC
	4.	LB 20-X AC
	5.	LB 20-X AC
	6.	LB 20-X AC
4-6	1.	LB 20-X AC
	2.	LB 20-X AC
	3.	LB 20-X AC
	4.	LB 20-X AC
	5.	LB 20-X AC
	6.	Endo Steel


Right Torso

1-3	1.	LB 20-X AC
	2.	LB 20-X AC
	3.	ER Large Laser
	4.	ER Large Laser
	5.	Ammo (LB 20-X) 5
	6.	Ammo (LB 20-X Cluster) 5
4-6	1.	Ammo (LB 20-X Cluster) 5
	2.	CASE
	3.	Endo Steel
	4.	Endo Steel
	5.	Endo Steel
	6.	Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 12 (24) Double
O O
O O
O
O
O
O
O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-007

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 0

Tonnage: 100
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Streak SRM 6	CT	4	2/Msl [M,C]	—	3	6	9
1	Plasma Rifle	LT	10	10 [DE,H,AI]	—	5	10	15
1	Light PPC	RA	5	5 [DE]	3	6	12	18
1	Rotary AC/5	RA	1	5/Sht [DB,R/C]	—	5	10	15
1	Light PPC	LA	5	5 [DE]	3	6	12	18
1	Rotary AC/5	LA	1	5/Sht [DB,R/C]	—	5	10	15


Cost: **BV:** 2,523

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm

	1.	Shoulder
	2.	Upper Arm Actuator
1-3	3.	Rotary AC/5
1-3	4.	Rotary AC/5
1-3	5.	Rotary AC/5
1-3	6.	Rotary AC/5
	1.	Rotary AC/5
	2.	Rotary AC/5
4-6	3.	Light PPC
4-6	4.	Light PPC
	5.	Light Ferro-Fibrous
	6.	Roll Again

Left Torso

	1.	Plasma Rifle
	2.	Plasma Rifle
1-3	3.	Ammo (Plasma Rifle) 10
1-3	4.	Ammo (Plasma Rifle) 10
	5.	Roll Again
	6.	Roll Again
	1.	Roll Again
	2.	Roll Again
4-6	3.	Roll Again
4-6	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Left Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Light Ferro-Fibrous
	6.	Light Ferro-Fibrous


Head

	1.	Life Support
	2.	Sensors
	3.	Cockpit
	4.	Light Ferro-Fibrous
	5.	Sensors
	6.	Life Support

Center Torso

	1.	Fusion Engine
	2.	Fusion Engine
1-3	3.	Fusion Engine
1-3	4.	Gyro
1-3	5.	Gyro
1-3	6.	Gyro
	1.	Gyro
	2.	Fusion Engine
4-6	3.	Fusion Engine
4-6	4.	Fusion Engine
	5.	Streak SRM 6
	6.	Streak SRM 6

Engine Hits O O O
Gyro Hits O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm

	1.	Shoulder
	2.	Upper Arm Actuator
1-3	3.	Rotary AC/5
1-3	4.	Rotary AC/5
1-3	5.	Rotary AC/5
1-3	6.	Rotary AC/5
	1.	Rotary AC/5
	2.	Rotary AC/5
4-6	3.	Light PPC
4-6	4.	Light PPC
	5.	Light Ferro-Fibrous
	6.	Roll Again


Right Torso

	1.	Ammo (RAC/5) 20
	2.	Ammo (RAC/5) 20
1-3	3.	Ammo (RAC/5) 20
1-3	4.	Ammo (RAC/5) 20
1-3	5.	Ammo (RAC/5) 20
1-3	6.	Ammo (RAC/5) 20
	1.	Ammo (Streak SRM 6) 15
	2.	CASE
4-6	3.	Roll Again
4-6	4.	Roll Again
	5.	Roll Again
	6.	Roll Again

Right Leg

	1.	Hip
	2.	Upper Leg Actuator
	3.	Lower Leg Actuator
	4.	Foot Actuator
	5.	Light Ferro-Fibrous
	6.	Light Ferro-Fibrous

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects	Heat Sinks: 11 (22) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O
26	Shutdown, avoid on 10+	O
25	–5 Movement Points	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
20	–4 Movement Points	O
19	Ammo Exp. avoid on 4+	O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-008

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 100
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	HD	5	5 [DE]	—	4	8	12
1	Improved C^3CPU	RT	—	[E]	—	—	—	—
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	LAC/2	RT	1	2 [DB,S]	—	6	12	18
1	LAC/2	LT	1	2 [DB,S]	—	6	12	18
1	Heavy PPC	RA	15	15 [DE]	3	6	12	18
1	Heavy PPC	LA	15	15 [DE]	3	6	12	18


Cost: **BV:** 2,369

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Heavy PPC
4. Heavy PPC
5. Heavy PPC
6. Heavy PPC

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. LAC/2
5. Ammo (LAC/2) 45
6. CASE

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. ER Medium Laser
6. ER Medium Laser

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Heavy Duty Gyro
5. Heavy Duty Gyro
6. Heavy Duty Gyro

1. Heavy Duty Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Endo Steel

Engine Hits O O O
Gyro Hits O O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. Double Heat Sink
3. Heavy PPC
4. Heavy PPC
5. Heavy PPC
6. Heavy PPC

Right Torso
1. LAC/2
2. Improved C^3CPU
3. Improved C^3CPU
4. Guardian ECM Suite
5. Guardian ECM Suite
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 17 (34) Double
30	Shutdown	
28	Ammo Exp. avoid on 8+	O O
26	Shutdown, avoid on 10+	O O
25	–5 Movement Points	O O
24	+4 Modifier to Fire	O O
23	Ammo Exp. avoid on 6+	O O
22	Shutdown, avoid on 8+	O O
20	–4 Movement Points	O O
19	Ammo Exp. avoid on 4+	O O
18	Shutdown, avoid on 6+	O
17	+3 Modifier to Fire	O
15	–3 Movement Points	O
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	–2 Movement Points	
8	+1 Modifier to Fire	
5	–1 Movement Points	

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

'MECH RECORD SHEET

'MECH DATA

Type: King Crab KGC-008B

Movement Points:
- Walking: 3
- Running: 5
- Jumping: 3

Tonnage: 100
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	HD	5	5 [DE]	—	4	8	12
1	C^3 Slave	RT	—	[E]	—	—	—	—
1	Guardian ECM Suite	RT	—	[E]	—	—	—	6
1	LAC/2	RT	1	2 [DB,S]	—	6	12	18
1	LAC/2	LT	1	2 [DB,S]	—	6	12	18
1	Heavy PPC	RA	15	15 [DE]	3	6	12	18
1	Heavy PPC	LA	15	15 [DE]	3	6	12	18

Cost:


BV: 2,374

WARRIOR DATA


Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness#	3	5	7	10	11	Dead



ARMOR DIAGRAM



CRITICAL HIT TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Heavy PPC
4. Heavy PPC
5. Heavy PPC
6. Heavy PPC

Left Torso
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. LAC/2
5. Ammo (LAC/2) 45
6. CASE

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. ER Medium Laser
6. ER Medium Laser

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Heavy Duty Gyro
5. Heavy Duty Gyro
6. Heavy Duty Gyro

1. Heavy Duty Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Endo Steel

Engine Hits O O O
Gyro Hits O O O
Sensor Hits O O
Life Support O



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink


1. Double Heat Sink
2. Double Heat Sink
3. Heavy PPC
4. Heavy PPC
5. Heavy PPC
6. Heavy PPC

Right Torso
1. LAC/2
2. Ammo (LAC/2) 45
3. C^3 Slave
4. Guardian ECM Suite
5. Guardian ECM Suite
6. CASE

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM



HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
26	Shutdown, avoid on 10+
25	–5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
20	–4 Movement Points
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	–3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	–2 Movement Points
8	+1 Modifier to Fire
5	–1 Movement Points

Heat Sinks: 17 (34) Double
O O
O O
O O
O O
O O
O O
O O
O O
O
O
O

Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2011 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.



STAR LEAGUE AEROSPACE FIGHTERS

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Trident TRN-3T

Thrust:
Safe Thrust: 8
Maximum Thrust: 12


Tonnage: 20
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory


Qty	Type	Loc.	Ht	Standard Scale (0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Medium Laser [DE]	N	3	5	—	—	—
1	Medium Laser [DE]	LW	3	5	—	—	—
1	Medium Laser [DE]	RW	3	5	—	—	—
1	Small Laser [DE]	A	1	3	—	—	—

Fuel: 240 Points

Cost:
BV: 374



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Trident TRN-3U

Thrust:
Safe Thrust: 8
Maximum Thrust: 12

Tonnage: 20
Tech Base: Inner Sphere (Intro)
Era: Succession Wars


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Laser [DE]	N	3	5	—	—	—
1	Medium Laser [DE]	LW	3	5	—	—	—
1	Medium Laser [DE]	RW	3	5	—	—	—
1	Small Laser [DE]	A	1	3	—	—	—

Fuel: 240 Points

Cost:
BV: 385



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Trident TRN-3V

Thrust:
Safe Thrust: 12
Maximum Thrust: 18

Tonnage: 20
Tech Base: Inner Sphere
Era: Jihad


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Medium Pulse Laser [P]	N	4	6	—	—	—
1	ER Medium Laser [DE]	LW	5	5	5	—	—
1	ER Medium Laser [DE]	RW	5	5	5	—	—
1	ER Small Laser [DE]	A	2	3	—	—	—

Fuel: 3 Points

Cost:
BV: 637



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (20) Double

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Swift SWF-606

Thrust:
Safe Thrust: 13
Maximum Thrust: 20

Tonnage: 25
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory


Standard Scale

Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Laser [DE]	N	3	5	—	—	—
1	Small Laser [DE]	A	1	3	—	—	—


Fuel: 240 Points

Cost:

BV: 288



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Swift SWF-606R

Thrust:
Safe Thrust: 13
Maximum Thrust: 20

Tonnage: 25
Tech Base: Inner Sphere
Era: Succession Wars


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Beagle Active Probe [E]	N	0	—	—	4	—

Fuel: 240 Points

Cost:
BV: 166



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks:
10 (10)
Single
O
O
O
O
O
O
O
O
O
O

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Swift C

Thrust:
Safe Thrust: 13
Maximum Thrust: 20

Tonnage: 25
Tech Base: Clan
Era: Succession Wars

Weapons & Equipment Inventory


Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	ER Medium Laser [DE]	N	5	7	7	—	—
1	ER Small Laser [DE]	N	2	5	—	—	—


Fuel: 240 Points

Cost:

BV: 562



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Spad SPD-502

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 30
Tech Base: Inner Sphere (Intro)
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Laser [DE]	N	3	5	—	—	—
1	PPC [DE]	N	10	10	10	—	—
1	Small Laser [DE]	N	1	3	—	—	—

Fuel: 400 Points

Cost:
BV: 807



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Spad SPD-503

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 30
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Large Pulse Laser [P]	N	10	9	9	—	—
2	Medium Pulse Laser [P]	N	4	6	—	—	—

Fuel: 400 Points

Cost:
BV: 824



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (20) Double

Heat Scale: Overflow

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Spad SPD-504

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 30
Tech Base: Inner Sphere
Era: Jihad


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
2	ER Small Laser [DE]	N	2	3	—	—	—
1	Heavy PPC [DE]	N	15	15	15	—	—

Fuel: 400 Points

Cost:
BV: 1,064



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (20) Double

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Zero ZRO-114

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 35
Tech Base: Inner Sphere (Intro)
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Large Laser [DE]	N	8	8	8	—	—
1	LRM 10 [M,C,S]	N	4	6	6	6	—
1	Medium Laser [DE]	N	3	5	—	—	—

Ammo: (LRM 10) 12
Fuel: 400 Points

Cost: **BV:** 881



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Zero ZRO-115

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 35
Tech Base: Inner Sphere
Era: Clan Invasion


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	ER PPC [DE]	N	15	10	10	10	—
1	Medium Laser [DE]	N	3	5	—	—	—
2	Streak SRM 2 [M,C]	N	2	4	—	—	—

Ammo: (Streak SRM 2) 50
Fuel: 400 Points

Cost: **BV:** 985



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (20) Double

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rogue RGU-133E

Thrust:
Safe Thrust: 5
Maximum Thrust: 8

Tonnage: 40
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Laser [DE]	N	3	5	—	—	—
1	LRM 15 [M,C,S]	LW	5	9	9	9	—
1	LRM 15 [M,C,S]	RW	5	9	9	9	—
1	Medium Laser [DE]	A	3	5	—	—	—

Ammo: (LRM 15) 16
Fuel: 400 Points

Cost:
BV: 802



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rogue RGU-133F

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 40
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale

Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Laser [DE]	N	3	5	—	—	—
2	SRM 6 [M,C]	LW	4	8	—	—	—
2	SRM 6 [M,C]	RW	4	8	—	—	—
1	Medium Laser [DE]	A	3	5	—	—	—

Ammo: (SRM 6) 60
Fuel: 400 Points

Cost:
BV: 818



ARMOR DIAGRAM

Nose Damage Threshold (Total Armor)
3 (30)

Structural Integrity:
7

Left Wing Damage Threshold (Total Armor)
3 (27)

Right Wing Damage Threshold (Total Armor)
3 (27)

Aft Damage Threshold (Total Armor)
2 (14)

EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rogue RGU-133L

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 40
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Laser [DE]	N	3	5	—	—	—
1	Large Laser [DE]	LW	8	8	8	—	—
1	Large Laser [DE]	RW	8	8	8	—	—
1	Medium Laser [DE]	A	3	5	—	—	—

Fuel: 400 Points

Cost:
BV: 865



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 16 (16) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rogue RGU-133LP

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 40
Tech Base: Inner Sphere
Era: Clan Invasion


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Pulse Laser [P]	N	4	6	—	—	—
1	Large Pulse Laser [P]	LW	10	9	9	—	—
1	Large Pulse Laser [P]	RW	10	9	9	—	—
1	Medium Pulse Laser [P]	A	4	6	—	—	—

Fuel: 400 Points

Cost:
BV: 856



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (20) Double

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rogue RGU-133P

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 40
Tech Base: Inner Sphere
Era: Succession War


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Medium Laser [DE]	N	3	5	—	—	—
1	PPC [DE]	LW	10	10	10	—	—
1	PPC [DE]	RW	10	10	10	—	—
1	Medium Laser [DE]	A	3	5	—	—	—

Fuel: 400 Points

Cost:
BV: 991



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 12 (12) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Tomahawk THK-33

Thrust:
Safe Thrust: 8
Maximum Thrust: 12

Tonnage: 45
Tech Base: Inner Sphere (Intro)
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Small Laser [DE]	N	1	3	—	—	—
1	Large Laser [DE]	LW	8	8	8	—	—
1	Large Laser [DE]	RW	8	8	8	—	—

Fuel: 400 Points

Cost:
BV: 1,069



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Tomahawk THK-43

Thrust:
Safe Thrust: 8
Maximum Thrust: 12

Tonnage: 45
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Small Laser [DE]	N	1	3	—	—	—
1	Large Laser [DE]	LW	8	8	8	—	—
1	Large Laser [DE]	RW	8	8	8	—	—

Fuel: 400 Points

Cost:
BV: 1,038



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 12 (12) Single

30*	O O
29	O O
28*	O
27*	O
26*	O
25*	O
24*	O
23*	O
22*	O
21*	O
20*	O
19*	
18*	
17*	
16	
15*	
14*	
13*	
12	
11	
10*	
9	
8*	
7	
6	
5*	
4	
3	
2	
1	
0	

Heat Scale
Overflow

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Tomahawk THK-53

Thrust:
Safe Thrust: 8
Maximum Thrust: 12

Tonnage: 45
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
3	Medium Laser [DE]	LW	3	5	—	—	—
3	Medium Laser [DE]	RW	3	5	—	—	—

Fuel: 400 Points

Cost:
BV: 1,105



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 16 (16) Single

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Tomahawk THK-63

Thrust:
Safe Thrust: 8
Maximum Thrust: 12

Tonnage: 45
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Small Laser [DE]	N	1	3	—	—	—
1	Large Laser [DE]	LW	8	8	8	—	—
1	Large Laser [DE]	RW	8	8	8	—	—

Fuel: 400 Points

Cost:
BV: 1,038



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 12 (24) Double

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Tomahawk THK-63CS

Thrust:
Safe Thrust: 8
Maximum Thrust: 12

Tonnage: 45
Tech Base: Inner Sphere
Era: Jihad


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	ER Small Laser [DE]	N	2	3	—	—	—
1	ER Large Laser [DE]	LW	12	8	8	8	—
1	ER Large Laser [DE]	RW	12	8	8	8	—

Fuel: 400 Points

Cost:
BV: 1,204



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 12 (24)
Double

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Tomahawk C

Thrust:
Safe Thrust: 8
Maximum Thrust: 12

Tonnage: 45
Tech Base: Clan
Era: Succession Wars


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	ER Small Laser [DE]	N	2	5	—	—	—
1	ER Large Laser [DE]	LW	12	10	10	10	10
1	ER Large Laser [DE]	RW	12	10	10	10	10

Fuel: 400 Points

Cost:
BV: 1,648



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 13 (26) Double

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Tomahawk CH

Thrust:
Safe Thrust: 8
Maximum Thrust: 12


Tonnage: 45
Tech Base: Clan
Era: Civil War

Weapons & Equipment Inventory


Qty	Type	Loc.	Ht	Standard Scale (0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Heavy Small Laser [DE]	N	3	6	—	—	—
1	Heavy Large Laser [DE]	LW	18	16	16	—	—
1	Heavy Large Laser [DE]	RW	18	16	16	—	—

Fuel: 400 Points

Cost:
BV: 1,589



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 13 (26) Double

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hellcat II HCT-212

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 50
Tech Base: Inner Sphere (Intro)
Era: Succession Wars

Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Large Laser [DE]	LW	8	8	8	—	—
1	Medium Laser [DE]	LW	3	5	—	—	—
1	Large Laser [DE]	RW	8	8	8	—	—
1	Medium Laser [DE]	RW	3	5	—	—	—

Fuel: 400 Points

Cost: **BV:** 1,212



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 15 (15) Single

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hellcat II HCT-213B

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 50
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Beagle Active Probe [E]	N	0	—	—	4	—
1	Large Laser [DE]	LW	8	8	8	—	—
1	Large Laser [DE]	RW	8	8	8	—	—
1	Medium Laser [DE]	A	3	5	—	—	—

Fuel: 400 Points

Cost:
BV: 1,153



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 15 (15) Single

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hellcat II HCT-214

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 50
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Beagle Active Probe [E]	N	0	—	—	4	—
1	Medium Laser [DE]	N	3	5	—	—	—
1	ER Large Laser [DE]	LW	12	8	8	8	—
1	ER Large Laser [DE]	RW	12	8	8	8	—
1	Medium Laser [DE]	A	3	5	—	—	—

Fuel: 400 Points

Cost:
BV: 1,375



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
27	Pilot Damage, avoid on 9+	O O
26	Shutdown, avoid on 10+	O O
25	Random Movement, avoid on 10+	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
21	Pilot Damage, avoid on 6+	O
20	Random Movement, avoid on 8+	O
19	Ammo Exp. avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

Heat Scale

Overflow

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hellcat II HCT-215

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 50
Tech Base: Inner Sphere
Era: Jihad

Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Beagle Active Probe [E]	N	0	—	—	4	—
1	ER Medium Laser [DE]	N	5	5	5	—	—
1	Light PPC [DE]	N	5	5	5	—	—
2	Light PPC [DE]	LW	5	5	5	—	—
2	Light PPC [DE]	RW	5	5	5	—	—
1	ER Medium Laser [DE]	A	5	5	5	—	—

Fuel: 400 Points

Cost:
BV: 1,686



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 15 (30) Double

Heat Scale: Overflow

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Gotha GTHA-100

Thrust:
Safe Thrust: 4
Maximum Thrust: 6

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
2	Medium Laser [DE]	N	3	5	—	—	—
1	PPC [DE]	N	10	10	10	—	—
1	LRM 15 [M,C,S]	LW	5	9	9	9	—
1	SRM 4 [M,C]	LW	3	4	—	—	—
1	LRM 15 [M,C,S]	RW	5	9	9	9	—
1	SRM 4 [M,C]	RW	3	4	—	—	—
2	Small Laser [DE]	A	1	3	—	—	—

Ammo: (SRM 4) 25, (LRM 15) 8
Fuel: 480 Points

Cost:
BV: 1,301



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 14 (14) Single

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Gotha GTHA-300

Thrust:
Safe Thrust: 4
Maximum Thrust: 6

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
2	Medium Laser [DE]	N	3	5	—	—	—
1	PPC [DE]	N	10	10	10	—	—
1	LRM 15 [M,C,S]	LW	5	9	9	9	—
1	Small Laser [DE]	LW	1	3	—	—	—
1	LRM 15 [M,C,S]	RW	5	9	9	9	—
1	Small Laser [DE]	RW	1	3	—	—	—
2	Medium Laser [DE]	A	3	5	—	—	—

Ammo: (LRM 15) 8
Fuel: 480 Points

Cost: **BV:** 1,463



ARMOR DIAGRAM

Nose Damage Threshold (Total Armor)
9 (90)

Structural Integrity:
6

Left Wing Damage Threshold (Total Armor)
7 (70)

Right Wing Damage Threshold (Total Armor)
7 (70)

Aft Damage Threshold (Total Armor)
6 (56)

EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks:
14 (14)
Single
O O
O O
O O
O O
O
O
O
O
O
O

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Gotha GTHA-400

Thrust:
Safe Thrust: 5
Maximum Thrust: 8

Tonnage: 60
Tech Base: Inner Sphere (Intro)
Era: Succession Wars


Weapons & Equipment Inventory

Standard Scale

Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
2	Medium Laser [DE]	N	3	5	—	—	—
1	PPC [DE]	N	10	10	10	—	—
1	LRM 15 [M,C,S]	LW	5	9	9	9	—
1	Small Laser [DE]	LW	1	3	—	—	—
1	LRM 15 [M,C,S]	RW	5	9	9	9	—
1	Small Laser [DE]	RW	1	3	—	—	—
2	Medium Laser [DE]	A	3	5	—	—	—

Ammo: (LRM 15) 8
Fuel: 480 Points

Cost:
BV: 1,364



ARMOR DIAGRAM

Nose Damage Threshold (Total Armor)
7 (70)

Structural Integrity:
6

Left Wing Damage Threshold (Total Armor)
5 (48)

Right Wing Damage Threshold (Total Armor)
5 (48)

Aft Damage Threshold (Total Armor)
5 (42)

EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks:
14 (14)
Single
O O
O O
O O
O O
O
O
O
O
O
O

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Gotha GTHA-500

Thrust:
Safe Thrust: 5
Maximum Thrust: 8

Tonnage: 60
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
2	Medium Laser [DE]	N	3	5	—	—	—
1	PPC [DE]	N	10	10	10	—	—
1	LRM 15 [M,C,S]	LW	5	9	9	9	—
1	Small Laser [DE]	LW	1	3	—	—	—
1	LRM 15 [M,C,S]	RW	5	9	9	9	—
1	Small Laser [DE]	RW	1	3	—	—	—
2	Medium Laser [DE]	A	3	5	—	—	—

Ammo: (LRM 15) 8
Fuel: 480 Points

Cost:
BV: 1,436



ARMOR DIAGRAM

Nose Damage Threshold (Total Armor)
8 (76)

Structural Integrity:
6

Left Wing Damage Threshold (Total Armor)
6 (54)

Right Wing Damage Threshold (Total Armor)
6 (54)

Aft Damage Threshold (Total Armor)
5 (48)

EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks:
14 (14)
Single
O O
O O
O O
O O
O
O
O
O
O
O

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Gotha GTHA-600

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 60
Tech Base: Inner Sphere
Era: Civil War


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
2	ER Medium Laser [DE]	N	5	5	5	—	—
1	Snub-Nose PPC [DE,V]	N	10	10	8	—	—
1	Small Laser [DE]	LW	1	3	—	—	—
2	SRM 6 [M,C]	LW	4	8	—	—	—
1	Small Laser [DE]	RW	1	3	—	—	—
2	SRM 6 [M,C]	RW	4	8	—	—	—
2	Medium Laser [DE]	A	3	5	—	—	—

Ammo: (SRM 6) 30
Fuel: 480 Points

Cost:
BV: 1,549



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks: 14 (28) Double
30	Shutdown	O O
28	Ammo Exp. avoid on 8+	O O
27	Pilot Damage, avoid on 9+	O O
26	Shutdown, avoid on 10+	O O
25	Random Movement, avoid on 10+	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
21	Pilot Damage, avoid on 6+	O
20	Random Movement, avoid on 8+	O
19	Ammo Exp. avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

Heat Scale

Overflow

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Ironsides IRN-SD1

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 65
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
2	PPC [DE]	N	10	10	10	—	—
1	SRM 6 [M,C]	N	4	8	—	—	—
1	Medium Laser [DE]	LW	3	5	—	—	—
2	SRM 6 [M,C]	LW	4	8	—	—	—
1	Medium Laser [DE]	RW	3	5	—	—	—
2	SRM 6 [M,C]	RW	4	8	—	—	—

Ammo: (SRM 6) 15
Fuel: 400 Points

Cost:
BV: 1,466



ARMOR DIAGRAM

Nose Damage Threshold (Total Armor)
7 (61)

Structural Integrity: 6

Left Wing Damage Threshold (Total Armor)
4 (36)

Right Wing Damage Threshold (Total Armor)
4 (36)

Aft Damage Threshold (Total Armor)
6 (51)

EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
27	Pilot Damage, avoid on 9+	O
26	Shutdown, avoid on 10+	O
25	Random Movement, avoid on 10+	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
21	Pilot Damage, avoid on 6+	O
20	Random Movement, avoid on 8+	O
19	Ammo Exp. avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Ironsides IRN-SD2

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 65
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
3	Large Laser [DE]	N	8	8	8	—	—
1	SRM 6 [M,C]	N	4	8	—	—	—
2	SRM 6 [M,C]	LW	4	8	—	—	—
2	SRM 6 [M,C]	RW	4	8	—	—	—

Ammo: (SRM 6) 30
Fuel: 400 Points

Cost: **BV:** 1,388



ARMOR DIAGRAM

Nose Damage Threshold (Total Armor)
7 (61)

Structural Integrity: 6

Left Wing Damage Threshold (Total Armor)
4 (36)

Right Wing Damage Threshold (Total Armor)
4 (36)

Aft Damage Threshold (Total Armor)
6 (51)

EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
27	Pilot Damage, avoid on 9+	O
26	Shutdown, avoid on 10+	O
25	Random Movement, avoid on 10+	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
21	Pilot Damage, avoid on 6+	O
20	Random Movement, avoid on 8+	O
19	Ammo Exp. avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Ironsides IRN-SD3

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 65
Tech Base: Inner Sphere
Era: Jihad


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	ER Large Laser [DE]	N	12	8	8	8	—
1	ER PPC [DE]	N	15	10	10	10	—
1	MRM 10 [M,C]	N	4	6	6	—	—
2	MRM 10 [M,C]	LW	4	6	6	—	—
2	MRM 10 [M,C]	RW	4	6	6	—	—

Ammo: (MRM 10) 120
Fuel: 400 Points

Cost: **BV:** 1,399



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10 (20) Double
30	Shutdown	O
28	Ammo Exp. avoid on 8+	O
27	Pilot Damage, avoid on 9+	O
26	Shutdown, avoid on 10+	O
25	Random Movement, avoid on 10+	O
24	+4 Modifier to Fire	O
23	Ammo Exp. avoid on 6+	O
22	Shutdown, avoid on 8+	O
21	Pilot Damage, avoid on 6+	O
20	Random Movement, avoid on 8+	O
19	Ammo Exp. avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hammerhead HMR-HD

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 75
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	AC/20 [DB,S]	N	7	20	—	—	—

Ammo: (AC/20) 15
Fuel: 400 Points

Cost:
BV: 1,028



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (10) Single

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hammerhead HMR-HE

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 75
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
2	PPC [DE]	N	10	10	10	—	—

Fuel: 560 Points

Cost:


BV: 1,254

ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher



CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 11 (22) Double

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hammerhead HMR-HF

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 75
Tech Base: Inner Sphere
Era: Jihad


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	LB 10-X AC [DB,C,F,S]	N	2	10	10	—	—
1	ER Medium Laser [DE]	LW	5	5	5	—	—
1	ER Medium Laser [DE]	RW	5	5	5	—	—

Ammo: (LB 10-X Cluster) 10, (LB 10-X) 10
Fuel: 560 Points

Cost:
BV: 1,162



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (20) Double

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Hammerhead HMR-HG

Thrust:
Safe Thrust: 7
Maximum Thrust: 11

Tonnage: 75
Tech Base: Inner Sphere
Era: Jihad


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Ultra AC/20 [DB,R/C]	N	8	30	30	—	—

Ammo: (Ultra AC/20) 10
Fuel: 400 Points

Cost:
BV: 1,235



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 10 (20) Double

Heat Scale: Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rapier RPR-100

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 85
Tech Base: Inner Sphere
Era: Star League


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	AC/20 [DB,S]	N	7	20	—	—	—
1	LRM 10 [M,C,S]	N	4	6	6	6	—
2	PPC [DE]	N	10	10	10	—	—

Ammo: (AC/20) 10, (LRM 10) 12
Fuel: 400 Points

Cost:
BV: 1,554



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 12 (24) Double

Heat Scale: Overflow

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rapier RPR-101

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 85
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory


Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
3	PPC [DE]	N	10	10	10	—	—
2	Medium Laser [DE]	LW	3	5	—	—	—
2	Medium Laser [DE]	RW	3	5	—	—	—

Fuel: 400 Points


Cost:
BV: 1,807

ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher



CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ **Piloting Skill:** ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 20 (40) Double

Heat Scale: Overflow

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rapier RPR-102

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 85
Tech Base: Inner Sphere (Intro)
Era: Succession Wars


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	AC/20 [DB,S]	N	7	20	—	—	—
2	Large Laser [DE]	N	8	8	8	—	—
1	LRM 10 [M,C,S]	N	4	6	6	6	—

Ammo: (AC/20) 10, (LRM 10) 12
Fuel: 400 Points

Cost:
BV: 1,327



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 16 (16) Single

30*	O O
29	O O
28*	O O
27*	O O
26*	O O
25*	O O
24*	O O
23*	O
22*	O
21*	O
20*	O
19*	
18*	
17*	
16	
15*	
14*	
13*	
12	
11	
10*	
9	
8*	
7	
6	
5*	
4	
3	
2	
1	
0	

Heat Scale
Overflow

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rapier RPR-200

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 85
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory


Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
2	ER PPC [DE]	N	15	10	10	10	—
1	LB 10-X AC [DB,C,F,S]	N	2	10	10	—	—
1	LRM 10 [M,C,S]	N	4	6	6	6	—


Ammo: (LB 10-X Cluster) 10, (LB 10-X) 10, (LRM 10) 12

Fuel: 400 Points

Cost: **BV:** 1,797



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 14 (28)
Double

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Rapier RPR-300

Thrust:
Safe Thrust: 6
Maximum Thrust: 9

Tonnage: 85
Tech Base: Inner Sphere
Era: Jihad


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Heavy Gauss Rifle [DB,X]	N	2	25	20	10	—
2	PPC [DE]	N	10	10	10	—	—

Ammo: (Heavy Gauss) 16
Fuel: 400 Points

Cost:
BV: 2,019



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 11 (22) **Double**

Heat Scale: Overflow

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Ahab AHB-443

Thrust:
Safe Thrust: 5
Maximum Thrust: 8

Tonnage: 90
Tech Base: Inner Sphere
Era: Star League

Weapons & Equipment Inventory


Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Large Laser [DE]	N	8	8	8	—	—
1	Narc [M]	N	0	—	—	—	—
1	LRM 20 [M,C,S]	LW	6	12	12	12	—
1	SRM 6 [M,C]	LW	4	8	—	—	—
1	LRM 20 [M,C,S]	RW	6	12	12	12	—
1	SRM 6 [M,C]	RW	4	8	—	—	—
2	Medium Laser [DE]	A	3	5	—	—	—


Ammo: (Narc) 24, (SRM 6 Narc) 30, (LRM 20 Narc) 36

Fuel: 400 Points

Cost: **BV:** 1,738



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 14 (14) Single

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Ahab AHB-643

Thrust:
Safe Thrust: 5
Maximum Thrust: 8

Tonnage: 90
Tech Base: Inner Sphere
Era: Clan Invasion


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	MRM 40 [M,C]	LW	12	24	24	—	—
2	Rocket Launcher 10 [M,C]	LW	3	6	6	—	—
1	MRM 40 [M,C]	RW	12	24	24	—	—
2	Rocket Launcher 10 [M,C]	RW	3	6	6	—	—

Ammo: (MRM 40) 12
Fuel: 400 Points

Cost: **BV:** 1,537



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 22 (44)
Double

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Ahab AHB-MD

Thrust:
Safe Thrust: 5
Maximum Thrust: 8

Tonnage: 90
Tech Base: Inner Sphere
Era: Clan Invasion


Weapons & Equipment Inventory

Standard Scale


Qty	Type	Loc.	Ht	SRV (0–6)	MRV (6–12)	LRV (13–20)	ERV (21–25)
1	Large Pulse Laser [P]	N	10	9	9	—	—
2	Medium Laser [DE]	N	3	5	—	—	—
1	Targeting Computer [E]	N	0	—	—	—	—
1	MRM 40 [M,C]	LW	12	24	24	—	—
1	MRM 40 [M,C]	RW	12	24	24	—	—

Ammo: (MRM 40) 24
Fuel: 400 Points

Cost:
BV: 1,876



ARMOR DIAGRAM



EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 22 (44) Double

Heat Scale (Overflow)

30* 29 28* 27* 26* 25* 24* 23* 22* 21* 20* 19* 18* 17* 16 15* 14* 13* 12 11 10* 9 8* 7 6 5* 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.

BATTLETECH

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Ahab AHB-X

Thrust:
Safe Thrust: 5
Maximum Thrust: 8

Tonnage: 90
Tech Base: Inner Sphere (Intro)
Era: Star League


Weapons & Equipment Inventory

Standard Scale

Qty	Type	Loc.	Ht	(0–6) SRV	(6–12) MRV	(13–20) LRV	(21–25) ERV
1	Large Laser [DE]	N	8	8	8	—	—
3	Medium Laser [DE]	N	3	5	—	—	—
1	LRM 20 [M,C,S]	LW	6	12	12	12	—
1	SRM 6 [M,C]	LW	4	8	—	—	—
1	LRM 20 [M,C,S]	RW	6	12	12	12	—
1	SRM 6 [M,C]	RW	4	8	—	—	—

Ammo: (LRM 20) 36, (SRM 6) 30
Fuel: 400 Points

Cost:
BV: 1,818



ARMOR DIAGRAM

Nose Damage Threshold (Total Armor)
9 (84)

Structural Integrity: 9

Left Wing Damage Threshold (Total Armor)
6 (59)

Right Wing Damage Threshold (Total Armor)
6 (59)

Aft Damage Threshold (Total Armor)
5 (46)

EXTERNAL STORES/BOMBS

Key:-
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: _____

Gunnery Skill: ___ Piloting Skill: ___

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp. avoid on 8+
27	Pilot Damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp. avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot Damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp. avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Sinks: 18 (18) Single

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2011 The Topps Company, Inc. Classic BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Productions, LLC. Permission to photocopy for personal use.