





STAR FLEET BATTLES

MODULE R3



Klingon

Hydran


Wyn

Lyran



**ADB
Inc.**

STAR FLEET BATTLES



CAPTAIN'S MODULE R3



NEW SHIPS FOR KLINGONS — HYDRANS — LYRANS — WYNS NEW 2000 EDITION

TABLE OF CONTENTS

INTRODUCTION	2
DESIGNER'S NOTES	
PUBLISHER'S INFORMATION	
ANNEXES	
KLINGONS SHIPS	3
HYDRAN SHIPS	7
LYRAN SHIPS	11
WYN SHIPS	15
SCENARIOS	15
SH76 Quarantine	
SH77 Justice Denied	
SH78 Sacred	
SH79 Moment of Glory	
SH80 Dictator's Diplomat	
SH81 Radey to the Rescue	
MASTER SHIP CHART	25

(Z16.0) NOTES ON MODULE R3**(Z16.1) PRODUCT ORGANIZATION AND COMPONENTS**

STAR FLEET BATTLES CAPTAIN'S MODULE R3 is a modular component of the Star Fleet Battles Captain's Edition game system. To use this product, you must have Star Fleet Battles Basic Set. To use the Lyrans, Hydrans, and WYNs, you must have Module C1. To use some of the material in this product, you must also have Advanced Missions.

This rulebook is designed to be cut into separate pages and integrated into your main SFB rulebook.

A complete copy of Module R3 includes:

- 32-page rulebook (this book)
- 80-page SSD book
- two sheets of ship counters (108 each)

(Z16.2) DESIGNER'S NOTES

When the Captain's Edition was first organized, the R-Modules were created as a combination of the later ship sections and the Reinforcements products from the older Commander's Edition. The 12 races were divided between three modules (R2-R4), with the "generic" ships put into Module R1.

(Z16.3) DESIGN CREDITS**DESIGN AND DEVELOPMENT STAFF**

SFB Designer Stephen V. Cole, PE
 SFB Executive Developer.... Steven P. Petrick
 Senior Rules Editor..... Scot McConnachie
 Project Staff..... John D. Berg, Kenneth
 Burnside, Mark Schultz, Gregg Dieckhaus, Stewart
 Frazier, Marc Cocherl, Bill Helm; 2000: Richard Eitzen,
 Mike Calhoon, Chuck Strong, Mike Filsinger.
 Production, ADB..... Stephen V Cole
 Chief of ADB Security Ramses
 Security Staff..... Waylon, R Rex
 ADB Inspector General Isis
 Computer Artist Stephen V. Cole
 Race Profile Artist..... Dan Carroll
 Cover Artist Kenneth Mayfield

(Z16.4) PUBLISHER'S INFORMATION

STAR FLEET BATTLES CAPTAIN'S EDITION MODULE R3 was created and published by:

AMARILLO DESIGN BUREAU, INC.
 POST OFFICE BOX 8759
 AMARILLO, TEXAS 79159-8759
 Phone: 806-351-1950 Fax 806-351-2585

Send the following correspondence to ADB, Inc.:

- requests for a spare parts price list,
- orders for spare parts,
- requests for catalogs and product updates,
- replacement of defective or missing parts,
- submissions of art,
- inquiries into the release schedule of various products,

All consumer correspondence requires a stamped self-addressed envelope.

Dealer inquiries are welcome. Hobby and game stores, please write ADB Inc. on your letterhead and ask for a list of qualified wholesalers or call and ask for a salesman. ADB Inc. products are available to individuals in retail stores, from several direct mail outlets, and directly from us. If your store

does not carry our products, send us his name and address and we'll have our wholesalers contact him.

(Z16.5) DESIGNER'S INFORMATION

Questions, comments, suggestions, and any expansion material for the STAR FLEET UNIVERSE should be sent only to Amarillo Design Bureau, Post Office Box 8759, Amarillo, TX 79114. All correspondence must include a stamped self-addressed envelope if you wish to receive an answer or evaluation of your submission. Your return envelope MUST bear enough postage to cover the return of your questions (about four pages to one first class stamp). Foreign customers should enclose three International Reply Coupons, not foreign stamps or money. It is imperative that you place your name and address on EVERY page of your correspondence. Please do not put questions and expansion material on the same sheet.

When sending questions, phrase each one so that it can be answered with a yes or no, a brief answer, or by circling one of several choices. Leave several blank lines after each question (not each group of questions). In order to better serve the player community, letters asking 10 or fewer questions are given priority and are answered in 2-3 days. Letters with more questions are answered only as time permits (allow 2-3 weeks). Please attempt to look up the answer yourself first. We will cheerfully answer questions about how the rules work, but cannot answer questions as to "WHY?" various things work the way that they do. Such "WHY?" questions are sometimes printed (with answers) in Captain's Log.

Players can contact Amarillo Design Bureau, Inc., by Email at the following addresses:

rules@starfleetgames.com (rules questions)
 design@starfleetgames.com (schedule updates)
 sales@starfleetgames.com (mail orders, spare parts)

We have an extensive web site with many on-line resources located at www.starfleetgames.com for your use. We have an active BBS at www.starfleetgames.com/discus which you will find to be a good place to contact other SFB players.

(Z16.6) SUBMISSIONS OF NEW MATERIAL

ADB, Inc. welcomes the submission of new SFB material for possible publication. See details in Advanced Missions. All submissions become the property of ADB, Inc. immediately upon receipt and may be published, modified, or used as we (in our sole discretion) see fit. Authors of published materials are compensated at established rates, which vary depending on the type of material submitted and how it is used.

(Z16.7) COPYRIGHT & LICENSING

STAR FLEET BATTLES — CAPTAIN'S EDITION — MODULE R3 and all contents thereof are copyright © 1992 by ADB, inc. Revision copyright © 2000 ADB Inc. All rights are reserved under the Pan-American, Berne, and International Copyright Conventions.

No material which is based on, for use with, incorporates elements of, or is designed for use with Star Fleet Battles, F&E, or the Star Fleet Universe background, can be published by any party without the advanced written permission of ADB, Inc.

This game is produced under license from Franz Joseph Designs, authors of the STAR FLEET TECHNICAL MANUAL.

Elements of the Star Fleet Universe are the property of Paramount Pictures Corporation and are used with their permission.

R3.0 THE KLINGON EMPIRE

R3.R5 KLINGON PENAL SHIPS AND RULES

The following four ships are penal variants of standard warships. Penal ships use special rules covered here and are designated by a J in the ship class code (e.g., D6J, etc.).

(R3.R51) CREWS: The crews were men (and women) convicted of criminal acts or political unreliability. Officers were often sentenced to penal ships for cowardice or incompetence, or were members of disgraced families.

Service was for a specified period of time, after which the individual's record was cleared and he returned to normal duty. Being sent to a penal ship was no disgrace; it indicated that the individual had made a serious error but was being given a chance to redeem himself (or herself) by particularly dangerous service. Those considered unlikely to find redemption were executed, forced to resign, or given involuntary transfers to duty on ground bases.

Captain Ardak Kumerian was sentenced to time on a penal frigate after Federation spies stole the UIM from his D6. After completing his service, he returned to command the same D6 and, years later, was promoted to Admiral in command of the Red Fleet, a training organization which was deployed into combat during a late-war emergency.

Penal ships were often assigned to dangerous or less glamorous missions. Losses were high among penal ships. Few penal ships remained in service by Y178, and thereafter most of those sentenced to penal duty were assigned to PF flotillas (comprising only 3% of all flotillas).

Penal ships were always standard warships (with the J-refit) and were never variants, specialty ships, or support units.

Penal ships will almost always have poor crews and will almost never have legendary officers. In a campaign, the 10% of Klingon ships with poor crews include the penal ships. Because (G21.1) is an optional rule, players are not required to use poor crews with these ships. The BPV on the SSDs shows a split economic/combat rating. The lower combat rating is used if the ships have poor crews. Various other adjustments (e.g., lower breakdown rating, higher HET cost) detailed in (G21.1) will have to be made, but are not shown on the SSD because this is an optional rule.

(R3.R52) MUTINY: Mutiny is automatic if all security stations are destroyed or captured. In the event of mutiny, roll two six-sided dice. The result is the number of boarding parties of mutineers converted immediately from crew units. The crew in the boom (1/4 of the total crew) and all original boarding parties remain loyal.

In the event of a mutiny, boom separation is successful on a die roll of 1–5.

As some of the technically-qualified personnel would be part of any successful mutiny, a mutinous ship (after the mutineers seize control of the ship) can still move and fire weapons. It can only fire, however, at the following (assuming a non-penal ship could fire in each case): any unit that fires at the penal ship, any seeking weapon within three hexes of the penal ship, any unit with a tractor beam on the penal ship, and any unit within three hexes. After a successful mutiny, the non-Klingon player takes control of the ship. Roll one die: 1–3 ship tries to disengage to a neutral or non-Klingon country; 4–6 ship tries to surrender to the enemy forces it was fighting.

This rule supersedes (G21.144).

(R3.R53) BOOMS: The chance of escape under Catastrophic Damage is improved (D21.543). This does not apply to the E4J which does not have a warp-powered boom.

When separated, penal booms are different from other booms. Mark out the second box on the sensor/scanner tracks (not the first) and every second box thereafter except the last one.

J-Boom shields are: D6J = 13; D5J = 10; F5J = 9, E4J = 7.

The small warp engines under the boom can be used for power, but not movement, while the boom is attached. These are "emergency warp" engines (H2.5), although some SSDs are not labeled as such.

This rule supersedes (G21.125) and (D21.56).

(R3.36) D6J PENAL BATTLECRUISER (*Purgatory Class*): The largest of the penal ships.

UIM: Not available.

Refits: B-refit only included increased shields. None received K-refits. All received Y175 refits.

SSD and counter are in Module R3.

(R3.37) D5J PENAL WAR CRUISER (*Regret Class*): The most common penal ship class during the General War. Retained the limited aegis rig of all D5s.

UIM: Not available; none had standard UIMs.

Refits: None received K-refits. All received Y175 refits.

SSD and counter are in Module R3.

(R3.38) F5J PENAL FRIGATE (*Torment Class*): The most common penal ship class before the General War.

Refits: B-refit only included increased shields. None received K-refits. All received Y175 refits.

SSD and counter are in Module R3.

(R3.39) E4J PENAL ESCORT (*Misery Class*): The smallest of the penal ships, the only one with an impulse-powered boom, and the only E4 variant able to separate its boom. The E4J was the penal ship of the Internal Security Forces.

Design by Steven P Petrick.

Refits: B-refit only included increased shields. All received Y175 refits.

SSD and counter are in Module R3.

KLINGON INTERNAL SECURITY SHIPS

(R3.40) F5I INTERNAL SECURITY FRIGATE: As Orion pirates began operating inside of the Empire, the ISF found their diminutive ships less than satisfactory in dealing with the increased threat. The DSF provided some F5s to help combat the new threat. Like the E4I, they initially operated as flotilla flagships and later were formed into squadrons of their own. The F5Is were identical to those in DSF service except that they never received the "K" refit. They were given the "B" and "Y175" refits.

No SSD is provided, make the above changes to the SSD of the F5; no counter is provided, use F5 counters.

(R3.41) E4I INTERNAL SECURITY ESCORT: The first E4s provided to the ISF were ships being replaced by F5s in the DSF. Even so, the DSF refused to provide targeting systems to enable the disruptors to reach beyond 100,000 kilometers range (limiting the disruptors to just ten hexes). The ships initially served as flotilla flagships, but eventually there were enough of them that they operated in squadron strength. Some were eventually modified into various variants during the General War. As with the standard E4, no "K" refit was ever installed, but the ships did receive the "B" and "Y175" refits.

No SSD is provided, make the above changes to the SSD of the E4; no counter is provided, use E4 counters.

KLINGON BATTLECRUISER VARIANTS

(R3.42) D7D DRONE BATTLECRUISER: This ship was not intended as a long-range bombardment platform as was the D6D, but was an experiment designed to produce a more effective cruiser for general combat purposes. If the experiment had been completely successful, many or most of the D7s would have been converted to this design. The lack of rear-arc defenses was accepted by the captains and rejected by the admirals. The BPV assumes the B and K refits as these were included on the handful of D7Ds built. No ADD was included because the drone racks were considered adequate; this is generally regarded as a design flaw.

Drone racks are not mounted in the shuttle bay.

Ship designed by Eric Pinnell.

UIM: Available for purchase under (S3.2) Y165 and after.

SSD and counter are in Module R3.

(R3.43) D7E SURVEY CRUISER: Only one ship of this type (*Inquisitor*) was constructed. It was used in peacetime to survey new worlds and in wartime as a cruiser-scout.

UIM: Available for purchase under (S3.2) Y165 and after.

SSD and counter are in Module R3.

(R3.44) D7V STRIKE CARRIER: Intended as a fully capable carrier with a full squadron of fighters in two bays, several of these excellent ships were completed after the General War began. While obviously superior to the D6V, there were not enough D7-class hulls available to satisfy the requirements, and most carriers were D5Vs. The wing phasers were upgraded to phaser-1s for increased all-around defense; also note the D7VK.

This ship can control a number of seeking weapons equal to double its sensor rating.

There are six fighters in the upper bay and six in the lower. There are bay elevators (R3.R6). There is a 4-place balcony adjacent to the lower bay. Like most strike carriers, it usually had an MRS, but this is not in the BPV. See (R3.F4) for availability of Z-Y variants.

Year	Escorts	Fighters
Y172-74	2xE4E	12xZ-2
Y173-74	F5E, E4E	12xZ-V
Y173-74	D5E, F5E	12xZ-V
Y175-77	AD5, AF5	12xZ-V
Y177-84	AD5, AF5	12xZ-Y
Y183+	AD5, AF5	12xZ-YC

The DSF originally assigned E4E escorts to D7Vs for operational reasons (even when D5Vs had D5Es).

UIM: Available for purchase under (S3.2) Y165 and after.

Refits: The D7V was built after the date of the B-refit and incorporates it in the design. There is a K-refit for the boom phasers.

SSD and counter are in Module R3. The SSD shows Z-Y fighters.

(R3.45) D7N DIPLOMATIC CRUISER: Used to carry senior government officials. It has facilities for one fighter (Z-1, Z-V, Z-Y; use best available in time period), which escorted the shuttlecraft. It is considered a "casual" carrier (J4.62).

There are few if any non-Klingons in the crew; no mutiny is possible. However, security stations were retained to help protect the embarked senior officials. The effect of the B-refit was part of the design.

After Y180, all D7Ns had two mech links (on the boom tractors) for one G1N and one standard G1.

UIM: There is one UIM module as standard equipment; prior to Y165, this was not available and the BPV is reduced by 5 points. Backups available for purchase under (S3.2).

SSD and counter are in Module R3.

(R3.46) D6E SURVEY CRUISER: This ship, the *Investigator*, was similar to the D7E.

UIM: Available for purchase under (S3.2) Y165 and after.

SSD and counter are in Module R3.

(R3.47) D6S HEAVY SCOUT: Two D6s were converted to this class before the General War; more were converted from reserve ships during the war. While the Empire could not afford to divert many D6s to this use, the resulting ships were excellent, having adequate power for the electronic warfare support mission and adequate size to survive in combat.

UIM: Not available.

SSD and counter are in Module R3.

(R3.48) D6G COMMANDO CRUISER: Designed as a heavy assault transport to deliver troops to planetary combat.

Carries a total of 44 boarding parties, of which 2 are commando and 4 are heavy weapons. Has three GAS, one HTS, and one admin shuttles (all in one bay). There are four GCVs.

UIM: Not available.

SSD and counter are in Module M.

KLINGON D5 WAR CRUISER VARIANTS

(R3.49) D5C LIGHT COMMAND CRUISER: Designed as a squadron leader. While its command facilities were not equal to a D7C, they did not need to be.

Limited aegis controls phaser-3s and ADDs.

UIM: One UIM standard; backups available for purchase under (S3.2).

SSD is in Module R3; use the D5L counter.

(R3.50) D5D DRONE CRUISER: Designed for direct combat with drones, not for independent long-range bombardment. Can launch one drone per rack each turn.

This ship can control a number of seeking weapons equal to double its sensor rating. The drone racks that replaced the disruptors are not considered to be mounted in the shuttle bay.

Limited aegis controls phaser-3s and ADDs.

The K-refit was not installed on this class.

UIM: Not available.

SSD and counter are in Module R3.

(R3.51) D5E ESCORT CRUISER: Designed for improved anti-drone defense of a carrier squadron. The D5E was the predecessor of AD5. The D5E only has the limited aegis control system like all D5s, but this did control all of the weapons. It can control a number of seeking weapons equal to double its sensor rating. The K-refit was relatively rare.

UIM: Not available.

The SSD is combined with the AD5 in Module J. D5E counters are provided in Module R3.

(R3.52) D5F ANTI-FIGHTER CRUISER: An anti-fighter variant of the D5 built in limited numbers for use on the Hydran front, where anti-drones were thought to be more useful in killing Hydran fighters than drones. (The galling phasers on Hydran fighters made them virtually drone-proof.) Later they were used against the Kzintis and Federation to provide additional drone and fighter defense. They never amounted to a significant fraction of the D5 force because of their overspecialized nature, but it would not be unusual to find one in a D5 squadron.

Limited aegis controls phaser-3s and ADDs.

UIM: One UIM standard; backups available for purchase under (S3.2).

SSD and counter are in Module R3.

(R3.53) D5G COMMANDO CRUISER: Designed for use in ground assaults.

Carries 34 boarding parties, of which 2 are commando and 3 are heavy weapons squads. Has two GCVs.

Has two GAS, one HTS, and two admin shuttles.

The D5G had the tug capabilities of the D5H. It can carry one pod of any single-weight type; this increases movement cost to one. The LR and RR arcs of the wing phasers, and the direct-rear arc of the forward phasers, are blocked by a pod.

Limited aegis controls phaser-3s.

Refits: Never received K-refit or Y175 refit.

UIM: Not available.

SSD and counter are in Module M.

(R3.54) D5H TACTICAL TRANSPORT: A typical mini-tug often used with combat pods. Can carry one pod of any type; this increases movement cost to one (1.33 with CVA pod). Never received K-refit. The LR and RR arcs of the wing phasers, and the direct-rear arc of the forward phasers, are blocked by a pod.

Limited aegis controls phaser-3s.

UIM: One UIM standard; backups available for purchase under (S3.2).

SSD and counter are in Module R3.

NOTE: The D5G/H are the only D5s that carry pods.

(R3.55) D5I ISF CRUISER: Simplified design for the Internal Security Forces. Only one, the *Regulator*, was built. It had no DERFACS or UIM; the disruptors had limited range; and there were no ph-1s (replaced with ph-2s).

Never received K-refit.

UIM: Not available.

SSD and counter are in Module R3.

(R3.56) D5K IMPROVED WAR CRUISER: The standard K-refit (R3.R2) was applied to the standard D5 (R3.23), creating the D5K. The incorporation of this refit enabled the D5 to compete in long-range firepower on more equal terms with the Federation NCL.

Limited aegis controls phaser-3s and ADDs.

UIM: One UIM standard; backups available for purchase under (S3.2).

The K-refit is shown on the SSD for the D5 in Advanced Missions; use the D5 counters.

(R3.57) D5L WAR CRUISER LEADER: This is a D5C with a K-refit. Limited aegis controls phaser-3s and ADDs.
UIM: One UIM standard; backups available for purchase (S3.2).
The SSD is combined with the D5C in Module R3; a counter is in Module R3.

(R3.58) D5M WAR MINESWEEPER: F5Ms lost in combat were often replaced with this heavier design. This ship has two minesweeping shuttles.

Limited aegis controls phaser-3s.
Never received K-refit.
UIM: Not available.
SSD and counter are in Module R3.

(R3.59) D5N DIPLOMATIC TRANSPORT: Two of this class were built as substitutes for D7Ns and were relegated to carrying lower-ranking officials. One was used by the fleet inspector general on a regular basis. There are few if any non-Klingons in the crew; no mutiny is possible. However, security stations were retained to help protect the embarked senior officials.

One fighter (best type available in the year of the scenario) was carried to escort the shuttlecraft. The ship is treated as a casual carrier (J4.62). After Y180, all D5Ns had a mech link on the boom tractor for a G1N and one mech link on rear tractor for another combat G1 variant.

Limited aegis controls phaser-3s and ADDs.
UIM: One UIM standard; backups available for purchase (S3.2).
SSD and counter are in Module R3.

(R3.60) D5P WAR PF TENDER: As with all war cruiser/PFT variants, the small hull imposed limitations on range and endurance. It can repair a PF on any position in collapsible repair bays (K2.63). This ship, like the D6P, retained its disruptors and could accompany the PFs into direct combat. This resulted in a slight decrease in PF support capabilities, which the Klingons were willing to accept. Can control a number of seeking weapons equal to its sensor rating.

Never received K-refit (no wing phasers).
UIM: One UIM standard; backups available for purchase (S3.2).
SSD and counter are in Module K.

(R3.61) D5S SCOUT: More successful than the undersized F5S. The combination of drone-racks, special sensors, and anti-drones made it a powerful anti-drone unit within a squadron.

Limited aegis controls phaser-3s and ADDs.
Never received K-refit.
UIM: Not available.
SSD and counter are in Module R3.

(R3.62) D5V LIGHT CARRIER: A moderately successful carrier design. Carries 12 fighters and 2 admin shuttles. The ship had all 12 fighters in one large bay, rather than the double-stacked bays of most Klingon carriers. The lack of APRs allowed launch tubes to be used from the forward end of the bay, which almost made up for the lack of a balcony.

This ship can control a number of seeking weapons equal to double its sensor rating.

Year	Escorts	Fighters
Y170-71	F5E, E4E	12xZ-2
Y170-73	D5E, F5E	12xZ-2
Y173-74	D5E, F5E	12xZ-V
Y175-80	AD5, AF5	12xZ-V
Y178-86	AD5, AF5	12xZ-Y
Y183+	AD5, AF5	12xZ-YC

Limited aegis controls phaser-3s.
UIM: One UIM standard; backups available for purchase (S3.2).
SSD and counter are in Module R3.

ADDITIONAL KLINGON WARSHIPS

(R3.63) KLINGON SPARROWHAWK LIGHT CRUISER (RKL): During confused fighting in Y174, three Romulan Sparrowhawk-As were cut off from Romulan territory and sought refuge at a Klingon base. The Romulan government, perhaps reluctantly, traded the ships for new D5s.

The RKL has no cloaking device (apparently at Romulan insistence) and cannot purchase an NSM; the plasma torpedoes were

replaced with disruptors. Other changes can be seen on the SSD. The design was generally considered to be a failure, and it is assumed that the Klingons were unable to support the ships in continued operation in the original design or they would have left the ships as they received them.

The RKL can fire one drone per turn from each rack. The drone racks are not mounted in the shuttle bay.

Based on a suggestion by John P Bollman.

UIM: Available for purchase under (S3.2) Y165 and after.
SSD and counter are in Module R3.

(R3.64) F6 BATTLE FRIGATE: An interesting attempt to produce a more powerful frigate leader than the F5L. Only four were built, all after Y175. The third engine is mounted on top of the hull and not under the boom; it does not detach with the boom. (The boom is too small to mount the engine.) An excellent design, it is unclear why more were not built, although production efficiencies, the new F5W, and the shock problem may explain it. Federation officers referred to it as the "frignauth" class.

The F6 must roll for shock if it fires more than three different disruptors in a period of 16 impulses. The Klingon F6 receives one SEP every time it fires disruptor C or D as an overloaded disruptor.

The four ships were named for "warrior colonies" established on subject planets to breed additional warriors for the Klingon Empire; the captain (but not the entire crew) of each ship was from the planet the ship was named for. This was largely a propaganda exercise to make the "colonial Klingons" more enthusiastic about the war effort and to make the public point (which almost no one really believed) that colonials were the social equals of Klingons born on the home-world of Klinshai.

Names: *Bakurian, Walkurian, Valorian, Sefarian.*

UIM: One UIM standard; backups available for purchase under (S3.2).

SSD and counter are in Module R3.

(R3.65) E5 BATTLE ESCORT: The result of Kozenko Design Bureau's Special Project #1183, this was an attempt to build a destroyer-type warship from existing parts (boom from F5, engine from D5, hull based on E4). It never entered production, although a few prototypes were used in combat. There were never any variants. No cross-deck firing arcs.

Names: *Evil, Excommunication, Exorcism.*

Design by Robert E. Hauser.

UIM: Available for purchase under (S3.2) Y165 and after.
SSD and counter are in Module R3.

ADDITIONAL KLINGON PODS

(R3.66) PF TENDER POD (P-PF6): This pod allowed a tug to operate as a PF tender. These pods were usually deployed in pairs, but rarely were deployed alone on an LTT (D5H or D5G) or in conjunction with another pod on a tug. All mech links are repair-capable with collapsible bays. The repair systems on the pod can only repair PFs docked to that pod.

SSD is on the Klingon pod sheet in Module R3.

(R3.67) CVA POD (P-V7): This pod allowed a tug to operate as a CVA or a D5H to operate as a CVS. The pod has 12 fighters, 2 admin shuttles, and an MRS. The pod has one bay with a four-position balcony at the rear. Transfers between pods using (J1.59) are not possible.

This pod is heavier than normal.

A tug or LTT (D5H or D5G) carrying one or two CVA pods has the ability to control a number of seeking weapons equal to double its sensor rating. This is not increased for a second pod.

A fleet tug with two CVA pods is designated CVTA. It is considered to have the equivalent weight of three pods. It would have the same carrier escorts and fighters as a C8V, although like all carrier-tugs it would be last in line (e.g., it might have to use E4E/As instead of F5E/AF5s, and it might have the escort cruiser replaced by another frigate) unless it inherited the intact escort group of a C8V.

A D5H with a CVA pod is designated LTV. It is considered to be carrying the equivalent weight of two pods. It would have the same escorts and fighters as a D5V (with the normal carrier tug caveats).

SSD is on the Klingon pod sheet in Module R3.

(R3.68) DRONE BOMBARDMENT POD (P-D8): This pod was used for increased drone firepower and planetary bombardment. Each drone pod increases the tug's guidance ability by three seeking weapons. Each of the two D-racks on the pod can launch one drone per turn (not one per magazine). The racks cannot chain react (D12.0). Each pod has three cargo boxes holding 150 spaces of drones (FD2.445) in addition to those loaded into the racks.

SSD is on the Klingon pod sheet in Module R3.

(R3.69) REPAIR POD (P-R9): Used to turn a tug into a mobile repair station, the pod includes some spare parts storage.

SSD is on the Klingon pod sheet in Module R3.

ADDITIONAL KLINGON SHIPS AND VARIANTS

(R3.70) C8S SPACE CONTROL SHIP: A modification of the C8V, several were built during the General War.

The 18 shuttle boxes are in two bays of nine, each with six fighter, two admin, and one MRS. Transfers between these bays are possible using (R3.R6). Each bay has a standard hatch opening to the rear (no balcony). The small forward bay has the 19th shuttle box and cannot transfer shuttles.

The C8S can repair PFs on any mech-link any position in collapsible repair bays (K2.63). As this design effectively incorporates the B-refit and the K-refit, the ship can launch one drone from each rack each turn. The two drone racks in the boom are not mounted in the shuttle bay.

Year	Escorts	Fighters
Y179+	AD5, 2xAF5	12xZ-Y
Y181+	AD5, 2xAF5	12xZ-YB
Y186+	2xAD5, AF5	12xZ-YC

UIM: There are two UIM modules as standard equipment.

Backups available for purchase under (S3.2).

SSD and counter are in Module R3.

(R3.71) C9A STASIS DREADNOUGHT: The heaviest of the Klingon stasis ships during the General War, the C9A could absorb tremendous punishment and still use its SFG effectively. The SFG is destroyed by two "phaser hits" (i.e., damage points allocated to phasers). The B, K, and Y175 refits were all incorporated.

UIM: There are two UIM modules as standard equipment.

Backups available for purchase under (S3.2).

SSD and counter are in Module R3.

(R3.72) C7 HEAVY BATTLECRUISER: As the General War dragged into its second decade, all races continually improved their ships. Frigates, too small to survive in fleet battles, had given way to war destroyers. Cruisers had given way to command cruisers, then to heavy command cruisers, and finally to the heavy battlecruisers, the ultimate non-X expression of the category.

The C7 was a superb example of the BCH type, easily the equal of the Kzinti BCH or the Federation BCG. The improved firing arcs made up for the degraded turn rate.

The C7 carries three sets of reloads for its drone racks. It can control a number of seeking weapons equal to double its sensor rating. The boom warp engines can be used with (G12.71).

UIM: There are two UIM modules as standard equipment.

Backups available for purchase under (S3.2).

SSD and counter are in Module R3.

(R3.73) C7A HEAVY STASIS BATTLECRUISER: An attempt to make stasis field ships more survivable by mounting them in a heavier hull. The design was successful, but SFGs and C7s were in such short supply that only one (*Fear*) was built (as a conversion in Y184). The SFG is destroyed by two "phaser hits" (i.e., damage points allocated to phasers).

Based on a suggestion by Douglas Hicks.

UIM: There are two UIM modules as standard equipment.

Backups available for purchase under (S3.2).

SSD and counter are in Module R3.

(R3.74) D7M MAULER: Some Klingon maulers were built on D7 hulls. There is no significant difference between a D6M and a D7M; the D7M does NOT have wing phasers. The same SSD will serve for either ship. Both are susceptible to shock. All data same as D6M.

D7M must roll for shock when firing the mauler; see (D23.24).

UIM: Not available.

SSD same as D6M; counter is in Module R3.

(R3.75) MD5 WAR MAULER: A mauler designed for fast wartime production, first produced in Y172. The hull was barely adequate for the mission, and maulers built on larger D6 hulls were preferred. (Like all Klingon maulers, the two arrows on the SSD constitute a single weapon.)

MD5 must roll for shock when firing the mauler; see (D23.24).

Limited aegis controls phaser-3s and ADDs.

UIM: Not available.

SSD and counter are in Module R3.

(R3.76) AD6 ESCORT CRUISER: The standard "heavy escort" was the AD5 (basically a D5E with full aegis and a K-refit). In Y176 the Klingons experimentally converted a D6 battlecruiser into an even heavier escort, but the slightly improved performance was not deemed worth the cost. The single AD6, named *Eradicator*, joined the *Vindicator* carrier group and was destroyed along with the *Vindicator* in Y183. The K-refit was installed in Y178 during an overhaul.

The AD6 has full aegis. If used in a player campaign prior to Y175, use limited aegis and two rack reloads; reduce BPV by 9.

UIM: Not available.

SSD and counter are in Module R3.

(R3.77) F5E COMBAT ESCORT: More powerful than the diminutive E-3/4 series, the F5E was essentially a modified F5D (although most were produced from scratch to the design). Drone racks are not in shuttle bay and will not chain (D12.0).

Refits: Already incorporated B-refit. There is a K-refit.

UIM: Not available.

SSD and counters are in Module R3.

(R3.78) AF5 AEGIS FRIGATE: The F5Es were fitted with aegis fire control in Y175 and redesignated AF5s.

UIM: Not available.

SSD is combined with the F5E; use F5E counters.

(R3.79) E4D DRONE ESCORT: This was an attempt to get some service out of the remaining E4s, which by Y174 had been relegated to convoy duty. The theory was that with more speed (having no disruptors to arm) and with longer-range weapons, the E4Ds (all of which had the B-refit) could maneuver along the edges of the battle while contributing their firepower. The theory was not entirely successful, and the handful of surviving E4Ds were back on convoy duty before PFs arrived to make their operations impossible. Drone racks are in the disruptor positions and are not mounted in the shuttle bays.

Based on a suggestion by Ray Sanner.

UIM: Not available.

SSD and counter are in Module R3.

(R3.80) E4V ESCORT CARRIER: Designed for convoy duty. Used exclusively by the ISF (note the range-10 disruptors), primarily for convoy protection, but occasionally assigned to provide support to a DSF squadron or to deliver backup fighters for a fleet carrier. After Y178, the two surviving E4Vs received Z-V fighters. Because it retained the original power (and almost all of the weapons) of the E4, it could operate effectively with E4 squadrons.

All six fighters are in a single bay with a standard hatch. There is no balcony; there are no launch tubes.

Design by Steven P Petrick.

Year	Escort	Fighters
Y169-75	E4E	6xZ-2
Y175-77	E4A (sometimes E4E)	6xZ-2
Y178+	E4A	6xZ-V

UIM: Not available.

SSD and counter are in Module R3.

(R3.81) E3D DRONE ESCORT: The ISF modified some of its E3s for improved defenses against Kzinti fighters raiding their convoys. See E3E (R3.26) for more background data.

Drone racks are in the disruptor positions and are not mounted in the shuttle bays.

Design by Steven P Petrick.

UIM: Not available.

SSD and counter are in Module R3.


(R9.0) HYDRAN KINGDOM**ADDITIONAL HYDRAN SHIPS AND VARIANTS**

(R9.30) LORD BISHOP COMMAND CRUISER (LB): The hellbore-armed corollary to the fusion/fighter-armed Lord Marshal. Ships of this class were in the Lyran Border and Expeditionary fleets before the General War began. As the war continued, ships of either type could appear in any fleet.

Design by James Whelpley.

No refits other than fusion holding (E7.5).

SSD and counter are in Module R3.




(R9.31) OUTRIDER SURVEY SHIP (SR): Used to explore new regions for usable worlds and to provide scientific support to research programs, the Outrider was built on a modified Lancer destroyer hull. In wartime, these ships served as scouts, commando ships, and/or carriers.

In peacetime, the ship carried two fighters, four admin shuttles, and two heavy transport shuttles. Being a survey ship, the SR (in any mode) can carry one MRS even though it is size class 4. The SR cannot carry hellbore fighters.

Refits were installed in Y175.

SSD and counter are in Module R3.



(R9.31A) OUTRIDER LIGHT CARRIER (SRV): In wartime, some SRs operated as light carriers with a total of eight fighters and two admin shuttles. The SRV cannot carry hellbore fighters, but will have the best Stingers available at the time. This alternative is reflected on the SSD of the standard Outrider.

SSD is combined with the SR; a counter is in Module R5.

(R9.31B) OUTRIDER COMMANDO SHIP (SRG): In wartime, some SRs operated as commando ships with a total of five GAS, two fighters, an admin shuttle, and an HTS. The 34 boarding parties include 2 commando and 3 heavy weapons. There are three GCVs.


SSD and counter are in Module M.

HORSEMAN WAR CRUISER VARIANTS

As with the war cruiser variants of the other races, these were built as replacements for ships lost in combat, using the most efficient available hull.

(R9.32) BARON LIGHT COMMAND CRUISER (BAR): Designed as a replacement squadron leader; was found more suitable than a Ranger or Lord Marshal as a leader of Horseman/Traveler ships because of similar operating characteristics. This ship was built with all appropriate refits as standard equipment. The Baron was eventually replaced by the Comanche and Apache.

SSD and counter are in Module R3.




(R9.33) TROOPER NEW LIGHT CARRIER (NVL): Designed to provide additional fighter support for Horseman/Traveler squadrons. The NVL was considered an unsuccessful design because its fighter group was no larger than that of Klingon and Lyran carriers, and the NVL was eventually relegated to secondary theaters and replaced by the Cossack.

There are two shuttle bays; transfers are possible by (J1.59). Each bay has three launch tubes. Note that, for all carrier data tables, the fighters listed are those on the carrier only and do not include any fighters on the escorts.

Year	Escorts	Fighters
Y173-75	NEC, EH	10xSt2, 2xStH
Y175+	NAC, AH	10xSt2, 2xStH

The first two NVLs (built in Y173) did not have the refit until Y175; others had it as part of their original construction from Y174 on.


SSD and counter are in Module R3.



(R9.34) NEW ESCORT CRUISER (NEC): This variant was rare but replaced the DE in some carrier groups. While it had fewer gatlings, it had more standard phasers. These ships had limited aegis.

Refits were installed in some ships as early as Y174, but some served well beyond their conversion to NACs before receiving them.

SSD and counters are in Module R3.




(R9.34A) NEW AEGIS CRUISER (NAC): Full aegis was installed on the NECs in Y175, resulting in the NAC. Note that some of these ships did not receive the plus refit until their NAC conversion, but all had it by Y177.

SSD is combined with the NEC; use the NEC counters.

(R9.35) NEW MINESWEEPER (NMS): As with other wartime minesweepers, the larger hull made a more effective ship.

No refits.


SSD and counter are in Module R3.



(R9.36) CHASSEUR NEW SCOUT CRUISER (NSC): A very effective heavy electronic warfare ship built on a small hull.

Refits were installed in Y174; some did not receive them until the next year.

SSD and counter are in Module R3.




(R9.37) NEW PF TENDER (NPF): This Horseman variant supplemented the more effective Pegasus-class (which had better power availability). It carried only two admin shuttles and was unpopular due to its lack of fighters, but see (R9.R6). PFs on any position can be repaired in collapsible bays.

Two shuttle bays; transfers by (J1.59) NOT allowed.

This ship was built with all applicable refits. It never received the larger engines of the plus refit.

SSD and counter are in Module K.



(R9.38) MULE LIGHT TACTICAL TRANSPORT (LTT): Designed as a mini-tug and sometimes called the "Mule" class, the LTT provided additional transport capacity for the fleet. More importantly, it could carry one pallet (same types as Caravan, except it cannot carry a fire support pallet) although this increased the movement cost to 1. Note that other Horseman/Traveler variants cannot carry a pallet.

Sometimes an HTS replaces one admin shuttle and one fighter.

Refits were installed in Y173.

SSD and counter are in Module R3.

ADDITIONAL HYDRAN SHIPS AND VARIANTS

(R9.39) GENDARME POLICE FRIGATE (GEN): The arcane organization of the Hydran government prevented the excellent Hunter-class frigate from being used for police duty, resulting in this specially-built vessel.

The design was ordered in Y142, and the class reached full-scale production by Y147. The Phtholagnyrh Design Agency created a true multi-mission ship with more non-combat capabilities than the Hunter. The fighter bays were provided for increased firepower, but often carried only administrative shuttles. It is considered a carrier for SFB purposes (like virtually all Hydran ships with fighters).

There is one shuttle bay, which has two launch tubes.

In keeping with the governmental organization, the ship was not operated by the Navy but by the Civil Service; many were in fact operated by the trade cartels themselves as convoy escorts. During the General War (as well as other, earlier, military emergencies), many were pressed into service in front-line combat squadrons,

where they were referred to as "Pocket Lancers." When on military duty, they were sometimes manned by Navy crews.


This ship is nimble.

Design by Mark and Ed Bolme.

No hellbore-equipped variant was ever produced.

Refits: A shield refit was installed about Y175.


SSD and counters are in Module R3.



(R9.40) LORD COMMANDER EARLY COMMAND CRUISER (LC): The original Hydran command cruiser design (before the invention of hellbores). Some of the Marshals and Bishops were of this class.

Variants include: Lord Marshal (R9.19), Lord Bishop (R9.30). The Overlord (R9.43) is based on a drastically modified Lord design but is considered a new hull. The Lord Admiral and Lord Cardinal (in Module R5) are modified Lord designs but are considered to be new hulls. There are no refits.


SSD and counters are in Module R3.



(R9.41) CRUSADER FRIGATE LEADER (CRU): Used to support and command frigate squadrons, the Crusader was a very powerful frigate. Equipped with both fusion beams, a hellbore, and increased phasers, the ship was used as a flagship for both Hunter and Cuirassier squadrons after Y158. There are no refits.

Design by Marc Reed.

SSD and counter are in Module R3.



HYDRAN HEAVY COMMAND SHIPS


(R9.42) IRON DUKE HEAVY CARRIER (ID): The dreadnought *Royal Sovereign* (the fourth Paladin) was, in fact, completed as a heavy carrier, rather than as a dreadnought. The ship entered service in Y173. The ship had two large shuttle bays, each holding 12 fighters, 2 administrative shuttles, and an MRS (if using the optional rules, not in BPV). Each bay has six launch tubes and the standard launch/recovery hatch.

The Iron Duke was built with the refits that were applied earlier to the Paladins.


Design by Thomas M Hainlin.

Year	Escorts	Fighters
Y173-74	DE, 2xEH	18xSt2, 6xStH
Y175-76	DA or NAC, 2xAH	18xSt2, 6xStH
Y177+	DA, NAC, AH	18xSt2, 6xStH


SSD and counter are in Module R3.




SSD and counter are in Module R3.




SSD and counter are in Module R3.




SSD is provided below.




SSD and counter are in Module R3.



SSD and counter are in Module R3.



SSD and counter are in Module R3.



HYDRAN MEDIUM CRUISER SERIES

(R9.49) MONGOL MEDIUM CRUISER (MNG): Produced in the old colonies after the fall of the Hydran capital, this greatly improved version of the Horseman incorporated substantially improved firepower. Development began with the Horseman+ design, which had been refitted extensively.

The Hydrans decided that the Horseman hull was at the limit of its abilities, so they produced a "stretched" hull (about 15m longer), which provided more internal room and which had been designed from the start to incorporate the refits. It is impossible to convert a Horseman to a Mongol; this design is for new construction only.


The support variants (escort, minesweeper, scout, PFT, LTT) were never built on Mongol hulls, but only on Horseman hulls (as shown on the respective SSDs). The obsolete Horseman remained in production to provide these support variants.

Design by Mark Schultz.

No refit.

Variants include: Tartar cruiser (R9.50), Cossack carrier (R9.47), Comanche command cruiser (R9.51), Apache command cruiser (R9.52). Enlarged versions of this hull series became the Mohawk, Cheyenne, and Iroquois, which are in Module R5.

SSD and counters are in Module R3.




(R9.50) TARTAR MEDIUM CRUISER (TAR): This is the hellbore version of the Mongol; all background data for the Mongol also applies to the Tartar. It is impossible to convert a Traveler to a Tartar.

Design by Mark Schultz.

No refits.

SSD and counters are in Module R3.




(R9.51) COMANCHE MEDIUM COMMAND CRUISER (COM): This is the command version of the Mongol CM. While it has mixed armament, fusions are clearly favored.

Design by Mark Schultz.

No refits.

SSD and counter are in Module R3.




NOTE ON HYDRAN SHIP ART: The graphic for each ship is below its description. All graphics are top views and all of the Hydrans are to the same scale.

We do not normally provide a graphic for every ship in a racial section, but decided to try it as an experiment and see how it worked out. Your comments are welcome.

(R9.52) APACHE MEDIUM COMMAND CRUISER (APA): This is the command version of the Tartar CM. While it has mixed armament, hellbores are clearly favored over fighters and fusion beams.

Design by Mark Schultz.

No refits. SSD and counter are in Module R3.




ADDITIONAL HYDRAN WARSHIPS

(R9.53) CATAPHRACT COMMANDO CRUISER (CAT): Intended to support planetary assaults with landing forces. Has shield part of plus refit. The 34 boarding parties include 2 commando, 3 heavy weapons. There are three GCVs. The ship has four GAS and one HTS shuttles. Note that launch tubes are present (part of the basic design) but that the GAS and HTS shuttles cannot use them.

Shield refit installed Y175.

SSD and counter are in Module M.




(R9.54) LORD PALADIN (LP): The Paladins were refitted as space control ships starting with *Majestryx* in Y180. The ship has three shuttle bays; transfers by (J1.59) are not possible. Only the two center PFs could be repaired (collapsible bays) while on their mech links. The repair facilities were inadequate at best.


Year	Escorts	Fighters
Y180+	DA, NAC, AH	10 St2, 2 StH

All applicable refits are incorporated into the design.

SSD and counter are in Module R3.



NOTE ON WAR DESTROYERS: The Hydrans developed an enlarged Hunter design in the middle war years (known as the Buffalo Hunter) which was classed as a DW. These ships will be present in Module R6, but a preview will be included in Captain's Log #10.



(R11.0) THE LYRAN STAR EMPIRE



(R11.1A) ADDITIONAL BACKGROUND

Lyrans ships are designated by county affiliation. Hence, the destroyer *Sagacious* is formally known as the *Foremost Duchy Ship Sagacious*, but these designations are almost never used by the Federation. There are some exceptions. The carrier *Red Claw Glory* is actually the *Red Claw Duchy Ship Glory*, the Federation preferring the more impressive title.

The Lyrans have military colleges in each county, military universities in each Duchy, and the Royal Lyrans Academy at the capital. Potential officers begin their educations at the county colleges. Selected cadets are sent to the Duchy universities and/or the Royal Academy for their third and fourth years. Cadets who graduate from the universities and Academy are better trained and have a superior career potential. They also are eligible to serve on the various support ships (minesweepers, scouts) under Ducal command and the heavier ships under Royal command.

Surprisingly, the LDR (R14.0) continued to send cadets to the Royal Academy (although not to the Enemy's Blood University) for decades after it became independent.

Members of noble families almost always go to the higher schools. Sons of dukes go to the Royal Academy; sons of counts go to the Ducal university (if not the Academy itself). Any noble house will always have some of its members serving on ships (and other duty stations) of the higher levels of government. This has many ramifications.

In some regards, these noble officers form a liaison system. A duke might want to quietly convey his concerns to one of the counts, and might choose to do so through a nephew of that count who happens to serve on the flagship. The Arch-Duke and King-Emperor can also communicate with the dukes (and even the counts, bypassing the dukes) through this system.

The cross-assignment system also allows junior nobles to get to know their peers. The commanders of ships from two different counties may well have served together as lieutenants on a ducal ship earlier in their careers. There is also an element of competitiveness as the noble sons of the various counties try to appear the most worthy of higher command in the eyes of the duke (or king).

Another, unspoken, aspect of the system is that of hostages. Every noble knows that several of his relatives are in the hands of other nobles, and any action against them will come at the cost of the lives of those hostages.

The reverse is also true. If an uprising slaughters the family of a noble, at least some of his relatives will survive under the protection of neighboring nobles, who may attempt to restore the family to its position. This aspect was particularly emphasized after the events of Y145, a year that also saw the end of the practice of allowing these "guests" to return home for family celebrations. This single episode may be the key to the dramatic reduction in civil wars and power plays in the decades just before the General War.

LYRAN WAR CRUISER VARIANTS

The following ships are variants of the Jaguar War Cruiser (R11.13) built during the General War for various support and combat roles.

(R11.22) YAGUARUNDI LIGHT CARRIER (CVL): While called a "light" carrier, this ship carried a full squadron of 12 fighters and was in fact a "medium" carrier. This ship is a "true carrier" and usually carried an MRS shuttle.

The ship has two bays; transfers by (J1.59) are not possible. Escort and fighter assignments as follows:

Year	Escorts	Fighters
Y171-73	CWE, FFE	12x Z-2
Y173-74	CWE, DWE	12x Z-2
Y175-78	CWA, DWA	12x Z-V
Y179-85	CWA, DWA	12x Z-YB
Y183-92	CWA, DWA	12x Z-YC

Federation codename: *Yaguarundi*.

Refits: No p-refit; power pack was common (and standard by Y175); mech links common after Y178. Plus refit was incorporated into the original design.

UIM: Not available.

SSD and counter are in Module R3.


(R11.23) WAR CRUISER LEADER (CWL): Used as a squadron leader or substitute command cruiser.

Federation codename: *Jaguar-L*, *Black Jaguar*.

Refits: P-refit and mech links were common. Power pack virtually standard as only the prototype is known to have operated without it. (As with virtually all Lyrans ships, the power pack is listed as a separate cost.) The plus refit was incorporated into the original design.

UIM: One UIM standard; backups available for purchase under (S3.2).

SSD and counter are in Module R3.



(R11.24) ESCORT WAR CRUISER (CWE): This ship was designed as a carrier escort, giving up the heavy weapons for increased defensive firepower. Like all escorts, it had limited aegis and fighter facilities.

Federation codename: *Jaguar-E*.

Refits: Power pack standard; cost not in BPV. Shield refit and phaser refit were part of original design. Mech links would not be available.

UIM: Not available.

SSD and counter are in Module R3.

(R11.25) AEGIS WAR CRUISER (CWA): This is a CWE with the full aegis fire control system, which was installed in Y175.

Federation codename: *Alpha Jaguar*.

Refits: Power pack standard; cost not in BPV. Shield refit and phaser refit were part of original design. Mech-link refit was not common but did appear.

UIM: Not available.

SSD is combined with the CWE. Use the CWE counters.

(R11.26) WAR MINESWEEPER (CWM): As with other "war minesweepers," this was very successful due to the larger hull, the cost of which was offset by mass production (including conversions). Both shuttles are of the MSS type.

Federation codename: *Jaguar-M*

Refits: Shield refit standard after Y175; sometimes appeared before that time. (This is curious and may indicate that many CWMs were built at a single facility which did not begin incorporating plus refits until Y175.) Mech links standard from Y180. Never had power packs. No phaser-refit.

UIM: Not available.

SSD and counter are in Module R3.

(R11.27) SERVAL WAR CRUISER SCOUT (CWS): All races found the pre-war scouts (usually built on destroyer or frigate hulls) inadequate and easily destroyed. Like other races, the Lyrans converted their war cruiser design into a highly successful scout design. The first prototype was built in Y168, but series production did not begin until Y172.

Federation codename: *Serval*.

Refits: No p-refit. Shield refit and power pack standard but not in BPV because prototype lacked these. Mech-link refit uncommon.

UIM: Not available.

SSD and counter are in Module R3.

(R11.28) WAR PF TENDER (PFW): While the first Lyran PFTs were built on destroyer hulls, these were quickly found inadequate. This design was more successful than the Leopard-PFT due to the larger hull and more power. The two PFs on the inboard tractors can be repaired in collapsible bays.

Two shuttle bays; transfers by (J1.59) NOT allowed.

Federation codename: *Jaguar-P*, *Mother Jaguar*.

Refits: No p-refit; mech links and shield refit are part of design, not a refit.

UIM: Not available (no disruptors).

SSD and counter are in Module K.

Other Jaguar CW variants include the (R11.33) Light Tactical Transport, the (R11.43) Single-Tooth Jaguar, the (R11.44) Commando War Cruiser, and the (R11.45) Light Carrier Transport.

ADDITIONAL LYRAN WARSHIPS

(R11.29) SIBERIAN LION SPACE CONTROL SHIP (SCS): A late war conversion, the SCS was completed in time to fight the ISC and Andromedans. This design applied the Siberian Tiger modifications (adding two shuttle bays) to the Lion-class dreadnought.

The Siberian-Lion SCS is a true PFT; see (K1.13). Only the PFs on the two central mech links can be repaired. Repair boxes can only repair PFs, not the ship itself or other ships (K2.61).

Year	Escorts	Fighters
Y181-84	CWA, 2xDWA	12xZ-YB
Y183+	CWA, 2xDWA	12xZ-YC

Refits: Shield refit, p-refit, and power pack are all part of basic design (included in BPV) and cannot be added again.

UIM: There are two UIM modules as standard equipment. Backups available for purchase under (S3.2).

SSD and counter are in Module R3.


(R11.30) BENGAL TIGER COMMAND CRUISER (CC): The flagship of the Dukes prior to the advent of capital ships.

Refits: Mech link refits standard from Y179. This ship already has the p-refit and cannot receive it again. Plus (shield) refit standard from Y167.

UIM: There is one UIM module as standard equipment; prior to Y166 this was not available, and the BPV is reduced by 5 points. Backups available for purchase under (S3.2).

Variants: The "Bengal" Tiger is, itself, a variant of the standard "Tiger." The "White Tiger" (a name which appears occasionally in SFB) is the tournament version of the Bengal Tiger. The "Java Tiger" is an enlarged "Bengal" and is presented in Module R5.

SSD and counter are in Module R3.



(R11.31) MANX POLICE CORVETTE (POL): Operated by the Lyran Constabulary, rather than the Fleet, the police ship was typical of the type. This ship is nimble.

Refits: There are no refits other than the plus (shield) refit which was common by Y168 and standard by Y175.

UIM: Not available.

SSD and counters are in Module R3.

(R11.32) PRAIRIE CAT SURVEY SHIP (SR): These ships were variants of the Cougar-class fleet tug. Three ships of this type were operated by various members of the Far Stars Duchy searching for new territory. In wartime, they served as fast cargo transports, tugs, scouts, and in other roles.

This ship can carry pallets and Klingon pods as a tug. Klingon pods are carried in the side-by-side configuration (G14.43).

Refits: Cannot have p-refit. See (R11.32A) for data on the only SR used in combat during the General War. Shield refit common by Y168 and standard by Y175. Mech links were sometimes installed.

UIM: Not available.

SSD and counter are in Module R3.

(R11.32A) PRAIRIE LION SURVEY CARRIER (SRV): The Survey Cruiser *Ranger* was withdrawn from survey duty in Y180 to replace *Red Claw Glory* and operated thereafter with a carrier pallet and the *Glory's* escort group under the name *Glory Ranger*.

See (R11.35) for additional information. The SRV is a true carrier and can (due to the carrier pallet) control a number of seeking weapons equal to its sensor rating.

No SSD is provided. A counter is in Module R5.

(R11.33) LIGHT TACTICAL TRANSPORT (LTT): Design for front-line support duties and to supplement the limited number of tugs. Due to the narrow hull design, this ship could not carry Lyran pallets and could only carry Klingon-type pods (and was limited to one of those).

Design by Frank Crull.

Refits: Some lacked the plus refit as late as Y173; cannot have p-refit. Power pack never installed.

UIM: Not available.

SSD and counter are in Module R3. A counter for the Light Battle Transport is in Module R5. See also (R11.45).

ADDITIONAL LYRAN PALLETS

(R11.34) REPAIR PALLET (Pal-R): Designed for front-line support of damaged ships.

SSD is on the Lyran Pallets sheet in Module R3.

(R11.35) CARRIER PALLET (Pal-CV): Designed to turn a tug into a fleet carrier. Escorts for carrier-tug groups are difficult to define as these were temporary conversions. If a regular carrier had been damaged or destroyed, its surviving escorts (if any) might be assigned to a carrier-tug (or rather, a tug would be given a pod and used to temporarily replace a carrier).

There are two shuttle bays; (J1.59) transfers are not possible. A tug or survey cruiser with a carrier pallet can control a number of seeking weapons equal to its sensor rating. A tug carrying this pallet is a true carrier and can control a number of seeking weapons equal to the sensor rating.

Alternatively, a carrier-tug might be given any available warship for its escorts. If not used as a replacement for a carrier within a carrier group, the following are recommended:

Year	Escorts	Fighters
Y173-74	FFE, FFE or DWE	12x Z-2
Y175-78	DWA, DWA	12x Z-V
Y179+	CWA, DWA	12x Z-Y

See (R11.32A) for an SR that used this pallet.

An SSD for the pallet and counter for a tug with CV pallet (CVT) are in Module R3.

LYRAN HEAVY BATTLECRUISER


(R11.36) HELLCAT HEAVY BATTLECRUISER (BCH): This improved version of the Wildcat was produced after Y180 in an attempt to remain equal to the new Kzinti BCH and Federation *Kirov/Bismarck* classes. The weapons were not improved beyond the standard refits, but increased power, protection, and shuttlecraft brought it up to superior standards.

The Hellcat is a true PFT; see (K2.113). Mech links and repair facilities are standard equipment, not a refit. PFs on the central mech links can be repaired in collapsible bays.

Refits: The plus and phaser refits of the original BC were included as part of the design. Power packs were standard but are not included in the BPV.

UIM: There are two UIM modules as standard equipment. Backups are available for purchase under (S3.2).

SSD and counter are in Module R3.



(R11.37) KLINGON PODS IN LYRAN SERVICE

The Lyrans used certain Klingon pods on their tugs. Klingon pods are the same weight as Lyran pods for movement purposes. These pods were provided by the Klingons and modified by the Lyrans. Klingon drone pods were never used by the Lyrans and, if carried by a Lyran tug, would be treated as inactive cargo.

While these pods could be carried by Klingon tugs, the ESGs on the pods equipped with them, e.g., battle pod, would not function. If these pods are carried by a Romulan KRT, all of them (except the cargo pod) are treated as inactive cargo.

No refits are available except for the phaser-2 on the battle pod.

SSDs for modified Klingon pods are in Module R3.

(R11.37A) CARGO POD (P-C1): Standard Klingon type.

(R11.37B) POWER-BOOST POD (P-P2): Standard Klingon type, often known as the self-defense pod.

(R11.37C) TROOP TRANSPORT POD (P-T3): Standard Klingon type. Same landing force as Klingon pod.

(R11.37D) BATTLE POD (P-B4): This was modified heavily to use Lyran equipment. Lyran tugs can carry unmodified Klingon battle pods but cannot launch drones from those pods. One UIM standard; it can control the disruptors on the tug and on any other pods. Backups are available for purchase under (S3.2) Y166 and after. Note that the Lyrans do not have a K-refit, but that this pod's phaser-2s were refitted using Klingon designs.


A battle tug counter is in Module R5.

(R11.37E) CARRIER POD (P-H5): The Lyrans modified the standard Klingon carrier pod to include a normal half-squadron. The pod would have the best fighters available, but not necessarily the best that the Lyrans had as other carriers had priority. Appropriate escorts would be assigned when available. Note that the pod seeking weapon control circuits are added to those of the tug, but the tug (even with two of these pods) cannot control more seeking weapons than its sensor rating.

(R11.37F) PF TENDER POD (P-PF6): Security was replaced with APR; otherwise this pod was identical to those in service with the Klingons.

(R11.37G) HEAVY CARRIER POD (P-V7): Security replaced with APR. Only one ever existed; see (R11.45). The pod would have the best fighters available, but not necessarily the best that the Lyrans had as other carriers had priority. The pod can control a number of seeking weapons equal to one-half of the tug's sensor rating. Note that the pod seeking weapon control circuits are added to those of the tug, but the tug (even if it had two of these pods) cannot control more seeking weapons than its sensor rating.

(R11.37H) REPAIR POD (P-R9): Standard Klingon type.



LYRAN LTT WITH KLINGON-TYPE POD

LYRAN WAR DESTROYER VARIANTS

(R11.38) WAR DESTROYER LEADER (DWL): The DWL pushed the limits on the already heavily modified DW hull. Like all 'leaders,' it was intended to be the most heavily-armed unit in a squadron of 3–4 ships.


Proposed by Leonard Byrd.

Federation codename: *Snow Leopard*.

Refits: Power pack standard by Y168 but not included in BPV. Mech-link refit was common. The phaser refit was virtually standard by Y170. Shield refit was incorporated into original design.

UIM: Available for purchase under (S3.2) Y166 and after.

SSD and counter are in Module R3.



(R11.39) WAR DESTROYER ESCORT (DWE): An escort variant of the DW with fighter reload facilities and limited aegis. Early production was limited, and series production did not begin until Y173–74. The DWE can control a number of seeking weapons equal to its sensor rating, which made it a significant improvement over the FFE which had the standard Lyran control system equal to only half of the sensor rating.

Refits: Power pack standard. Mech links unavailable. Shield refit was common by Y173 but was not on earlier production. No phaser refit.

UIM: Not available.

SSD and counters are in Module R3.

(R11.40) WAR DESTROYER AEGIS ESCORT (DWA): An improvement of the DWE with full aegis fire control, it entered service in Y175, but some DWEs did not receive the refit until the next year as CWEs had priority.

Refits: Power pack common from Y173. Mech links fairly common. Shield refit standard but not in BPV as at least some units did not receive this until later. No phaser refit.

UIM: Not available.

SSD in Module R3. Use the DWE counters.

(R11.41) WAR DESTROYER SCOUT (DWS): A scout variant of the DW. While less effective than the CWS, it was also cheaper and was used to supplement larger scouts.

Refits: Power pack standard but not in BPV. Mech links fairly common. Shield refit standard by Y175 but not in BPV. No phaser refit.

UIM: Not available.

Federation codename: *Margay*.

SSD and counter are in Module R3.

(R11.42) WAR DESTROYER MINESWEEPER (DWM): A minesweeping variant of the DW which entered service Y168 (one of the first DW variants).

Refits: Power pack never installed. Mech links fairly common. Shield refit standard by Y175 but not in BPV. No phaser refit.

UIM: Not available.

SSD and counter are in Module R3.

ADDITIONAL LYRAN WARSHIPS

(R11.43) SINGLE-TOOTH JAGUAR WAR MAULER (STJ): A mauler variant of the Jaguar war cruiser designed for rapid wartime production. The hull was barely adequate for the mission, and Saber-tooth Tigers were strongly preferred. This ship cannot have the power pack (R11.R5) refit as those systems are already installed as part of the mauler conversion.

STJ must roll for shock (D23.0) when firing the mauler.

Refits: Power pack was built in. Plus refit standard by Y175, but the phaser refit was effectively incorporated (although in a different location). Mech-link refit sometimes installed.

UIM: Not available. (Ship had no use for it.)

SSD and counter are in Module R3.

(R11.44) COMMANDO WAR CRUISER (CWG): Intended to support planetary assaults with landing forces.

The 36 marine squads include 2 commando teams and 4 heavy weapon squads. There are three GCVs.

Refits: Power pack never used. Plus refit standard by Y175. Phaser refit never installed. Mech links very common after Y178; used for commando PFs.

UIM: Not available.

SSD and counter are in Module M.

(R11.45) LIGHT CARRIER TRANSPORT (LTV): This is an LTT with a Klingon heavy carrier pod. Only one heavy carrier pod was provided to the Lyrans, and it was more or less permanently assigned to the LTT *Far Stars Nova*. This ship was deployed with a standard CVL carrier group.

Year	Escorts	Fighters
Y171–73	CWE, FFE	12xZ–2
Y173–74	CWE, DWE	12xZ–2
Y175–78	CWA, DWA	12xZ–V
Y179–83	CWA, DWA	12xZ–Y
Y182–92	CWA, DWA	12xZ–YC
Y191–205	CW, DW	12xZ–YC

While LTTs could carry the older P–H5s, when this was done there was no formal designation assigned.

Refits: LTTs had the plus refit by the time that the P–V7 was available. LTTs cannot have p-refit. Power pack never installed.

UIM: Not available.

An SSD and counter for this combination are in Module R3.

(R11.46) MILITARY POLICE (MP): Relatively few Lyran police corvettes were converted to the Military Police configuration [a design originated by the LDR; see (R14.14) in Module C3] for use as police flagships and convoy command ships. No military police variants were built by the Lyrans, although the LDR built several variants.

An SSD and counter for this ship is in Module R3.

Refits: Power pack standard but not in BPV. Plus refit standard by Y173. UIM refit available. Mech link refit unavailable.

UIM: Not installed, but available for purchase.

Federation Codename: *Caracal*.

NOTE: Module C1 is in error; there is no SSD for a tug with cargo packs in this product.

(R12.0) WYN STAR CLUSTER

(R12.14A) DOUBLE RAIDER (ODR): Among the Orion-built ships used by the WYN Cluster was at least one Double-Raider. SSD and counter are in Module R3.

NOTE ON WYN COMMAND RATINGS: The data in (R12.0) in Module C1 is correct; all WYN warships except PFs but including auxiliaries have an assumed command rating of 10 while inside the cluster. The data in (S8.222) is wrong.

BELOW: Captain "Cat Who Waits For Stars" (an ethnic Kzinti) on the bridge of the Orion-built WYN Light Raider *Shadowfox*, along with his first officer Clawraker (an ethnic Lyran) and Chief Engineer T'Laura Bek'Ahm (an ethnic Orion), prepare to take their ship out of the Cluster on a clandestine raiding mission into Klingon space.

(R12.15) WYN (KLINGON) ESCORT (KE4): In Y154, a Klingon E4J penal escort mutinied and fled into the WYN Cluster. The WYNs welcomed the mutineers, took the ship, and refitted it with various improvements as seen on the SSD. The ship, named *Justice Denied*, was destroyed outside of the cluster in combat with the Kzintis in Y166 as the result of a betrayal by a Kzinti agent.

The WYNs did install bulkheads to prevent a chain reaction of the drone racks. The KE4 retained the ability to separate the boom section, although this was not done during the final battle.

The ship was destroyed before receiving any refits.

Design by Steven P Petrick.

SSD and counter are in Module R3.

(R12.15A) LATER KE4s: There is some indication that other E4s may have come into the hands of the WYNs after Y173, and if this is true, it is presumable that they would have been modified with B-racks (double reloads) and phaser-1s. This is shown in a box on the KE4 SSD.



ANNEX #7G: CARRIER INFORMATION

Race	CV	Ftrs	Admin	Bays	Store	DC
Klingon	C8V	24	7	3	500	24
	C8S	12	7	3	500	12
	B10	8	6	2	200	8
	B10V	24	6	4	1000	24
	B10S	12	6	3	1000	12
	CVT†	10	2	3	120	10
	CVTA†	24	8	3	250	24
	D7V	12	4	2	150	12
	D6V	10	2	2	100	10
	D5V	12	2	1	150	12
	F5V	8	2	1	100	8
	E4V	6	1	1	75	6
	P-H5	5	0	1	60	5
	P-V7	12	3	1	125	12
Hydran	Baron	6	2	2	0	6
	BT†	7	3	2	0	7
	Caravan	3	3	1	0	3
	Cavalier	21	4	3	0	21
	Comanche	4	2	2	0	4
	Cossack	18	4	2	0	18
	CVT†	15	3	3	0	15
	D7H	2	2	1	0	2
	DE	6	4	1	0	6
	Dragoon	3	3	1	0	3
	Gen	2	1	1	0	2
	Horseman	6	2	2	0	6
	Iron D	24	6	2	0	24
	Lancer	4	1	3	0	4
	Lord-B	3	3	1	0	3
	Lord-Cm	6	3	3	0	6
	Lord-M	6	3	3	0	6
	Lord-P	12	3	3	0	12
	LTT	4	2	2	0	4
	LTV†	16	2	4	0	16
	Mongol	6	2	2	0	6
	NEC	6	2	2	0	6
	NMS	4	4	2	0	4
	NSC	6	2	2	0	6
	NVL	12	2	2	0	12
	OV	6	3	3	0	6
	Paladin	12	3	3	0	12
	P-CV	12	0	2	0	12
	P-Com	4	0	1	0	4
	Q-L	4	2	2	0	4
	Q-S	2	1	1	0	2
	Ranger	9	3	3	0	9
	Scythian	6	1	1	0	6
	SR	2	8	1	0	2
	SRG	2	8††	1	0	2
	SRV	8	2	1	0	8
	Uhlan	16	2	2	0	16
	Warrior	2	2	2	0	2
Lyran	CV	12	4	2	150	12
	CVL	12	4	2	150	12
	SCS	12	4	2	200	12
	SRV†	12	4	4	200	12
	CVT†	12	4	4	125	12
	LTV†	12	5	3	125	12
	P-H5	6	0	1	60	6
	P-V7	12	3	1	125	12
	P-CV	12	0	2	125	12

† This assumes that drone-using fighters are present.

If fighters that use plasma-D are present, these are plasma-Ds.

†† "Admin Shuttles" for the Hydran SRG include one heavy transport, two admin, and four ground assault shuttles.

¥ These are type-D plasma torpedoes, not drones.

‡ This is a Tug+Pod combination.

MRS shuttles are not shown or included.

Drone storage from carrier pods is loaded into the cargo boxes of the tug itself (if any).

For casual carriers, see (J4.62).

KLINGON SHIPS

B10..... B10, B10H†; Romulan K10R.
 B10H†..... B10V, B10S.
 B10-Boom..... B10 Boom.
 C†..... C9, C9A, C8, C8H†; Rom K9R.
 C8H†..... C8V, C8S.
 C8 Boom..... C8 Boom, C9 Boom.
 General..... BCH†, D†, DV†, DM†, T†. (Two engines, boom, move cost 1.)
 BCH†..... C7, C7A.
 BCH Boom..... C7 Boom.
 D†..... D7, (D7 variants), D6, (D6 variants), DX; Romulan KR, K7R, (KR and K7R variants); Orion OK6§; Hydran D7H§.
 D Boom..... D7 Boom, D6 Boom, D6J Boom§, Tug Boom.
 DV†..... D7V, D6V; Romulan KRV, Romulan K7V.
 DM†..... D6M, D7M; Romulan KRM.
 D5..... D5, (D5 variants), DDV†, MD5§, DT with pod; Romulan KDR (and variants other than KDV).
 D5 Boom..... D5 Boom, D5J Boom§.
 DT..... D5G, D5H; distinguished from other D5 variants when the pod is noted.
 DDV†..... D5V, Romulan KDV.
 F6..... F6, Romulan KFR.
 F5..... F5, (F5 variants), FC†, FX, F5R, F5V§, F5W†; Romulan K5R and variants; Tholian TK5§.
 FC..... F5C, F5L; Romulan K5C, K5L.
 F5 Boom..... F5 Boom, F6 Boom, E4J Boom§, F5J Boom§. (E5 boom identical to F5 boom.)
 E5..... E5.
 E4..... E4, (E4 variants), E4V§, G4; Romulan K4R (and variants); WYN KE4§.
 E3..... E3, (E3 variants), G2, G2C§; WYN-KG2.
 T†..... Tug-A, Tug-B, CVT, BT; Rom KRT. (The presence of pods is detected at level D§.)
 See Also..... Romulan SpH for a Klingon variant of that ship.

HYDRAN SHIPS


PFT..... Pegasus.
 Paladin..... Paladin, Iron Duke, Lord Paladin.
 General..... Ranger, Dragoon, Cavalier§, Caravan, CC†.
 CC†..... Lord Marshal, Lord Bishop, Lord Commander, Overlord§.
 CW..... Horseman, (Horseman variants), Mule, Traveler, CM†.
 CM†..... Mongol, Tartar, Comanche, Cossack, Apache.
 DD†..... Lancer, Knight, Warrior, Outrider, DE, DA, SRG, LNG, Minesweeper, Uhlan§.
 Gendarme..... Gendarme.
 Hunter..... Hunter, (Hunter variants), Scout, Cuirassier, FFL†.
 FFL†..... Saracen, Crusader, Scythian.
 Pallets..... on Caravan and Mule detected at level D.
 See Also..... Klingon D† for D7H variant.

LYRAN SHIPS

DN..... Lion, Siberian Lion§, (CVA and SCS).
 BCH†..... Wildcat, Hellcat, Firecat, Siberian Hellcat§.
 CA..... Tiger, Cougar, Puma, Bengal Tiger, Siberian Tiger§, Saber-Tooth Tiger§, Prairie Cat, Java Tiger.
 CW..... Jaguar, (Jaguar Variants), Yaguarundi§, STJ§, PFW§, LTT; WYN-PBB.
 DD..... Leopard, PFT§, MS, SC; WYN-LDD§.
 FF..... Cheetah (and variants), Pol§ (and variants).
 DH†..... DW†, MP†. (Note that only the LDR has MP variants; both have MPs.)
 DW†..... DW and variants; WYN-PBC§.
 MP†..... MP and variants, MPV§.
 Pods/Pallets..... on Tug, SR, and LTT detected at level D.

WYN AUXILIARY SHIPS

AxS..... AxC, AxCV, AxMS, AxPFS AxCC.
 AxL..... AxBC§, AxCVA, AxSCS.
 See Also..... Klingon E3 and E4; Kzinti FF, DW; Lyran DD, CW, DW; many Orions; many auxiliaries.

(SH76.0) QUARANTINE

(Y160)

by Perry Kurzynski, Canada

Plague had broken out on a small planet near the Klingon Border. The planet had not been colonized and only had personnel who were surveying it for colonization. The CLH *Refuge* was sent to the planet to rescue them. The *Refuge* was accompanied by a single escort vessel because the Klingons were too involved in their current war with the Kzintis and Hydrans to interfere, or so it was thought.

A Klingon Commander serving a penance tour on a penal frigate became aware of the plight, and he arrived to "investigate possible biological warfare experiments" in hopes of earning a quick ticket off the penal ship.

(SH76.1) NUMBER OF PLAYERS: 2; the Federation player and the Klingon player.

(SH76.2) INITIAL SET UP

TERRAIN: Class M planet (P2.21) in 2420, small moon (P2.23) in 1514.

FEDERATION: CLH *Refuge* in 2520, heading C, speed 0 [standard orbit (P8.0)], WS-0.

POL *Constabulary* in 2421, heading E, speed 0 [standard orbit (P8.0)], WS-I.

Small Ground Scientific Outposts in 2420-B and 1514-B, both WS-0. See (SH76.46).

KLINGON: F5J *Agony* in 4215, heading E, speed max, WS-III. See (SH76.45).

(SH76.3) LENGTH OF SCENARIO: The scenario continues until all forces belonging to one side have been destroyed, captured, or have disengaged.

(SH76.4) SPECIAL RULES

(SH76.41) MAP: The map is fixed; it does not float. Any unit leaving the map has disengaged and cannot return. The Klingon ship may only disengage off the 42xx map edge; the Federation ships may only disengage off the 01xx map edge. Units which disengage in unauthorized areas are considered destroyed.

(SH76.42) SHUTTLES AND PFs: No shuttles or PFs have warp booster packs.

(SH76.421) No ship in this scenario is qualified to carry an MRS shuttle, but in a variant of the scenario where that is possible, they may be purchased [up to the limits in (J8.5)] under (SH76.431).

(SH76.422) There are no EW fighters in this scenario as none had been developed at this time.

(SH76.423) There are no PFs in this scenario.

(SH76.43) COMMANDER'S OPTION ITEMS

(SH76.431) No Commander's Option Items may be purchased in this scenario. The Federation units are on a peaceful mission, and the Klingon ship is a low-priority unit on a non-active front when all available materials are going to support the war effort. Players might experiment with allowing option points, perhaps to balance the scenario.

(SH76.432) All drones are "slow," i.e., speed-8. Type-II and type-V drones (speed 12) are not available for purchase as special drones. No special drones may be purchased.

(SH76.433) Prime Teams (G32.0) are not available in this scenario.

(SH76.44) REFITS: At the time of this incident, none of the involved ships had received any refits.

(SH76.45) CREW: The F5J has a poor crew (G21.1).

(SH76.46) PLAGUE VICTIMS: Each of the science outposts has a total of ten crew units. Two of the crew units at each outpost are medical personnel and ship's services personnel (to operate the transporters and shuttles) from the CLH (deducted from the CLH's crew at start); the other eight are the original survey teams who are

all infected with the plague. These plague-infected crew units must be evacuated, but their movement is restricted because of the need to prevent the plague from contaminating other crewmen.

(SH76.461) Only the CLH is configured to handle plague victims. No other unit can beam up plague-infected crew units or off-load them from shuttles. The Klingons cannot capture or hold infected Federation crew units.

(SH76.462) No more than one plague-infected crew unit may be moved as part of a single transporter operation. This operation is limited to a direct beam up from a science outpost to the CLH by the transporters of the CLH. No other transporters can be used to try to move the plague-infected crew units because of the danger of contamination.

(SH76.463) No more than one plague-infected crew unit may be moved by any given admin shuttle at one time. No more than two plague-infected crew units may be moved by an HTS shuttle. If the shuttle of a non-CLH ship is used to pick up plague victims, the shuttle cannot be recovered by the ship which launched it and must be destroyed.

(SH76.464) It is expressly prohibited to deliberately transport plague-infected crew units onto another ship. The Federation captain would be court-martialed for such an action. The Klingon ship cannot have plague-infected crew units in this scenario.


(SH76.465) Plague-infected crew units will be in the most secure part of the CLH when taken aboard and cannot be injured as a result of damage to the CLH short of the CLH's destruction.

(SH76.466) The Klingon player cannot do hit-and-run raids to kill the infected crew units because of the danger of contamination.

(SH76.467) All systems on the outposts are inactive (G30.0) and cannot be activated; life support is on minimum. No shuttles are operable.

(SH76.47) ANALYSIS: The Klingon player uses the Scientific Research rules (G4.1) and his probes (G5.2) to obtain information about the plague. He must gain at least 20 points of information, 10 from each outpost, to determine if the plague is a bio experiment gone wrong. The Klingon gains this information by studying the science outposts, not the CLH. The Klingon cannot fire on either science outpost until he has gathered the required information.

NOTE: The Klingon will not believe Federation denials that it is a failed biological warfare experiment, and the Federation strongly suspects the plague may be a Klingon biological warfare test.



(SH76.5) VICTORY CONDITIONS: The Federation player wins if he successfully evacuates all surviving plague-infected crew units (a minimum of 10 must survive) and disengages.

The Klingon player wins if he collects the 20 points of information before all the plague-infected crew units are aboard the CLH and destroys either the CLH OR the police ship. In either case, he must also disengage by distance or acceleration.

If the Klingon is destroyed after accomplishing his goals but before he can disengage, the scenario is a draw.

(SH76.6) VARIATIONS: The scenario can be played again under different conditions by making one or more of the following changes:

(SH76.61) Replace the F5J with a Romulan Snipe-B.

(SH76.62) Allow the Klingon to select some special drones.

(SH76.63) For a smaller battle, use an E4J in place of the F5J and delete the POL.

(SH76.7) BALANCE: The scenario can be balanced between players of different skill levels by one or more of the following:

(SH76.71) Change the POL to an FF; this favors the Federation.

(SH76.72) Replace the F5J with an F5; this will favor the Klingon.

(SH76.73) Add a refit to one side or the other.

(SH76.8) TACTICS

FEDERATION: The CLH can take a lot of damage, so consider using it to tractor the F5J so that your police ship and shuttles can

destroy it. Do not use your own shuttles to try to bring up plague victims as the F5J will just destroy them. It may be a good idea to have a weasel ready on the CLH just to make sure you do not get hit with a scatter-pack.

KLINGON: The only way you can hit the Federation ships with your drones is to anchor them, but this is risky and not likely to succeed versus the CLH, which is a cruiser after all. While the CLH does not have much in the way of weapons, it is very big and can take a lot of damage. Unfortunately, you cannot ignore the police ship and will have to kill it sooner or later. Remember that your rear shields are tissue paper. You might use your drones in a scatter-pack to create a temporary wall between you and the police ship, while you roar in and attack the CLH. Remember to guard the security stations. A boarding action might work against the police ship, but do not count on it.

(SH76.9) PLAYTESTER COMMENTS: A fun scenario with intriguing possibilities. It has potential as a simple one nighter.

HISTORICAL OUTCOME: The F5J destroyed the Federation police cutter, but was too badly damaged to even think about taking a shot at the CLH. The F5J withdrew. The Commander of the ship was reduced in rank as a result of his failed attack, and he served the remainder of his time aboard the ship as the communications officer.

The CLH was able to determine a cure for the "plague," which proved to be a parasite. The science outposts were closed and the planet and its moon abandoned.

(SH77.0) JUSTICE DENIED



(Y166)

by Bruce Graw, Ohio

In Y166, the Kzintis offered a destroyer to the WYNs in exchange for computer hardware they knew the WYNs had recently captured from the Klingons. The deal was set up outside of WYN space (due to the unusual fact that a ship was being traded instead of the standard supplies), but under the condition that the WYNs have overwhelming firepower present to monitor the trade (from a safe distance).

The destroyer was to be unmanned and left adrift in space while the WYNs passed a freighter containing the captured Klingon computer equipment over to the waiting Kzinti ship. In the meantime, the WYNs would commandeer the destroyer and move it into the Cluster. Other details were also arranged to the mutual satisfaction of both parties.

Unfortunately, Straight-Spike-Tail (one of the prime movers in getting the trade set up on the WYN side) was actually a Kzinti agent. As the WYN KE4 *Justice Denied* was moving into position to transport a skeleton crew to the destroyer, Straight-Spike-Tail detonated explosive charges aboard the OCR *Atonement*, leaving it without the use of one of its warp engines. At that precise moment, the supposedly unmanned Kzinti destroyer brought its engines on-line and began to activate its fire control. The Kzinti CA *Nebula* accelerated to engage the *Justice Denied* and the *Atonement* as they tried to make sense of what was happening.

(SH77.1) NUMBER OF PLAYERS: 2; the WYN player and the Kzinti player.

(SH77.2) INITIAL SET UP

TERRAIN: The 01xx hex row marks the edge of the WYN radiation zone. The rest of the map is empty space.

WYN: OCR *Atonement* in 1618, heading B, speed 0, WS—III. One of this ship's warp engines is inactive; see (SH77.45).

KE4 *Justice Denied* in 2017, heading B, speed 4, WS—III.

KZINTI: DD *Unicorn* in 2815, heading E, speed 0, WS—I.

CA *Nebula* in 3810, heading E, speed 10, WS—III.

NEUTRAL: Small freighter in 2722, heading B, speed 4, WS—0. This ship moves using automatic rules; see (SH77.46).

(SH77.3) LENGTH OF SCENARIO: The scenario continues until all forces belonging to one side have been destroyed, captured, or have disengaged.

(SH77.4) SPECIAL RULES

(SH77.41) MAP: Use a floating map. WYN units can only disengage off the 01xx hex row (into the WYN zone) or by sublight evasion. Any other form of disengagement results in the destruction of the disengaging unit. Kzinti units cannot enter the WYN zone (if they do, they are destroyed) but can disengage in any other direction.

(SH77.42) SHUTTLES AND PFs: No shuttles or PFs have warp booster packs.

(SH77.421) No ship in this scenario is qualified to carry an MRS shuttle, but in a variant of the scenario where that is possible, they may be purchased [up to the limits in (J8.5)] under (SH77.431).

(SH77.422) There are no fighters in this scenario. In a variant in which fighters are present, use the standard deployment patterns for EW fighters if desired.

(SH77.423) There are no PFs in this scenario.

(SH77.43) COMMANDER'S OPTION ITEMS

(SH77.431) Each ship can purchase additional or special equipment as Commander's Option Items (e.g., T-bombs, etc.) up to 20% of its combat BPV. Kzinti DD cannot purchase extra boarding parties or crew. See (S3.2) for details and exceptions. Note that whatever is spent here counts in the Modified Victory Conditions (S2.2) as victory points for the enemy.

(SH77.432) All drones are "slow," i.e., speed—8. Type-II and type-V drones (speed 12) are available for purchase as special drones. "Medium," i.e., speed—20, drones are available for purchase as restricted-availability drones.

Each drone-armed ship can purchase special drones up to the historical racial percentages as part of the Commander's Option Items. Note that (S3.2) allows drone ships extra points for this purpose.

(SH77.433) Prime Teams (G32.0) are not available in this scenario.

(SH77.44) REFITS: None of the ships in this scenario have been refitted. Refits may be added as a balance factor under (SH77.74).

(SH77.45) ATONEMENT: The WYN Raider Cruiser has suffered sabotage against its left warp engine. This engine is not available to provide power, although it can take hits on the DAC until repaired. This engine can be repaired in one of two ways.

(SH77.451) On each turn (before Energy Allocation) except for Turn #1, the WYN player rolls a single die and records the result. When the total of these die rolls equals or exceeds 13, the *Atonement's* warp engine is repaired and operates normally.

(SH77.452) Instead of making the die roll, the WYN player may, on any or all turns (except Turn #1), order the *Atonement's* chief engineer to "crash start" the engine. In this case a die is rolled, and if a "1" is the result, the engine starts immediately. However, if any other number is rolled, the attempt has failed and the engine is still inoperative. In this case the die roll result is NOT added to the total. The WYN player MUST state, BEFORE rolling the die, which method he is using.

(SH77.46) UNICORN: The Kzinti DD is operating with a smaller amount of crew than normal in an attempt to avoid detection by the approaching WYN ships. The DD has only four crew units (minimum crew) and two boarding parties (comprising a fifth crew unit). This ship may not purchase additional crew or boarding parties (including commandos or heavy weapons squads) under (SH77.43).

(SH77.47) FREIGHTER: The small freighter is a robot-controlled vessel on a fixed course.

(SH77.471) It will move directly forward at a speed of 4 unless its engines are destroyed or it is captured by one side or the other. There is no need to perform Energy Allocation as the only power it will expend is for movement; it does not operate fire control, shields, or any other function. There are no boarding parties, crew units, or booby traps aboard at the start of the scenario (the WYN honestly intended to keep their side of the deal).

(SH77.472) Once the freighter has been captured, the owning player may deactivate (and, if desired, reactivate) the robot controls at the start of any turn and take full command of the ship. (Note: The WYN may later choose to reactivate the automatic systems in order to vacate the freighter before it moves back into the radiation zone.)

(SH77.5) VICTORY CONDITIONS: Use the Modified Victory Conditions (S2.201). The freighter is not considered part of the initial force total of either side, but if it is captured, the new owner scores a bonus of 2 points per undestroyed cargo box that remains on the freighter at the end of the scenario (instead of the normal points for capturing a freighter).

(SH77.6) VARIATIONS: The scenario can be played again under different conditions by making one or more of the following changes:

(SH77.61) Assume it was a Klingon force which set up this arrangement instead of the Kzintis. Replace the DD with an F5 and the CA with an F5C.

(SH77.62) For a larger battle, add a LDD (the ship which eventually became the PBB) and a KG2 to the WYN side and give the Kzintis a BC.

(SH77.63) For a smaller battle, delete the OCR and the DD and allow the KE4 and CA to fight alone.

(SH77.7) BALANCE: The scenario can be balanced between players of different skill levels by one or more of the following:

(SH77.71) Change the OCR to a LDD.

(SH77.72) Allow the OCR to begin the scenario with some quantity of points already accumulated towards restarting its warp engine (perhaps one die roll or a fixed number). Alternately, players could "bid" for how many points the OCR begins with, with the low bidder playing the WYNs.

(SH77.73) Add a police ship to either side.

(SH77.8) TACTICS

GENERAL: Either side can win by simply grabbing the freighter and leaving. It's worth 50 points while you give away at most 40 by disengaging. This makes for a boring battle, however (and the other side may not like the idea).


WYN: Take care in choosing the OCR's option mounts. It doesn't have the power for three disruptors. This, and your speed in reactivating the warp engine, will determine whether or not you win the scenario.

KZINTI: Try to kill the KE4 before the OCR gets its warp engine back. Beam some boarding parties onto the DD at the first opportunity, or it will become a powerful WYN unit. Use type-IV drones where possible aimed at the KE4; it will have to use either all of its phasers or some of its disruptors to stop them.

(SH77.9) PLAYTESTER COMMENTS: An interesting scenario because the WYN actually have fighting ships present instead of their normal collection of scows.


HISTORICAL OUTCOME: The KE4 was destroyed, and the Kzinti DD was damaged. The OCR managed to get its engine working again while the CA was reloading its drone racks, and it slipped away into the WYN zone after destroying the freighter in an act of sheer spite. Straight-Spike-Tail was rescued by a Kzinti hit-and-run raid in the last seconds of the battle and escaped whatever fate the WYNs would have selected for him.

Justice was indeed denied.



LYRAN HEAVY CRUISER

(SH78.0) SACRED



(March, Y168)

by Michael LaBossiere, Maine

The animosity between the Kzintis and the Lyrans is well known, and battles between them are marked by this more so than between any two other races (except perhaps that between the Klingons and the Tholians). The exact reason for this animosity is not known.

In Y168, a Kzinti force was preparing to render honors at a shrine that had been constructed in deep space. The shrine honored a number of Kzinti who had given their lives in battle in an attempt to halt a Lyrans offensive at the start of the Kzinti involvement in the Four Powers War in Y158. To their horror, the Kzinti detected a Lyrans squadron desecrating the sacred memory of their fallen warriors.

The Kzintis attacked immediately.

Strange to say, the Lyrans were also present to honor warriors fallen in battle, the same battle. The two sides had dedicated their shrines at different times, and in the intervening ten standard years had never encountered each other visiting the site because of differences in the way their two calendars worked. The resulting engagement was bloody, and perhaps was the unofficial first battle of the General War.

(SH78.1) NUMBER OF PLAYERS: 2; the Kzinti player and the Lyrans player.

(SH78.2) INITIAL SET UP

TERRAIN: Large asteroids (P3.4) in 0513 (Lyrans shrine) and 3817 (Kzinti shrine).

KZINTI: BC *Milky Way* in 4102, CL+ *Shaman* in 4101, DD *Dragon* in 4103, all heading E, speed 10, WS-I.

LYRAN: CA *Vertex* in 0229, FF *Summit* in 0129, DD *Utmost* in 0230, all heading B, speed 10, WS-I.

(SH78.3) LENGTH OF SCENARIO: The scenario continues until all forces belonging to one side have been destroyed, captured, or have disengaged.

(SH78.4) SPECIAL RULES

(SH78.41) MAP: The map is fixed; it does not float. Any unit leaving the map has disengaged and cannot return. The Kzinti units can only disengage from 42xx map edge. The Lyrans units can only disengage from 01xx map edge. Any unit disengaging from an illegal map edge is considered to have been destroyed.

(SH78.42) SHUTTLES AND PFs: No shuttles or PFs have warp booster packs.

(SH78.421) MRS shuttles may be purchased [up to the limits in (J8.5)] under (SH78.431).

(SH78.422) EW Fighters did not exist at this time, although MRS shuttles were sometimes employed in that role.

(SH78.423) There are no PFs in this scenario.

(SH78.43) COMMANDER'S OPTION ITEMS

(SH78.431) Each ship can purchase additional or special equipment as Commander's Option Items (e.g., T-bombs, extra marines, etc.) up to 20% of its combat BPV. See (S3.2) for details and exceptions. Note that whatever is spent here counts in the Modified Victory Conditions (S2.2) as victory points for the enemy. Neither side may purchase equipment which could normally only be used in ground combat such as GCVs, this prohibition includes GAS shuttles.

(SH78.432) All drones are "medium," i.e., speed-20.

Each drone-armed ship can purchase special drones up to the historical racial percentages as part of the Commander's Option Items. Note that (S3.2) allows drone ships extra points for this purpose.

(SH78.433) If players wish to use the optional rules for Prime Teams (G32.0), the BC and the CA each carry one such team.

(SH78.44) REFITS: The Kzinti ships are refitted as per (SH78.2). The Lyrans ships have all received the shield and ESG capacitor refits.

(SH78.45) THE SHRINES: Neither race is aware of the other race's shrine at the start of this battle. The existence of the shrines will also inhibit the actions of the two Commanders to some degree.

(SH78.451) Each side must assign one of his ships to "protect" his shrine at the end of Turn #1. This ship must remain within five hexes of the shrine at all times, or try to get back to the shrine as soon as possible if it goes more than five hexes from the shrine for any reason. Returning "as soon as possible" is accomplished by immediately switching to a "pursuit" plot (C1.322) which is released when the ship returns to within the stated radius. A ship is not required to make an HET or use emergency deceleration to avoid moving outside of the radius.

The remaining ships on that side can never be more than 25 hexes from their side's shrine and are under the same conditions.

(SH78.452) After the third turn, during the Final Activity Phase, in the Disengage by Acceleration or Evasion Step, both players roll two dice. If a player rolls an 11 or higher, he has realized that the opposing player is attempting to protect a large asteroid. Once this is determined, 20 points of lab information (G4.1) will reveal the existence of the enemy's shrine on the asteroid (shrines cannot be detected by any other means). At that point, the discovering player can attempt to destroy his enemy's shrine and is released from the 25-hex restriction in (SH78.451), although the protecting ship is still restricted. Note that the second player continues to roll in subsequent Final Activity Phases until he has also identified his enemy's shrine.

(SH78.453) Shrines can be destroyed either by doing 100 points of damage to the asteroid or by beaming down boarding parties and a crew unit (demolition team) with explosives. The boarding parties and the crew unit must be on the asteroid for two continuous turns (64 impulses) and hold at least two of the three control stations (each asteroid counts as a single Ground Combat Location with no Remote Areas) in order to allow the crew unit to plant the charges. The crew unit must have 64 continuous impulses to do this, and if two control stations are captured by the enemy, the crew unit will have to re-start the process from the beginning the turn after the control stations are recaptured.

(SH78.46) DISENGAGEMENT: A player must disengage if all of his ships are crippled or destroyed and there is an uncrippled enemy ship remaining. No player may disengage any ship until all of his ships have been crippled. (The shrine must, after all, be defended.) If all enemy ships are destroyed or disengage before the player rolls an 11 or greater in (SH78.452) above, the scenario ends. The remaining player will complete his own ceremonies and depart unaware of the existence of the other player's shrine.

(SH78.5) VICTORY CONDITIONS: Use the Modified Victory Conditions (S2.201), except if one race's shrine is destroyed and the other race's shrine is not, the race whose shrine was destroyed has lost the battle. Note that it is possible for one player to destroy the other player's shrine, have all of his ships destroyed, and still win the scenario because the other player never discovered the other shrine.

(SH78.6) VARIATIONS: The scenario can be played again under different conditions by making one or more of the following changes:

(SH78.61) It is possible that such clashes could have occurred between individual counties of the Lyrans Empire. Replace the Kzinti ships with Lyrans ships equal to the initial Lyrans forces. The counties are fighting over shrines dedicated to their losses in a previous Civil War.

(SH78.62) Add a scout (Kzinti SF, Lyrans SC) to each side. The scout is the only ship which can determine what is important about the asteroid and does this by gaining level M information. Note that the scout cannot even begin to try to gain this information until the player has rolled an 11 or greater in (SH78.452) above.

(SH78.63) For a smaller and faster battle, delete the Kzinti BC and the Lyrans CA.

(SH78.7) BALANCE: The scenario can be balanced between players of different skill levels by one or more of the following:

(SH78.71) Change one side's Heavy Cruiser (Kzinti BC) to a CC.

(SH78.72) Replace the DD of one side with an FF.

(SH78.73) Delete or add some refits from or to one or more ships of one side.

(SH78.8) TACTICS

KZINTI: Save your drones, except perhaps a few ECM types, until you or the Lyrans are allowed to attack a shrine. Concentrate your firepower on one Lyrans ship at a time to soften them up.

LYRAN: Concentrate your firepower on one Kzinti ship at a time until you can close for the kill.

HISTORICAL OUTCOME: Both sides refused to disengage or, at first, to close. Suddenly, the Lyrans approached, but the Kzinti rear guard ship gave the Kzinti enough of an edge in firepower that the Lyrans were ultimately driven back, although some marines from both sides died fighting on the Kzinti shrine. It was only at this point that the Kzinti realized that the Lyrans must also be protecting something, and the BC raced in to destroy it. However, the Lyrans blocking ship, reinforced by their ships forced back from the Kzinti shrine, soon showed the Kzintis the error of their ways.

For reasons that remain obscure, both sides simply suddenly disengaged and went off to lick their wounds.

Shortly after the General War began in earnest, a Lyrans expedition passed through the site and demolished the Kzinti shrine. The Kzinti would not be able to return the favor for nearly a decade.

(SH79.0) MOMENT OF GLORY



(Y169)

by Stephen V Cole & Steven P Petrick, Texas

Many battles were fought on that dark day in August Y169 when the Hydrans invaded Coalition territory. The Hydrans had made extensive plans for the attack, detailing what each ship was to do and where it was to go. Some of these plans included secondary objectives, with contingency plans in case the ship did not complete its primary objective on time or in condition to fight again. These plans were updated every hour for months before the attack as Lyrans and Klingon forces shifted.

One aspect of the Hydran plan called for two destroyers to engage a patrolling Lyrans CA, keeping it from reacting to various outposts under attack, and (perhaps) delaying it long enough for heavier Hydran ships to complete their first attacks and move to destroy it.

The Lyrans CA had heard the first reports of the Hydran invasion, but the surprise attack had paralyzed the Lyrans command network. The CA was told to hold its position until the sector commander could decide where best to employ it. When the two destroyers appeared, the CA decided to destroy one or both of them while waiting.

Both sides sought their moment of glory.

(SH79.1) NUMBER OF PLAYERS: 2; the Lyrans player and the Hydrans player.

(SH79.2) INITIAL SET UP

LYRAN: CA *Vicious* in 2206, heading C, speed 15, WS—III.

See (SH79.45) for reinforcements.

HYDRAN: Lancer *Plan* (4x Stinger-1) in 3030 and Knight *Insouciant* in 3230, both heading F, speed max, WS—III.

(SH79.3) LENGTH OF SCENARIO: The scenario continues until all forces belonging to one side have been destroyed, captured, or have disengaged.

(SH79.4) SPECIAL RULES

(SH79.41) MAP: Use a floating map. The Lyrans units can only disengage in directions A or F. The Hydrans units can only disengage in directions C or D. Any unit disengaging in an illegal direction is considered to have been destroyed.

(SH79.42) SHUTTLES AND PFs: No shuttles or PFs have warp booster packs.

(SH79.421) If using the optional MRS shuttles, the *Vicious* can purchase one MRS under (SH79.431).

(SH79.422) There are no EW fighters in this scenario as they had not been developed at the time of this scenario. In a variant

in which EW fighters are used, use the standard deployment patterns for EW fighters if desired. In this case, there are Hydran units close enough to recover any disengaging fighters.

(SH79.423) There are no PFs in this scenario.

(SH79.43) COMMANDER'S OPTION ITEMS

(SH79.431) Each ship can purchase additional or special equipment as Commander's Option Items (e.g., T-bombs, extra marines, etc.) up to 20% of its combat BPV. See (S3.2) for details and exceptions. Note that whatever is spent here counts in the Modified Victory Conditions (S2.2) as victory points for the enemy.

(SH79.432) There are no drone-armed ships in this scenario. In a variant with such units, all drones are "medium," i.e., speed-20. In such case, each drone-armed ship can purchase special drones up to the historical racial percentages as part of the Commander's Option Items. Note that (S3.2) allows drone ships extra points for this purpose.

(SH79.433) If players wish to use the optional rules for Prime Teams (G32.0), the Lyran CA will normally carry one such team while the Hydrans can be given 25 additional Commander's Option Points to distribute among his forces as desired or to purchase additional units.

(SH79.44) REFITS: The *Vicious* has received the ESG capacitor refit, but has received no other refit. (Lyrans ships on the Hydran border had a low priority for refits prior to the Hydran intervention; while many of them had received refits, the *Vicious* had not.) The Lancer has the fusion holding refit, but neither Hydran destroyer has received its plus refit.

(SH79.45) Before the scenario begins, the Hydran player must select how long it will be before reinforcements might arrive.† The Hydran can select any Turn from #2 to #5, inclusive; the selection is recorded secretly and in writing and exposed only when the turn in question begins. This will result in a BPV advantage paid to the Lyrans when the victory conditions are analyzed:

Earliest Arrival:	2	3	4	5
Lyran Bonus:	30	20	10	5

When the turn for the earliest arrival of reinforcements arrives, the Hydran player exposes his written records and rolls one die at the start of the turn, BEFORE Energy Allocation or any other action. The result of this die roll is recorded. A die is rolled at the start of every subsequent turn, and the results are added to a running total. When the running total equals or exceeds 10, Hydran reinforcements arrive. This consists of the Dragoon *Colossus* (no fighters, they were lost in the previous battle, and the spare fighter hasn't been broken out yet) placed 20 hexes in direction C from the Lyran ship, facing the Lyran ship, speed max, WS-III.

(SH79.46) If the running total in (SH79.45) exactly equals 9 after any given die roll, the Hydran frigates receive word that no reinforcements are coming. Cease further die rolls at that point. The Hydran ships can then disengage, and the Lyran player does NOT receive the bonus for forcing them to disengage under (S2.21).

(SH79.47) If the die roll is a 1, the Lyran CA has received orders to move to a nearby system under attack by other Hydran forces. The Lyran ship must disengage as soon as possible. Assess a 10-point penalty (reducing the Lyran victory point total) at the end of each turn (including the turn of the die roll) that the Lyran ship has not disengaged. The Hydran player continues rolling as per (SH79.45).

(SH79.48) If the Lyran ship moves more than 50 hexes from its starting position before receiving orders (SH79.47), it is assessed a 1-point penalty for each impulse that it is beyond that limit. This penalty reduces the Lyran victory point total.

(SH79.5) VICTORY CONDITIONS: Use the Modified Victory Conditions (S2.201), scoring points for damaging, destroying, or capturing enemy ships, or forcing them to disengage. Note that bonus points may be provided by (SH79.45) and penalties by (SH79.47) and (SH79.48).

(SH79.6) VARIATIONS: The scenario can be played again under different conditions by making one or more of the following changes:

(SH79.61) This same scenario can be played using a Klingon D7 instead of the Lyran CA.

(SH79.62) Allow the Hydrans to replace one destroyer with a Warrior. (BPV adjustment from the historical forces will be added into the victory conditions.)

(SH79.63) For a smaller battle, use a Lyran CW and a Crusader, or a Lyran DD and a Hunter.

(SH79.64) Various Hydran ships, not available on the historical date, could be included. Suggestions include the CVE (Stinger-1s), DWF, or DWH.

(SH79.7) BALANCE: The scenario can be balanced between players of different skill levels by one or more of the following:

(SH79.71) Change the Lyran CA to a CW or CC.

(SH79.72) Replace the Knight with a Warrior or a Crusader.


(SH79.8) TACTICS

HYDRAN: Engage the Lyran ship and try to keep him busy and unable to maintain the speed required to disengage quickly. If you can get a shield down, you can count on racking up points for internal damage with your hellbores.

LYRAN: Kill one of the destroyers quickly, then kill the other one if you have time.

† Footnote: Of course, the Hydran destroyer commanders would have no such ability in a real war. However, they would be told this period of time by the admiral commanding the sector. Since it is important that the Lyran not know this information and that the Hydran players know it, it is logical to allow the Hydran players to make the choice.

(SH80.0) DICTATOR'S DIPLOMAT



(Y171)

by Michael Lee, Michigan

At the close of Y171, the Klingon Emperor believed that the Federation could be defeated if the Romulans could be induced to attack. To this end, Major General Commodore the Count Thad Vak Kaleen (both a soldier and a diplomat, and probably one of the most intelligent Klingons in the Empire) was dispatched as captain of the D7N *Dictator* to address the Romulan Imperial Senate.

Vak Kaleen took the *Dictator* through the Federation-Tholian Neutral Zone, skirting the territory of the Tholian Holdfast (who took the traditional view that anything outside of their border was none of their affair), but just as he contacted the Romulan patrol (the K5R *Centaaurii* under Tribune Tal) he was intercepted by the Federation CC *Lexington* under Commodore Anthony Stocker.

(SH80.1) NUMBER OF PLAYERS: 3; the Federation player, the Klingon player, and the Romulan player. Alternatively, one player could control both the Klingon and Romulan ships.

(SH80.2) INITIAL SET UP

TERRAIN: All territory below the xx30 hex row (in direction D) is Tholian territory. Any ship entering this area, even if pushed there by tractor, is considered destroyed immediately.

FEDERATION: CC+ *Lexington* in 1712, heading C, speed max, WS-III.

KLINGON: D7N *Dictator* (1x Z-1) in 0126, heading B, speed 5, WS-I. See (R3.45) for special rules pertaining to this ship.

ROMULAN: K5R *Centaaurii* in 4222, heading F, speed 5, WS-I.

(SH80.3) LENGTH OF SCENARIO: The scenario continues until all forces belonging to one side have been destroyed, captured, or have disengaged.

(SH80.4) SPECIAL RULES

(SH80.41) MAP: Use a floating map, but keep track of the distance the original xx30 is shifted as a result of the map floating. Any unit which disengages in an illegal direction is considered to have been destroyed. The Federation units can only disengage in direction A.



The Klingon ship can only disengage in directions B, C, E, or F; however, it cannot disengage by any means in direction B or C unless one Romulan crew unit has transferred to the Klingon ship. This crew unit represents a navigation crew familiar with the Romulan minefields. The Romulan ship can only disengage in directions B or C.

(SH80.42) SHUTTLES AND PFs: No shuttles or PFs have warp booster packs.

(SH80.421) MRS shuttles may be purchased [up to the limits in (J8.5)] under (SH80.431). Historically, both the *Dictator* and the *Lexington* had MRSs.

(SH80.422) There were no EW fighters in this scenario.

(SH80.423) There are no PFs in this scenario.

(SH80.43) COMMANDER'S OPTION ITEMS

(SH80.431) Each ship can purchase additional or special equipment as Commander's Option Items (e.g., T-bombs, etc.) up to 20% of its combat BPV. See (S3.2) for details and exceptions. Whatever is spent here counts in the Modified Victory Conditions (S2.2) as victory points for the enemy.

(SH80.432) All drones are "medium," speed-20. Each drone-armed ship can purchase special drones up to the historical racial percentages as part of the Commander's Option Items. Note that (S3.2) allows drone ships extra points for this purpose.

(SH80.433) Prime Teams (G32.0) are not available in this scenario.

(SH80.44) REFITS: The *Dictator* has a UIM refit. The *Lexington* has the plus and AWR refits. The *Centaurii* has the B-refit. No other refits have been installed on any of these ships.

(SH80.45) ALLIANCE: The Klingon and Romulan ships are allied; they cannot damage one another in any way (unless the target has been captured by the Federation).

(SH80.46) VAK KALEEN: Whether or not Vak Kaleen reaches the Romulan Empire is the central issue of this battle. To reflect this, the following special rules govern him.

(SH80.461) Vak Kaleen initially occupies one of the Bridge boxes on the D7N. His location is treated as per (G22.13), except that he must be in the "senior control box" of the ship he is on. (Seniority: Bridge, Emer, Aux, Scty. In a variant with a ship that has a flag bridge, that is senior to the others.) If there are two adjacent senior boxes on the ship (as there initially are on the D7N), it is not necessary to specify which one he is in.

(SH80.462) Before the scenario begins, obtain 36 counters comprising six sets of counters numbered 1-6 (e.g., Kzinti drones, Gorn plasma torpedoes, Hydran fighters, etc.). Mix these together in a cup or other container. Whenever damage destroys the last control box of the group of such boxes containing Kaleen, the Klingon player draws one counter from the cup, examines it, shows it to the Romulan player (if he wishes to), then places it face down in a location in view of all players. Such counters are retained in the order they were drawn and are examined at the end of the scenario; they comprise the die rolls

under (G22.134) to see if Kaleen has been injured or killed. There are no modifiers to the die roll.

(SH80.463) Kaleen can complete his mission if injured, but if injured cannot use his abilities as a Legendary Captain (SH80.64). Even if injured, Kaleen must remain in a control box and will be taken there by his local bodyguards if unable to move under his own power. If injured three times, Kaleen is considered to have been killed. A Legendary Doctor could cure one injury, but not more, and cannot help if Kaleen is killed.

(SH80.464) If the last box of the group containing Kaleen is destroyed, he moves to the next senior control box as per (G22.132), except that this movement is completed at the end of the turn on which the box was destroyed. He does not move if he was in one of a pair of identical control boxes, only one of which was destroyed. The last control box on either ship cannot be destroyed (for purposes of this scenario only) unless the entire ship is destroyed; it can be repeatedly damaged, each point of such damage causing another counter to be drawn.

(SH80.465) Kaleen cannot be killed by a successful hit-and-run raid directed against him personally, but such a raid which destroys the control box he is in will cause another counter to be drawn from the cup.

(SH80.466) Kaleen's specific location must be recorded at the start of each turn. This location can only be changed during a turn by surviving the destruction of the control box he is in or by transporter between the two coalition ships. The reason and method of transfer as well as the new control box he is in must be recorded. When moved by transporter between the two Coalition ships, the movement is considered to be directly from the Bridge box of one ship to the Bridge box of the other ship (or other appropriate control box if no Bridge boxes remain). The written record of his location on each turn is examined by the Federation player at the end of the scenario.

(SH80.467) The Federation player has no means of determining, during the scenario, the specific location occupied by Kaleen, and will not know whether or not Kaleen has been killed until the record of his location and the counters are examined at the end of the scenario. Naturally, if there was never a transporter operation between the *Dictator* and the *Centaurii*, and the *Dictator* was destroyed, the Federation player will know that Kaleen has been killed. However, if there was such a transporter operation, the Federation player will not know until the end of the scenario if Kaleen was transferred or killed on the *Dictator*.

(SH80.5) VICTORY CONDITIONS: Use Modified Victory Conditions (S2.201). The Klingons receive a 100-point bonus if Vak Kaleen disengages on a Klingon or Romulan ship in direction B or C. The Romulans receive a 100-point bonus if Vak Kaleen disengages on their ship in direction B or C. The Federation receives a 200-point bonus if Vak Kaleen is captured, 100 points if he is killed. Klingon and Romulan point totals are compared independently to the Fed total.

(SH80.6) VARIATIONS: The scenario can be played again under different conditions by making one or more of the following changes:

(SH80.61) Reverse the Klingon and Romulan roles (and victory conditions). Replace the D7N with a KRL, and the K5R with an F5C. All other rules are in effect, except that it is a Romulan Ambassador which must be transferred from the KRL to the F5C, and disengagement directions of (SH80.41) must be adjusted appropriately.

(SH80.62) Allow the Klingon to substitute a similar hull for the D7N, such as a D7C.

(SH80.63) For a smaller and faster battle, replace the K5R with a Snipe-A, the D7N with an E3, and the CC with a police cutter. None of the units have been refitted.

(SH80.64) Stocker and Kaleen are Legendary Captains. All rules pertaining to Legendary Captains are in effect for them, except as modified here. Neither Captain can "bluff" (G22.21).

Kaleen can only perform the functions of other Legendary Officers (G22.23) that do not require him to leave a Bridge box (SH80.461). If Kaleen transfers to the *Centaurii*, he ceases to be a Legendary Captain until he transfers back to the *Dictator*.

If this option is used, Kaleen can be wounded under (G22.134), but he cannot be killed under this die roll. The die roll for wounding is made after the die roll in (SH80.462). Even if wounded by this procedure, he must be moved to the remaining Bridge (or other control box as appropriate) and will be killed if that control box is subsequently

destroyed and was the last remaining such control box. His "wounding" can be cured by a Legendary Doctor (G22.61).

(SH80.7) BALANCE: The scenario can be balanced between players of different skill levels by one or more of the following:

(SH80.71) Change the K5R to a K5L.

(SH80.72) Replace the CC+ with an CA with no refits.

(SH80.73) Delete or add refits to or from either side.

(SH80.74) Move the starting position of the Fed CC farther in direction D (helps Feds) or A (helps Coalition).

(SH80.8) TACTICS

KLINGON: Load the fighter as quickly as you can, and get a scatter-pack loaded with the fighter's reload drones (it is unlikely to need them). Put guards on both security stations and the Bridge to keep the Federation from destroying them with hit-and-run raids. This is also a scenario where you may want to seriously consider shutting down the boom impulse engine under (G12.71), just in case you DO have to separate the boom. Make maximum use of ECM, erratic maneuvers, and an MRS (if you have one).

ROMULAN: To some extent you can force the Klingon to transfer Kaleen to you, and into fighting the Federation *for you*, by simply cloaking and leaving the *Lexington* the choice of futility firing at you while the *Dictator* closes or turning on the *Dictator*. In this way, you can get the *Lexington* to empty its heavy weapons and gain a chance to run in quickly to get Kaleen and leave the Klingon little choice but to transfer him. You will need to post guards on your control stations to prevent the Federation player from destroying them with hit-and-run raids. Keep the cloaking device ready as you are a small ship and that CC is a cruiser with a heck of a punch.

COALITION: Combined, you can win this. The problem is that the Romulan wants Kaleen on his ship when the scenario ends and will probably raise a stink about it. The basic choices are these:

Transfer Kaleen to the *Centaurii*, then have the *Dictator* fight the *Lexington*. The Romulan would like this as he scores the 100 extra points under (SH80.5).

Take both ships, run for Romulan territory, transfer Kaleen (preferred Romulan option) or the navigators (the Romulan will not favor this) whenever you can, then escape.

Leave the navigators in a shuttle, send the *Centaurii* toward the *Lexington*, and run for Romulan territory in the *Dictator*. The Romulan player will not be too wild about this as this severely limits the level of victory he can hope to attain since it prevents him from getting the 100 extra points under (SH80.5).

In any case, watch the *Lexington* carefully. A sudden turn could put it within overloaded photon range of either of the Coalition ships with disastrous consequences. Keep a boarding party on guard duty wherever Kaleen is, or might go, to prevent a successful hit-and-run "assassination" by the Federation. Carefully weigh using your limited repair abilities to fix locations that will protect Kaleen instead of repairing weapons or other systems to continue the battle.

FEDERATION: Follow the ship Kaleen is on, force it against the Tholian border, and destroy it. You are going to have to look to Mizia attacks to knock out all the Bridge boxes and get at the Bridge boxes on the *Dictator*. One massive point-blank Alpha Strike with a close range phaser salvo on the following turn will kill it if you have not been damaged. Watch for a boom separation to transfer Kaleen while your weapons are empty. Always keep a couple of unfired weapons to punish a down shield or pick off a shuttle. If the *Centaurii* leaves a shuttle behind, be prepared to kill it. Try to have an HET available for those occasional times when its use could be decisive.


(SH80.9) PLAYTESTER COMMENTS: A real challenge, great as a three player scenario using people playing these races in the local campaign. A fast challenging scenario. Careful play is required on the part of all the players as small mistakes can be decisive. Very interesting and fun, a welcome change from multiple ship engagements.

HISTORICAL OUTCOME: Despite the best efforts of the *Lexington*, the *Dictator* managed to get a navigation crew aboard and disengaged into Romulan space, with heavy damage. *Lexington* was unwilling to pursue into Romulan space because the Federation was also negotiating with the Romulans and did not want to overly antagonize them.

Kaleen's mission eventually resulted in Romulan intervention in the General War on the side of the Klingons.

Originally published in CL#3 as (SL65.0).

(SH81.0) RADEY TO THE RESCUE



(Y175)

by Jeffery L. Moore, New Jersey

In Y175, Vice Admiral "Cracker Jack" Radey and his Carrier Group #2 (CVG #2) were providing covering support for Task Force 3.1 (TF3.1) of the Federation Third Fleet on a raid into Klingon ship-ping lanes. TF3.1, consisting of six warships, was deep in Klingon territory while Radey skirted the edges of the frontier, ready to engage the border patrols if the task force had difficulty extricating itself. After completing this assignment, Radey's group would assist in an attack on the Klingon C8V *Vindicator*, which was the main goal of the operation. The task force was returning to Federation held space, when it diverted to pick off an isolated Klingon dreadnought and cruiser. Communications from the task force were suddenly cut off, and Radey felt compelled to charge to the rescue. When he found TF3.1, it was trapped in stasis and more Klingons were closing in for the kill. The Klingon battle group of the Northwest Fleet was intent upon its prey and had failed to notice Radey's approach.

(SH81.1) NUMBER OF PLAYERS: 2; the Federation player and the Klingon player.

(SH81.2) INITIAL SET UP

FEDERATION: TASK FORCE 3.1: DN+ *Konkordium* in 1517, heading E, speed 10, WS-III.

CAR+ *Potemkin* in 1515, heading B, speed 10, WS-III.

NCD+ *Grozny* in 1519, heading B, speed 10, WS-III.

DDG+ *Suvarov* in 1521, heading B, speed 10, WS-III.

FF *Zhadanov* in 1513, heading B, speed 10, WS-III.

FFG *Ushakov* in 1523, heading B, speed 10, WS-III.

See (SL71.45) for special rules applying to the above ships.

CARRIER GROUP #2: CVA+ *Zhukov* (12x F-14, 12x A-10, 2x SWAC) in 3706, heading E, speed 15, WS-III.

ECL+ *Konev* in 3905, heading E, speed 15, WS-III.

DEA *Rokossovski* in 3505, heading E, speed 15, WS-III.

DEA *Timoshenko* in 3608, heading E, speed 15, WS-III.

The fighters have all been armed and are already positioned on the balcony of the *Zhukov*.

KLINGON: BATTLE GROUP BLOOD: C9A *Admiral Kruge* in 2015, heading E, speed 0, WS-III. This ship is generating three SFG fields holding the *Konkordium*, *Potemkin*, and *Zhadanov*. See (SL71.45).

D7AK *Spellbinder* in 2020, heading E, speed 0, WS-III. This ship is generating three SFG fields holding the *Grozny*, *Suvarov*, and *Ushakov*. See (SL71.45).

D7K *Demolisher*, D6M *Mangler*, D6B *Gnasher*, F5L *Fire Leader*, F5K *Fire Wind*, F5K *Fire Storm*, F5D *Fire Thrower* set up anywhere along the 01xx map edge, heading B or C, speed max, WS-III.

(SH81.3) LENGTH OF SCENARIO: The scenario continues until all forces belonging to one side have been destroyed, captured, or have disengaged.

(SH81.4) SPECIAL RULES

(SH81.41) MAP: The map is fixed; it does not float. Any unit leaving the map has disengaged and cannot return. (If a larger map is avail-

able, it should be used. An alternative would be to switch to a floating map when the stasis fields are released.) Shuttles cannot leave the map. Any ship which disengages in an illegal direction is considered destroyed. Federation units can only disengage in directions B or C. Klingon units can only disengage in directions E or F.

(SH81.42) SHUTTLES AND PFs: No shuttles or PFs have warp booster packs.

(SH81.421) MRS shuttles may be purchased [up to the limits in (J8.5)] under (SH81.431).

(SH81.422) If using EW fighters, one fighter in each squadron or eight or more is an EW version. If not using EW fighters, these are standard fighters of their squadrons.

(SH81.423) There are no PFs in this scenario.

(SH81.43) COMMANDER'S OPTION ITEMS

(SH81.431) Each ship can purchase additional or special equipment as Commander's Option Items (e.g., T-bombs, extra marines, etc.) up to 20% of its combat BPV. See (S3.2) for details and exceptions. Note that whatever is spent here counts in the Modified Victory Conditions (S2.2) as victory points for the enemy.

(SH81.432) All drones are "medium," i.e., speed-20.

Each drone-armed ship can purchase special drones up to the historical racial percentages as part of the Commander's Option Items. Note that (S3.2) allows drone ships extra points for this purpose.

(SH81.433) Prime Teams (G32.0) are not available in this scenario.

(SH81.44) REFITS: In addition to those noted in (SH81.2), the *Konkordium*, *Potemkin*, and *Zhukov* have all received the AWR refit.

(SH81.45) STASIS: The first turn of the scenario will be the third turn that the Federation ships are in stasis, assuming that the Klingons wish to and are able to keep them or some of them in that condition. Federation Energy Allocation for the ships in stasis will have to be done for the ships in accordance with (G16.7). Note that it will be impossible for the *Spellbinder* to keep more than two ships in stasis the first turn, and one must be released on Impulse #1.

(SH81.451) All Federation ships were placed into stasis on Impulse #32 of an earlier turn. During that earlier turn, all the Federation ships had not fired any of their weapons, including all phasers, photons, drones or launching shuttles. All photon tubes are holding full overloads. (The Federation force was intent on closing to less than 40,000 kilometers before firing due to the range shift in accuracy when they were placed into stasis).

(SH81.452) None of the ships prepared any shuttles as wild weasels, but each may be holding up to two shuttles prepared for special missions (scatter-pack or suicide) before they were placed into stasis.

(SH81.453) No ship has any power allocated for shield reinforcement (exception: see (SH81.455), tractors, or transporters. All ships are at speed 10 and have allocated for a speed of 10. All batteries are assumed to be charged with reserve warp power (except for the *Zhadonov* which used 0.83 units of energy from one of its batteries), shields are at full, and life support has been paid for. All ships have six points of power allocated to ECCM. Note specifically that this means that the *Konkordium* (for example) has spent 13.5 points of warp and 1 of impulse for speed 10, 6 points of power for ECCM, 4 points for shields, 1.5 for life support, 1 point for fire control, 12 points to hold photons, and up to 2 points to hold suicide shuttles, leaving 14 points assumed to have been used as shield reinforcement.

(SH81.454) Note that Impulse #32 is the impulse from which (G16.7) will be figured.

(SH81.455) Any energy not specifically allocated above is assumed to have been used as shield reinforcement earlier, but that Klingon fire before the Federation ships were placed into stasis is assumed to have been sufficient to destroy this reinforcement but not score damage on the shields themselves. The fact that the Klingons fired outside of an effective range was what lured the Federation force into range of the stasis fields.

(SH81.5) VICTORY CONDITIONS: Use the Modified Victory Conditions (S2.201).

(SH81.6) VARIATIONS: The scenario can be played again under different conditions by making one or more of the following changes:

(SH81.61) Substitute the appropriate Kzinti ships for each Federation ship; DN for DN, BC for CA, CM for NCL, DD for DD, FF for FF or

FFG, CVA for CVA, MAC for ECL, DWAs for the DEs. Fighters would be 24xTAAS. The Klingons will find their hands more than full.

(SH81.62) Add an F5S to the Klingon force and a scout to the Federation CVA group.

(SH81.63) This scenario can be "interesting" to play even without Radey's carrier group (although the Federation will have almost no chance of survival). Assume that the start of the scenario is the second turn of holding the Fed ships in stasis.

(SH81.64) Put the carrier group in stasis, and have the third fleet rescue it.

(SH81.7) BALANCE: The scenario can be balanced between players of different skill levels by one or more of the following:

(SH81.71) Change the D6B to a D7B.

(SH81.72) Replace the ECL with a NAC.

(SH81.73) Delete or add a frigate (F5 or FF) from either side

(SH81.8) TACTICS

FEDERATION: You must free the 3rd Fleet ships as quickly as possible. The simple solution is to destroy the stasis-equipped ships. Once that happens, it will be a good old-fashioned slugfest. Charge directly into combat with your entire carrier group on Turn #1. Send waves of drones toward the Klingon ships.

KLINGONS: The standard SFG tactics should be used as much as possible, but with Radey breathing down your neck, that won't really be possible. Even so, plan carefully which ships to release, and blast them immediately. Shove a mauler up against the field, and have a horde of drones (remember that they have no wild weasels) scheduled to arrive just after the field is released. Once the stasis fields are released, go into retrograde and make him come to you. Tractor a crippled Fed ship, and tow it behind you, blowing it up at just the right point to trap a wave of fighters.

(SH81.9) PLAYTESTER COMMENTS: A fascinating variation on the fleet battle; shows stasis field generator tactics. Without the carrier group, it is a good training scenario.

HISTORICAL OUTCOME: Radey's arrival foiled the plans the Klingons had to complete their clever trap. They had lured the Federation ships in by simulating the beginning of a retrograde in the face of superior numbers, when they were actually slowing to use their SFGs. The resulting encounter, while costly in terms of damage received to both sides, was relatively inconclusive, although it did serve as a warning to future Federation Task Force Commanders. (The Commander of TF3.1 was relieved and assigned to a desk for failing to note that the Klingons were equipped with SFGs.)

As a side effect, Radey's ships were not in position to complete the trap of the *Vindicator*, enabling it to escape.

PLAYTESTERS

BATTLE GROUP CHICAGO: John Berg, Paul Miller, Mike Incavo, Randy Demetz, Joe Lewis, Cliff Yahnkee, Paul Pundy, Alex Pundy, Andy Pundy, Bill Miller, Tim Longacre.

BATTLE GROUP DAYTON: Bruce Graw, Gary Fitzpatrick, Bruce Fiedler, John Hanna, Roger Rardin.

BATTLE GROUP F: Frank Otto, Randy Livers, Greg Bisette.

BATTLE GROUP HOUSTON: Frank Crull, John Viles, Preston Kent, David Johnson, Terry Haugh, Brad Hinkle.

BATTLE GROUP KENTUCKY: Ed Holzman, Ron Roden, Andrew Osterburg, George Alexander, John Steele, Roy Steele, Walter Grube, Terry Fernbach, Dave Preuss, Ross Dickman.

BATTLE GROUP LIVONIA Rick and Bridgette Daniels.

BATTLE GROUP LOS ANGELES: Ray Olesen, Tom Gondolfi.

BATTLE GROUP MT PLEASANT: David Monroe, Bill Bartelt, Jeane Hansen.

BATTLE GROUP NEW ORLEANS: Jay Fisher, James Butler III, Todd Richardson.

BATTLE GROUP PHOENIX: Ken Burnside, Jacob Everhart, Steve Sims, Anthony Nagel, Bill Blakely, Brian Harmon, Jeff Plaine, David Demland, Mike English, Mike Renzulli, Ron Russel.

BATTLE GROUP SEATTLE: Scot McConnachie, Chris Smith, Emmanuel Gambliel.

ZIA TACTICAL GROUP: Johnny Casady, Ronald Mathis.

Ship Type	G9.0 Crew	D7.0 Brdg	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Svc	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmdr Ratng	Notes
-----------	-----------	-----------	----------	-----------------	-----------------	-------------------	-----------------	----------------	----------	-------------	----------------	----------------	----------------	-------

THE KLINGON DEEP SPACE FLEET (R3.0)

BATTLESHIP AND VARIANTS

B10	81	32	316	2-6	2.00	2+2	2	E	17	195	36	44	10	D%,L,Y2,V
B10B	81	32	327	2-6	2.00	2+2	2	E	17	195	36	44	10	D%,L,Y2,V
B10K	81	32	348	2-6	2.00	2+2	2	E	17	195	36	44	10	D%,L,Y2,V
B10A	81	32	340	2-6	2.00	2+2	2	E	17A	195	36	44	10	D%,L,Y2,V
B10S	87	30	360	2-6	2.00	2+2	2	E	84	189	38	40	10	D%,L,LA,V,P,Y2
B10V	86	30	360	2-6	2.00	2+4+2	2	E	83	184	38	40	10	D%,L,LA,V,CJ,Y2

See B10 rules sections for data on the possibility that these units could have been in service two decades earlier than they were.

DREADNOUGHT AND VARIANTS


C9	62	24	205	3-6	1.50	2	2	D	2	167	12	29	10	
C9A	62	24	231	3-6	1.50	2	2	D	71	175	12	30	10	
C9B	62	24	211	3-6	1.50	2	2	D	2	168	12	29	10	R
C9K	62	24	215	3-6	1.50	2	2	D	2	175	12	29	10	R
C8	60	24	211	3-6	1.50	2	2	D	3	167	12	31	10	
C8B	60	24	218	3-6	1.50	2	2	D	3	168	12	31	10	R
C8K	60	24	226	3-6	1.50	2	2	D	3	175	12	31	10	R
C8V	66	20	235/220	3-6	1.50	2+6	2	D	28	174	13	30	10	D%,V
C8S	68	20	253/228	3-6	1.50	2+2	2	D	70	179	12	30	10	D%,V, P

HEAVY BATTLECRUISER AND VARIANTS

C7	55	20	180	5-6	1.00	2	3	C	72	177	8	24	10	Y1
C7A	55	20	190	5-6	1.00	2	3	C	73	184	8	24	10	Y2

D7 BATTLECRUISER AND VARIANTS

D7	45	14	121	5-6	1.00	1	3	B	4	135	7	19	8	
D7C	47	16	139	5-6	1.00	2	3	B	31	143	7	20	9	
D7V	47	10	123	5-6	1.00	1+2	3	B	44	172	7	18	8	D%,V
D7A	45	14	131	5-6	1.00	1	3	B	8	165	7	19	8	Y1
D7B	45	14	128	5-6	1.00	1	3	B	4	165	7	19	8	R
D7D	45	14	148	5-6	1.00	1	3	B	42	176	7	18	8	
D7E	40	16	140/120	5-6	1.00	1	3	B	43	137	7	17	8	◆
D7K	45	14	131	5-6	1.00	1	3	B	4	175	7	19	8	R
D7L	47	16	141	5-6	1.00	1	3	B	31A	175	7	20	9	R
D7M	44	6	125	5-6	1.00	1	3	B	74	168	7	27	8	S, +
D7N	45	12	154/119	5-6	1.00	1	3	B	45	137	7	18	8	
D7P	44	8	113	5-6	1.00	1	3	B	22A	180	7	17	8	P, ◆
DX	56	24	225	5-6	1.00	2	3	B	201	181	8	25	10	Y1
D7DX	56	24	235	5-6	1.00	2	3	B	203	183	8	24	10	Y1



Cole 92

MASTER SHIP CHART

STAR FLEET BATTLES

Ship Type	G9.0 Crew Unts	D7.0 Brdg Prts	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Srv	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmdr Ratng	Notes
D6 BATTLECRUISER AND VARIANTS														
D6	44	14	113	5-6	1.00	1	3	B	5	122	7	18	8	
D6B	44	14	123	5-6	1.00	1	3	B	5	165	7	18	8	R
AD6	40	10	119	5-6	1.00	1	3	B	76	176	7	18	8	E, A
D6D	46	6	113	5-6	1.00	1	3	B	32	135	7	18	8	DB, ♦
D6E	40	10	132/112	5-6	1.00	1	3	B	46	125	7	16	8	♦
D6G	51	44	120/90	5-6	1.00	1	3	B	48	125	7	15	8	T
D6J	44	14	123/98	5-6	1.00	1	3	B	36	124	7	18	7	
D6K	44	14	130	5-6	1.00	1	3	B	5	175	7	18	8	R
D6M	44	6	125	5-6	1.00	1	3	B	33	168	7	27	8	S, +
D6P	44	8	113	5-6	1.00	1	3	B	22	179	7	17	8	P, ♦
D6S	42	12	130/100	5-6	1.00	1	3	B	47	160	7	17	8	Y1, ♦
D6V	45	8	114	5-6	1.00	1+2	3	B	21	167	7	18	8	V, D%
D5 WAR CRUISER AND VARIANTS														
D5	40	8	110	5-6	0.67	1	3	B	23	168	6	17	6	
AD5	40	8	120	5-6	0.67	1	3	B	29	175	6	17	6	E, A
D5A	40	8	118	5-6	0.67	1	3	B	24	172	6	17	6	
D5C	43	10	126	5-6	0.67	1	3	B	49	169	6	18	7	
D5D	40	8	111	5-6	0.67	1	3	B	50	170	6	17	6	DB
D5E	40	8	110	5-6	0.67	1	3	B	51	170	6	17	6	E, LA
D5F	40	8	110	5-6	0.67	1	3	B	52	172	6	17	6	
D5G	44	34	110/95	5-6	†	1	3	B†	53	170	6-7	14	6	T, TG
D5H	36	6	95	5-6	†	1	3	B†	54	170	6-7	15	6	TG
D5I	36	6	100	5-6	0.67	1	3	B	55	175	6	17	6	ISF
D5J	40	8	114/95	5-6	0.67	1	3	B	37	172	6	17	5	
D5K	40	8	112	5-6	0.67	1	3	B	56	175	6	17	6	R
D5L	43	10	132	5-6	0.67	1	3	B	57	175	6	18	7	R
D5M	38	8	115/100	5-6	0.67	1	3	B	58	170	6	15	6	MS
MD5	40	8	118	5-6	0.67	1	3	B	75	170	6	22	6	S, +
D5N	42	12	125/110	5-6	0.67	1	3	B	59	171	6	16	6	
D5P	44	6	125/100	5-6	0.67	1	3	B	60	179	6	14	6	P, ♦
D5S	40	6	120/100	5-6	0.67	1	3	B	61	169	6	15	6	♦
D5V	44	8	115/103	5-6	0.67	1+2	3	B	62	170	6	15	6	D%, V
Note that all D5s and D5 Variants have a special form of Limited Aegis. See ship descriptions and (D13.4).														
CRUISERS PURCHASED FROM ROMULANS														
RKL	36	10	110	5-6	0.67	1	3	B	63	174	7	16	6	L, CP
F6 BATTLE FRIGATE														
F6	26	12	108	4-6	0.67	1	4	A	64	176	5	15	5	L, S
F5 FRIGATE AND VARIANTS														
F5	22	8	71	4-6	0.50	-	4	A	6	135	4	10	4	
F5B	22	8	76	4-6	0.50	-	4	A	6	165	4	10	4	R
FX	30	12	120	5-6	0.50	1	4	A	202	181	4	15	7	Y1
AF5	22	8	100	4-6	0.50	-	4	A	78	175	4	10	4	E, A
F5C	26	12	94	4-6	0.50	1	4	A	34	143	4	11	5	
F5D	22	6	90	4-6	0.50	-	4	A	35	137	4	11	4	
F5E	22	8	90	4-6	0.50	-	4	A	77	170	4	11	4	E, LA
F5G	26	30	90/60	4-6	0.50	-	4	A	85	155	4	10	4	T
F5I	22	8	68	4-6	0.50	-	4	A	40	150	4	10	4	ISF
F5J	22	8	75/60	4-6	0.50	-	4	A	38	136	4	10	3	
F5K	22	8	81	4-6	0.50	-	4	A	6	175	4	10	4	R
F5L	26	12	97	4-6	0.50	1	4	A	34A	175	4	11	5	R
F5M	20	6	75/60	4-6	0.50	-	4	A	27	168	4	10	4	MS
F5S	20	6	80/60	4-6	0.50	-	4	A	20	138	4	10	4	♦
F5V	24	6	90/70	4-6	0.50	1+2	4	A	30	167	4	9	5	V
E5 BATTLE ESCORT														
E5	20	6	77	4-6	0.33	1	4	A	65	172	5	9	4	L
E5K	20	6	79	4-6	0.33	1	4	A	65	175	5	9	4	L, R
E4 ESCORT AND VARIANTS														
E4	14	6	55	4-6	0.33	-	4	A	7	121	3	8	3	
E4B	14	6	59	4-6	0.33	-	4	A	7	165	3	8	3	R
E4A	14	6	60	4-6	0.33	-	4	A	25A	175	3	8	3	E, A
E4D	15	6	63	4-6	0.33	-	4	A	79	174	3	8	3	
E4E	14	6	50	4-6	0.33	-	4	A	25	167	3	8	3	E, LA
E4J	14	6	62/40	4-6	0.33	-	4	A	39	135	3	8	2	
E4V	16	6	55/50	4-6	0.33	-	4	A	80	169	3	7	3	V, ISF
E4I	14	6	50	4-6	0.33	-	4	A	41	140	3	8	3	ISF

STAR FLEET BATTLES

MASTER SHIP CHART

Ship Type	G9.0 Crew	D7.0 Brdg Pts	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Svc	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmnd Ratng	Notes
E3 SMALL ESCORT AND VARIANTS														
E3	12	5	42	5-6	0.33	-	4	A	18	120	2	7	3	N
E3A	12	5	48	5-6	0.33	-	4	A	26A	175	2	7	3	E, A, N
E3D	12	5	40	5-6	0.33	-	4	A	81	164	2	7	3	N, ISF
E3E	12	5	40	5-6	0.33	-	4	A	26	167	2	7	3	E, LA, N
G2 POLICE SHIP AND VARIANTS														
G2	10	4	46	5-6	0.33	-	4	A	19	127	2	6	3	ISF, N
TUGS, TUG+POD COMBINATIONS, AND PODS														
TGA	20	7	125/110	3-6	†	1	3	†	9	141	7	20	8	TG
TGB	18	3	106/70	3-6	†	1	3	†	10	124	7	18	6	TG
CVT	40	13	158/139	3-6	1.00	1+4	3	E	16	168	7	24	9	V, D%, Y2
BT	40	19	187	3-6	1.00	1	3	E	14	145	7	28	10	
P-C1	0	0	14/10	-	■	-	4°	-	11	124	3	0	-	
P-P2	3	1	28/15	-	■	-	4°	-	12	124	3	+4	+0	
P-T3	23	40	30/20	-	Δ	-	4°	-	13	124	3	+2	+0	T
P-B4	10	6	31	-	■	1	4°	-	14	145	3	+4	+2	N2
P-H5	10	3	14/12	-	■	0+2	4°	-	15	168	3	+2	+1	Y2, V, N2
P-PF6	10	2	20/12	-	■	-	4°	-	66	179	3	0	+0	P, ◆
P-V7	14	4	25	-	■	0+4	4°	-	67	175	4	0	+1	D%, V, N2
P-D8	10	6	22	-	■	-	4°	-	68	150	3	+3	+0	DB, ◆
P-R9	10	2	34/18	-	■	-	4°	-	69	160	3	+2	+0	
SEPARATED BOOM SECTIONS														
B-Bm	18	8	125	2-6	1.00	-	3°	C	-	189	7-5	17-7	10-5	Y2, N1
C-Bm	12	6	75	2-6	0.50	-	4°	C	-	167	5-4	10-5	10-5	Y1, N1
C7-Bm	10	6	70/50	2-6	0.33	-	4°	B	-	181	3	2	5	Y1
D-Bm	9	4	58/30	-	Δ	-	4°	-	-	122	3	2	4	
DJ-Bm	9	4	60/40	2-6	0.25	-	4°	A	36	124	3	2	3	
T-Bm	9	4	60/30	-	Δ	-	4°	-	-	124	3	2	4-3	
D5-Bm	8	4	55/26	-	Δ	-	4°	-	-	168	3	2	3	
D5J-Bm	8	4	60/30	2-6	0.25	-	4°	A	37	172	3	2	3	
F6-Bm	8	4	40/25	-	Δ	-	4°	-	-	176	2	1	3	Y1
F-Bm	6	3	35/20	-	Δ	-	4°	-	-	135	2	1	3	
FJ-Bm	6	3	40/25	2-6	0.125	-	4°	A	38	136	2	1	3	
EJ-Bm	5	2	33/18	-	Δ	-	4°	-	39	135	2	1	2	


Note that one B10 boom was operational as an independent unit before any B10s entered service.

Notes:

N1: These use the lower command, docking, and explosion ratings if the warp engines have been dropped.

N2: Two carrier and/or battle pods will not increase the command rating any more than one will.

ISF: Ships used by the Internal Security Forces.



KLINGON FLEET TUG COMMISSAR LEV KURMAN

Ship Type	G9.0 Crew Unts	D7.0 Brdg Prts	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Srvc	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmnd Ratng	Notes
--------------	----------------------	----------------------	-------------	-----------------------	-----------------------	-------------------------	-----------------------	----------------------	-------------	--------------------	----------------------	----------------------	----------------------	-------

EXPLANATION OF TERMS

SYMBOLS used at various places in the chart:

△ This is a sublight ship (max speed of 1 in SFB).

◦ When detached.

† See tug chart, Annex #3A.

■ Does not move under own power.

◆ = Scout.

♣ = Mauler.

* = Has one large nuclear space mine included in BPV.

CREW: In the case of crew listed as X+Y, the Y figure indicates non-crew passengers.

BRDG PRTS: The number of boarding parties on board the ship.

BPV: Unless otherwise noted in the rulebook, no ship's BPV includes its fighters, PFs, satellite ships, or mines; all include their admin shuttles. Split BPVs are read as economic/combat ratings. The BPV does not include MRS and SWAC shuttles mentioned in the ship descriptions. It DOES include GAS, MLS, MSS, and HTS shuttles specified as normal equipment. Temporary replacements (mostly on tugs carrying troop pods) require the appropriate cost.

MOVEMENT COST: This is expressed in decimals.

The movement cost designation of 0.13 is considered to be 1/8.

The movement cost designation of 0.20 is considered to be 1/5.

The movement cost designation of 0.17 is considered to be 1/6.

The movement cost designation of 0.33 is considered to be 1/3.

The movement cost designation of 0.67 is considered to be 2/3.

SHUTTLES: The Spare Shuttle column is read as: admin shuttles + fighters.

TUGS: If a specific "tug+pod" combination is listed (e.g., Klingon BT), the combination factors must be used, NOT the sum of the individual factors. If no combined listing is shown, add the relevant factors.

RULE NUMBER: The rule reference number refers to the rule number in Section R that provides explanatory information about the ship.

YEAR IN SERVICE: Service dates are the beginning of series production. One or more prototypes may have existed 1–2 years previously. F&E has detailed and accurate production histories for some classes. This is the date of the first ship entering service for size-2 ships (i.e., no prototypes). PFs appeared in limited numbers the year before the date shown. Each race had one or two PF tenders operating one year earlier than PFs for use with interceptors.

F&E COMMAND RATING: This rating determines how many ships can be in a given battle; see (S8.2). The rating of pods is added to that of their tug, but no more than one pod can count for this purpose.

NOTES:

A = Ship has the full aegis fire control system. Such ships are, in some regards, a "refit" of the limited aegis version, but do not have the R Note.

CJ = Conjectural ship, never built, possibly even never intended for production.

CP = Ship built on captured (or purchased) hull. Date is historical service date; could have been built earlier had it been provided earlier. Cannot be built without captured (or purchased) hull. All of these are unique ships. All Romulan KR-series ships are in this category but are not marked as such.

D% = Ship is authorized a higher than normal percentage of special drones by (FD10.6) and by (S3.223).

DB = Drone bombardment platform, has (drone factors) in F&E. These have a higher percentage of special drones provided by (S3.222).

E = Carrier escort. Never appears except as part of carrier group.

L = Ship was designed as a standard class but produced only in limited numbers.

LA = Limited Aegis.

ML = Maneuver limitations on acceleration and/or disengagement. See ship description.

MS = Ship is a minesweeper.

MW = Ship is a minelayer.

N = Nimble.

N# = Note applicable only to that race. See note at end of race section.

P = True PF tender.

R = This ship is a refit of another class listed on the chart, not a new ship type.

S = Subject to shock.

T = Designated troopship able to have extra commandoes and heavy weapon squads.

TG = Tug or Light Tactical Transport (or otherwise capable of carrying a standard pod or pallet).

UNV: Unbuilt variant. Ships existed to convert, but no conversions were actually performed.

V = True carrier able to lend EW to fighters and with the supplies listed in (J4.7).

Y1 = Service date is the date that the earliest example of the class entered operations. No earlier prototypes. All size-2 ships are in this category, although not marked as such. Also, no ship can have full aegis before Y175.

Y2 = Could have been built earlier, but for various reasons the start of series production was delayed (i.e., prototypes are available several years early; consult ship description). Full aegis is not available before Y175.

Ship Type	G9.0 Crew Unts	D7.0 Brdg Prts	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Srv	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmnd Ratng	Notes
--------------	----------------------	----------------------	-------------	-----------------------	-----------------------	-------------------------	-----------------------	----------------------	-------------	-------------------	----------------------	----------------------	----------------------	-------

THE ROYAL HYDRAN FLEET (R9.0)

DREADNOUGHT AND VARIANTS

PAL	54	18	180	4-6	1.50	3+4	2	D	4	169	12	27	10	V
PAL+	54	18	200	4-6	1.50	3+4	2	D	4	172	12	27	10	V, R
ID	60	18	205	4-6	1.50	2+6	2	D	42	173	12	26	10	V, N1
LP	64	26	210	4-6	1.50	3+2	2	D	54	180	12	27	10	V, P, N1

HEAVY BATTLECRUISER

OV	50	20	180	5-6	1.00	2+2	3	C	43	180	10	22	10	V, Y1
----	----	----	-----	-----	------	-----	---	---	----	-----	----	----	----	-------

COMMAND CRUISERS

LC	40	18	126	5-6	1.00	2+3	3	C	40	134	9	19	9	V
LM	40	18	138	5-6	1.00	2+3	3	C	19	160	9	19	9	V
LB	40	18	150	5-6	1.00	2+1	3	C	30	162	9	20	9	V

HEAVY CRUISER AND VARIANTS

RN	35	12	93	5-6	1.00	2+3	3	C	2	134	9	18	8	V
RN+	35	12	111	5-6	1.00	2+3	3	C	2	170	9	18	8	V, R
DG	36	14	130	5-6	1.00	2+1	3	C	8	158	9	20	8	V
DG+	36	14	148	5-6	1.00	2+1	3	C	8	170	9	20	8	V, R
CAV	40	10	140/105	5-6	1.00	2+6	3	C	15	170	9	15	8	V, N1
CAV+	40	10	148/113	5-6	1.00	2+6	3	C	15	175	9	15	8	V, N1, R

MEDIUM CRUISER (WAR CRUISER) AND VARIANTS

MNG	34	12	100	5-6	0.67	1+2	3	B	49	176	8	15	6	V, Y2
TAR	35	12	125	5-6	0.67	1	3	B	50	176	8	16	6	Y2
COS	40	10	125/105	5-6	0.67	1+3	3	B	47	176	8	13	6	V, Y2, N1
COM	40	12	120	5-6	0.67	1+2	3	B	51	176	8	16	7	V, Y2
APA	42	12	139	5-6	0.67	2	3	B	52	177	8	17	7	Y2

LIGHT CRUISER (WAR CRUISER) AND VARIANTS

HR	30	10	83	5-6	0.67	1+2	3	B	10	168	7	15	6	V
HR+	30	10	95	5-6	0.67	1+2	3	B	10	173	7	15	6	V, R
TR	31	12	105	5-6	0.67	1	3	B	11	169	7	16	6	
TR+	31	12	117	5-6	0.67	1	3	B	11	173	7	16	6	R
BAR	32	14	121	5-6	0.67	1+2	3	B	32	173	7	16	7	V
NVL	36	10	90/80	5-6	0.67	1+3	3	B	33	173	7	13	6	V, N1
NVL+	36	10	102/92	5-6	0.67	1+3	3	B	33	174	7	13	6	V, N1, R
NEC	30	10	95	5-6	0.67	1+2	3	B	34	173	7	14	6	V, E, LA
NEC+	30	10	107	5-6	0.67	1+2	3	B	34	174	7	14	6	V, E, LA, R
NAC	30	10	105	5-6	0.67	1+2	3	B	34A	175	7	14	6	V, E, A
NAC+	30	10	117	5-6	0.67	1+2	3	B	34A	175	7	14	6	V, E, A, R
NMS	28	8	90/70	5-6	0.67	1	3	B	35	173	7	12	6	V, MS
NSC	28	8	120/100	5-6	0.67	1+1	3	B	36	173	7	13	6	V, ♦
NSC+	28	8	130/110	5-6	0.67	1+1	3	B	36	174	7	13	6	R, V♦
NPF	34	8	118/103	5-6	0.67	1	3	B	37	180	7	12	6	P, ♦
LTT	24	4	80/70	5-6	†	1	3	B†	38	172	7	11	6	V, TG
CAT	37	34	100/75	5-6	0.67	2+1	3	B	53	173	7	13	6	T

DESTROYER AND VARIANTS

LN	22	8	67	6	0.50	1+2	4	B	3	134	5	11	4	V
LN+	22	8	77	6	0.50	1+2	4	B	3	172	5	11	4	V, R
KN	23	10	80	6	0.50	1	4	B	9	158	5	12	4	
KN+	23	10	90	6	0.50	1	4	B	9	172	5	12	4	R
UH	26	6	108/85	6	0.50	2+4	4	B	17	169	5	10	6	V, N1
WAR	30	10	105	6	0.50	1+1	4	B	48	173	5	13	5	V
DE	22	8	80	6	0.50	1+2	4	B	16	169	5	11	4	E, LA
DA	22	8	90	6	0.50	1+2	4	B	16A	175	5	11	4	E, A
SR	20	8	105	6	0.50	1+1	4	B	31	145	5	9	4	V, ♦
SRV	20	8	117	6	0.50	1+1	4	B	31A	158	5	9	4	V, ♦
SRG	31	34	130	6	0.50	1+1	4	B	31B	158	5	9	4	T, V, ♦
MS	20	4	75/65	6	0.50	2	4	B	14	168	5	9	4	MS
MS+	20	4	77/67	6	0.50	2	4	B	14	173	5	9	4	MS, R

Ship Type	G9.0 Crew	D7.0 Brdg	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Srvc	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmdnd Ratng	Notes
FRIGATE AND VARIANTS														
HN	10	6	48	6	0.33	1	4	A	6	134	4	8	3	
CU	10	6	61	6	0.33	1	4	A	7	158	4	7	3	
CVE	15	6	68/48	6	0.33	1+1	4	A	46	175	4	7	5	V, N1
CRU	18	8	76	6	0.33	1	4	A	41	158	4	10	4	
SAR	18	8	70	6	0.33	1	4	A	44	145	4	10	4	
SC	12	4	60/26	6	0.33	1	4	A	5	134	4	7	3	♦
EH	10	4	50	6	0.33	1	4	A	13	169	4	8	3	E, LA
AH	10	4	54	6	0.33	1	4	A	13A	175	4	8	3	E, A

OTHER HYDRAN SHIPS


PFT	24	6	78/40	3-6	0.67	1	3	D	12	180	8	12	6	P, ♦
D7H	45	20	145	5-6	1.00	1	3	B	18	170	7	18	8	V, CP
GEN	9	4	42	6	0.33	1	4	A	39	142	3	7	3	N

TUGS, TUG+POD COMBINATIONS, AND PODS


TUG	22	6	110/70	4-6	†	1+1	3	†	20	140	9	15	8	V, TG
TUG+	22	6	129/89	4-6	†	1+1	3	†	20	175	9	15	8	V, TG, R
P-C	0	0	14/10	-	■	-	4°	-	21	140	4	+0	-	
P-FC	2	0	15/10	-	■	-	4°	-	22	140	4	+0	+0	
P-FS	10	6	50/90	-	■	-	4°	-	23	165	4	+7	+2	
P-CM	10	6	40/80	-	■	-	4°	-	24	158	4	+6	+2	
P-CE	10	6	28	-	■	-	4°	-	45	140	4	+6	+2	
P-TT	34	60	30/20	-	■	1	4°	-	25	140	4	+0	+0	T
P-SD	10	4	30/25	-	■	-	4°	-	26	140	4	+4	+0	
P-CV	10	4	22	-	■	0+2	4°	-	27	165	4	+1	+1	
P-PF	12	4	36/24	-	■	-	4°	-	28	180	4	+1	+0	P, ♦
P-R	12	4	34/18	-	■	-	4°	-	29	160	4	+2	+0	

NOTES:


N1. This ship is a true carrier. See (R9.R4).




HYDRAN RANGER CRUISER




HYDRAN DRAGOON CRUISER




HYDRAN LANCER DESTROYER



HYDRAN KNIGHT DESTROYER



HYDRAN HUNTER FRIGATE



HYDRAN CUIRASSIER FRIGATE

Ship Type	G9.0 Crew	D7.0 Brdg Pts	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Svc	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmdr Ratng	Notes
-----------	-----------	---------------	----------	-----------------	-----------------	-------------------	-----------------	----------------	----------	-------------	----------------	----------------	----------------	-------

THE LYRAN STAR EMPIRE (R11.0)

DREADNOUGHT AND VARIANTS

DN	62	22	211	3-6	1.50	2	2	D	2	168	14	30	10	P
CVA	64	20	220	3-6	1.50	2+6	2	D	48	175	14	30	10	V,D%,CJ
SCS	64	20	238	3-6	1.50	2+4	2	D	29	179	14	30	10	P,V,D%

BATTLECRUISER AND VARIANTS

BC	52	20	161	4-6	1.00	2	3	C	3	168	11	23	10	
BCH	56	20	180	4-6	1.00	2	3	C	36	180	11	23	10	P,Y1

HEAVY CRUISER AND VARIANTS

CA	42	12	133	5-6	1.00	1	3	C	4	120	7	19	9	
CC	45	20	150	5-6	1.00	1	3	C	30	120	7	20	9	
STT	44	10	160	5-6	1.00	1	3	C	21	170	7	27	8	S, +
CV	44	10	131	5-6	1.00	2+4	3	C	12	172	7	19	9	D%,V,Y1

LIGHT CRUISER

CL	34	9	92	5-6	0.67	1	3	C	5	120	6	12	6	
----	----	---	----	-----	------	---	---	---	---	-----	---	----	---	--

WAR CRUISER AND VARIANTS

CW	34	10	113	5-6	0.67	1	3	B	13	165	7	17	6	
CVL	40	10	120/100	5-6	0.67	2+4	3	B	22	171	7	15	6	V, D%
CWL	40	16	134	5-6	0.67	1	3	B	23	168	7	18	7	
CWE	32	8	118	5-6	0.67	1	3	B	24	171	7	17	6	E, LA
CWA	32	8	128	5-6	0.67	1	3	B	25	175	7	17	6	E, A
CWM	30	8	115/105	5-6	0.67	1	3	B	26	172	7	14	6	MS
CWS	32	8	133/103	5-6	0.67	1	3	B	27	172	7	15	6	Y2, ♦
PFW	36	8	132/102	5-6	0.67	1	3	B	28	178	8	13	6	P, ♦
LTT	30	8	118/98	5-6	†	1	3	B†	33	171	7	15	6	TG
LTV	44	12	145/125	5-6	1.33	1+4	3	D	45	177	7	15	7	D%, V
STJ	36	10	137	5-6	0.67	1	3	B	43	171	7	23	6	S, +
CWG	39	36	115/100	5-6	0.67	1	3	B	44	172	7	14	6	T

WAR DESTROYER AND VARIANTS

DW	27	6	89	6	0.50	1	4	A	14	165	5	13	5	
DWL	30	10	99	6	0.50	1	4	A	38	166	5	14	6	
DWE	27	6	85	6	0.50	1	4	A	39	171	5	13	5	E, LA
DWA	27	6	95	6	0.50	1	4	A	40	175	5	13	5	E, A
DWS	25	6	98/80	6	0.50	1	4	A	41	168	5	13	5	♦
DWM	28	6	90/80	6	0.50	1	4	A	42	168	5	11	5	MS

DESTROYER AND VARIANTS

DD	26	6	79	6	0.50	1	4	B	6	120	4	11	4	
SC	25	6	100/60	6	0.50	1	4	B	9	120	4	10	4	♦
MS	22	4	80/60	6	0.50	1	4	B	8	168	4	10	4	MS
PFT	28	4	82/52	6	0.50	1	4	B	10	178	5	9	5	P, ♦

FRIGATE AND VARIANTS

FF	18	4	63	6	0.33	1	4	A	7	120	4	9	3	
FFE	18	4	70	6	0.33	1	4	A	11	171	4	9	3	E, LA
FFA	18	4	78	6	0.33	1	4	A	11A	175	4	9	3	E, A

POLICE CORVETTE AND VARIANT

POL	16	4	52	6	0.33	1	4	A	31	125	2	6	3	N
MP	24	8	71	6	0.50	1	4	A	46	170	4	11	3	Y2


LYRAN TUGS AND PALLETS

TGP	34	6	119/100	3-6	†	1	3	†	15	125	7	17	6	TG
TGC	40	10	134/120	3-6	†	1	3	†	16	125	7	19	8	TG
SR	36	8	128/98	3-6	†	2	3	†	32	125	7	17	8	TG, ♦
SRV	50	12	153/123	3-6	1.0	2+2	3	D	32A	180	7	19	9	V, D%, TG, ♦
Pal-BT	20	12	50/60	-	■	-	4°	-	17	150	5	+6	+2	
Pal-C	0	0	14/10	-	■	-	4°	-	18	125	5	+0	-	
Pal-TT	36	64	50/30	-	Δ	-	4°	-	20	125	6	+4	+0	T
Pal-CV	14	4	25	-	■	0+2	4°	-	35	171	5	+2	+1	D%,V
Pal-PFT	20	4	36/24	-	■	-	4°	-	19	178	5	+2	+0	P, ♦
Pal-R	20	2	36/20	-	■	-	4°	-	34	160	5	+2	+0	


Ship Type	G9.0 Crew	D7.0 Brdg Pts	S2.1 BPV	C6.5 Break Down	C2.12 Move Cost	J1.42 Spare Shttl	R0.6 Size Class	C3.3 Turn Mode	Rule Nbr	Year in Srv	C13.3 Dock Pts	D5.2 Explo Str	F&E Cmnd Rtn	Notes
KLINGON TUG PODS MODIFIED FOR LYRAN SERVICE														
P-C1	0	0	14/10	—	■	—	4°	—	37A	166	3	+0	—	
P-P2	3	1	28/15	—	■	—	4°	—	37B	166	3	+4	+0	
P-T3	3+20	40	30/20	—	Δ	—	4°	—	37C	166	3	+2	+0	T
P-B4	10	6	34	—	■	1	4°	—	37D	166	3	+4	+2	N1
P-H5	10	3	14/12	—	■	0+2	4°	—	37E	171	3	+2	+1	D%,V, N1
P-PF6	10	2	20/12	—	■	—	4°	—	37F	180	3	+0	+0	P, ◆
P-V7	14	4	25	—	■	0+4	4°	—	37G	177	4	+0	+1	D%,V, N1
P-R9	10	2	34/18	—	■	—	4°	—	37H	166	3	+2	+0	

N1: Two carrier and/or battle pods will not increase the command rating any more than one will.

NOTE: The listed BPVs of Lyran ships, excepting PFTs, the BCH, and the SCS, and others listed in the rules, do not include mech links.



LYRAN PANTHER LIGHT CRUISER



LYRAN LEOPARD DESTROYER

THE WYN CLUSTER DEFENSE FORCE (R12.0)

SHIPS PURCHASED FROM ORIONS

OCR	20	12	86	6	0.67	2	3	A	14	160	5	12	6	N1, N
OLR	12	8	64	6	0.33	1	4	AA	14	160	3	7	3	N1, N
OBR	26	16	107	6	0.67	2	3	A	14	169	6	15	6	N1
ODR	20	12	93	6	0.50	2	4	A	14	169	6	12	6	N1, N

SHIPS RECEIVED FROM OTHER RACES

LDD	24	4	89	6	0.50	1	4	B	3	139	5	14	4	CP, N2
ZFF	22	4	90	5-6	0.33	2	4	A	4	136	4	10	3	CP, N2
KG2	10	4	54	5-6	0.33	—	4	A	5	136	3	7	3	CP, N, N2
KE4	12	4	75	4-6	0.33	—	4	A	15	154	3	11	4	CP, N2
KE4+	12	4	81	4-6	0.33	—	4	A	15A	175	3	11	4	CP, N2, R
KE4-Bm	5	2	35/20	—	Δ	—	4°	—	15	154	2	1	2	CP, N2
PBB	40	10	165	5-6	0.67	2	3	C	12	181	9	20	7	CP, N2

SMALL AUXILIARY WARSHIPS

AxC	8	4	65	3-6	0.33	—	4	C	6	140	3	10	3	N2, ML
AxCV	20	2	75/50	3-6	0.33	0+2	4	C	7	170	3	7	3	N2, ML,D%,V
AxPFS	20	2	70/50	3-6	0.33	—	4	C	8	179	3	6	3	N2, ML,P,◆
AxMS	8	2	60/40	3-6	0.33	—	4	C	11	165	3	4	3	N2, ML, MS

LARGE AUXILIARY WARSHIPS

AxBC	20	6	136	3-6	0.67	1	3	D	9	173	7	22	6	ML, N2
AxCVA	40	4	120/80	3-6	0.67	2+4	3	D	10	173	6	11	6	ML,D%,V, N2
AxSCS	48	4	150/90	3-6	0.67	1+2	3	D	13	181	6	11	6	ML,D%,V,P,N2,◆

NOTES


N1: These ships were built by the Orions (R12.14), but do NOT have engine doubling (G15.28) or suicide bombs (G15.8); they do have stealth.

N2: Limited deployment. See (R12.1F).

ML for WYN ships is modified by (R12.1E).

See (S8.222) for data on WYN Command Ratings.

STAR FLEET BATTLES



★ MODULE R3 – SSD BOOK ★

2000 EDITION

TABLE OF CONTENTS

KLINGON SHIPS

R3.66-69.. Klingon PFT, CVA, Drone, Repair Pods.....	2
R3.36..... Klingon D6J Penal Battlecruiser.....	3
R3.37..... Klingon D5J Penal War Cruiser.....	4
R3.38..... Klingon F5J Penal Frigate.....	5
R3.39..... Klingon E4J Penal Escort.....	6
R3.42..... Klingon D7D Drone Battlecruiser.....	7
R3.43..... Klingon D7E Survey Cruiser.....	8
R3.44..... Klingon D7V Strike Carrier.....	9
R3.45..... Klingon D7N Diplomatic Cruiser.....	10
R3.46..... Klingon D6E Survey Cruiser.....	11
R3.47..... Klingon D6S Heavy Scout Cruiser.....	12
R3.49..... Klingon D5C Light Command Cruiser.....	13
R3.50..... Klingon D5D Drone Cruiser.....	14
R3.52..... Klingon D5F Cruiser.....	15
R3.54..... Klingon D5H Light Tactical Transport.....	16
R3.55..... Klingon D5I Internal Security Flagship.....	17
R3.57..... Klingon D5L War Cruiser Leader.....	13
R3.58..... Klingon D5M Minesweeper.....	18
R3.59..... Klingon D5N Diplomatic Cruiser.....	19
R3.61..... Klingon D5S Scout Cruiser.....	20
R3.62..... Klingon D5V Light Carrier.....	21
R3.63..... Klingon RKL Sparrowhawk Light Cruiser.....	22
R3.64..... Klingon F6 Battle Frigate.....	23
R3.65..... Klingon E5 Battle Escort.....	24
R3.70..... Klingon C8S Space Control Ship.....	25
R3.71..... Klingon C9A Stasis Dreadnought.....	26
R3.72..... Klingon C7 Heavy Battlecruiser.....	27
R3.73..... Klingon C7A Heavy Stasis Battlecruiser.....	28
R3.75..... Klingon MD5 War Cruiser Mauler.....	29
R3.76..... Klingon AD6 Heavy Escort Cruiser.....	30
R3.77..... Klingon F5E Combat Escort.....	31
R3.78..... Klingon AF5 Aegis Frigate.....	31
R3.79..... Klingon E4D Drone Escort.....	32
R3.80..... Klingon: E4V Escort Carrier.....	33
R3.81..... Klingon E3D Drone Escort.....	34

HYDRAN SHIPS

R9.30..... Hydran LB Lord Bishop Command Cruiser.....	35
R9.31..... Hydran SR Outrider Survey Ship.....	36
R9.32..... Hydran BAR Baron Light Command Cruiser.....	37
R9.33..... Hydran NVL Trooper New Light Carrier.....	38
R9.34..... Hydran NEC New Escort Cruiser.....	39
R9.35..... Hydran NMS New Minesweeper.....	40

R9.36..... Hydran NSC Chasseur New Scout Cruiser.....	41
R9.38..... Hydran LTT Mule Light Tactical Transport.....	42
R9.39..... Hydran GEN Gendarme Police Ship.....	43
R9.40..... Hydran LC Lord Commander CC.....	44
R9.41..... Hydran CRU Crusader Frigate Leader.....	45
R9.42..... Hydran ID Iron Duke Heavy Carrier.....	46
R9.43..... Hydran OV Overlord Heavy Battlecruiser.....	47
R9.44..... Hydran SAR Saracen Frigate Leader.....	48
R9.46..... Hydran CVE Scythian Escort Carrier.....	49
R9.47..... Hydran COS Cossack Medium Carrier.....	50
R9.48..... Hydran WAR Warrior Destroyer Leader.....	51
R9.49..... Hydran MNG Mongol Medium Cruiser.....	52
R9.50..... Hydran TAR Tartar Medium Cruiser.....	53
R9.51..... Hydran COM Comanche Medium CC.....	54
R9.52..... Hydran APA Apache Medium CC.....	55
R9.54..... Hydran LP Lord Paladin Space Control Ship.....	56

LYRAN SHIPS

R11.22..... Lyrans CVL Yaguarundi Light Carrier.....	57
R11.23..... Lyrans CWL War Cruiser Leader.....	58
R11.24..... Lyrans CWE War Escort Cruiser.....	59
R11.25..... Lyrans CWA Aegis Cruiser.....	59
R11.26..... Lyrans CWM War Minesweeper.....	60
R11.27..... Lyrans CWS Serval War Cruiser Scout.....	61
R11.29..... Lyrans SCS Siberian Lion Space Control Ship.....	62
R11.30..... Lyrans CC Bengal Tiger Command Cruiser.....	63
R11.31..... Lyrans POL Manx Police Corvette.....	64
R11.32..... Lyrans SR Prairie Cat Survey Cruiser.....	65
R11.33..... Lyrans LTT Light Tactical Transport.....	66
R11.34-35..... Lyrans Carrier Pallet and Repair Pallet.....	67
R11.36..... Lyrans BCH Hellcat Heavy Battlecruiser.....	68
R11.37..... Klingon pods in Lyrans service.....	69-70
R11.38..... Lyrans DWL War Destroyer Leader.....	71
R11.39..... Lyrans DWE War Destroyer Escort.....	72
R11.41..... Lyrans DWS War Destroyer Scout.....	73
R11.42..... Lyrans DWM War Destroyer Minesweeper.....	74
R11.43..... Lyrans STJ Single-Tooth Jaguar Mauler.....	75
R11.45..... Lyrans LTV Light Carrier Transport.....	76
R11.46..... Lyrans MP Military Police Ship.....	77
R11.16+17..... Lyrans Battle Tug.....	78

WYN SHIPS

R12.14..... WYN ODB Double Raider.....	79
R12.15..... WYN KE4 Frigate.....	80

KLINGON PODS

KLINGON P-V7 CVA POD

SHIELD #1

360°

AUX SCTY PH-3

CARGO TRAC

SHUTTLE

SHIELD #4

#6

#5

#2

#3

1

2

3

4

5

6

7

8

9

10

11

12

CREW UNITS

BOARDING PARTIES

DECK CREWS

ADMINISTRATIVE SHUTTLES

HIT POINTS	NOTES

Z-Y FIGHTERS

2xPh-3 -FA

DFR = 4

CRIPPLED = 8

SPEED = 15

Z-YB ONLY ▲

A TUG OR LTT CARRYING ONE OR TWO CVA PODS HAS THE ABILITY TO CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO DOUBLE ITS SENSOR RATING. THIS IS NOT INCREASED BY A SECOND POD.

POD DATA TABLE

TYPE = P-V7

BPV = 25

SIZE = 4

REF = R3.67

KLINGON P-PF6 PF TENDER PODS

SEN

APR

AFT HULL

REPAIR

TRAC

SCTY

SEN

APR

AFT HULL

REPAIR

TRAC

SCTY

POD DATA TABLE

TYPE = P-PF6

BPV = 20/12

SIZE = 4

REF = R3.66

SPECIAL SENSORS ARE DESTROYED ON "PHASER" HITS.

KLINGON P-D8 DRONE BOMBARDMENT PODS

SHIELD #1

SHIELD #4

#6

#5

#2

#3

POD DATA TABLE

TYPE = P-D8

BPV = 22

SIZE = 4

REF = R3.68

EACH POD HAS 150 SPACES OF DRONES IN ITS CARGO BOXES.

SPECIAL SENSORS ARE DESTROYED ON "PHASER" DAMAGE POINTS.

POD DATA TABLE

TYPE = P-PF6

BPV = 20/12

SIZE = 4

REF = R3.66

KLINGON P-R9 REPAIR POD

REPAIR

APR

CARGO

SEN

APR

AFT HULL

REPAIR

TRAC

SCTY

POD DATA TABLE

TYPE = P-R9

BPV = 34/18

SIZE = 4

REF = R3.69

SCOUT FUNCTIONS SUMMARY

21 LENDING ECM OR ECCM

22 BREAKING LOCK-ONS

23 ATTRACTING DRONES

24 CONTROLLING SEEKING WEAPONS

25 IDENTIFYING DRONES

26 DETECTING MINES

27 GATHERING SCIENCE INFORMATION

28 SELF-PROTECTION JAMMING

29 TACTICAL INTELLIGENCE

KLINGON P-R9 REPAIR POD

REPAIR

APR

CARGO

SEN

APR

AFT HULL

REPAIR

TRAC

SCTY

POD DATA TABLE

TYPE = P-R9

BPV = 34/18

SIZE = 4

REF = R3.69

SCOUT FUNCTIONS SUMMARY

21 LENDING ECM OR ECCM

22 BREAKING LOCK-ONS

23 ATTRACTING DRONES

24 CONTROLLING SEEKING WEAPONS

25 IDENTIFYING DRONES

26 DETECTING MINES

27 GATHERING SCIENCE INFORMATION

28 SELF-PROTECTION JAMMING

29 TACTICAL INTELLIGENCE

POD DATA TABLE

TYPE = P-R9

BPV = 34/18

SIZE = 4

REF = R3.69

KLINGON D5J PENAL WAR CRUISER

CNTR	
------	--

SHIP DATA TABLE	
TYPE	= D5J
POINT VALUE	= 114/95
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.37
Y175 REFIT	= +2

SEE (R3.R5) FOR SPECIAL RULES
PERTAINING TO THIS SHIP.

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

TYPE III DEFENSE PHASER		DIE RANGE		4- 9- 3 8 15				
ROLL	0	1	2	3	4	5	6	7
1	4	4	4	3	1	1		
2	4	4	4	2	1	0		
3	4	4	4	1	0	0		
4	4	4	3	0	0	0		
5	4	4	3	2	0	0		
6	3	3	1	0	0	0		

ANTI-DRONE TABLE				
RANGE	0	1	2	3 4+
HIT#	-	1-2	1-3	1-4 -

DERFACS

$$FX = L + LF + RF + R$$

CREW UNITS				ADMINISTRATIVE SHUTTLES			
		*		IDENT	HIT POINTS	NOTES	
				10			
				20			
				30			

[illegible]

PROBES				5
DRONE RACKS				
1				A
2				A
				B
				B

SHIP HAD TYPE-A DRONE RACKS (ONE RELOAD) UNTIL THE Y75 REFIT, WHICH CONVERTED THESE TO TYPE-B DRONE RACKS (2 RELOADS)

DIE ROLL	RANGE		1	2	3	4	5	6-8	9-15	16-25	26-50	51-75
1	0	8	7	6	5	5	5	4	3	2	1	1
2	8	7	6	5	5	4	4	3	2	1	1	0
3	7	5	4	4	4	4	3	1	0	0	0	0
4	6	4	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	2	0	0	0	0	0

DIE RANGE	4-9-16-31-							
ROLL	0	1	2	3	8	15	30	50
1	6	5	5	4	3	2	1	1
2	6	5	4	4	2	1	1	0
3	6	4	4	4	1	1	0	0
4	5	4	4	3	1	0	0	0
5	5	4	3	3	0	0	0	0
6	5	3	3	3	0	0	0	0


ANTI-DRONES
1
2

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2
HIT (DEFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA
DAMAGE, STD	0	5	4	4	3	3	2	2
DAMAGE, QVLD	10	10	8	8	6	0	0	0

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

	SPEED															STANDARD															FRACT.														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30															
Standard	1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	19	20	20															
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20															



THE FORWARD PHASERS CAN FIRE INTO THE ROW
OF HEXES EXTENDING DIRECTLY BEHIND THE SHIP.
SEE {D2.33}.

LOWING PHASERS ALSO HAVE SPECIAL ARCS: SEE (D2.32).

KLINGON F5J PENAL FRIGATE (DSF)

SHIP DATA TABLE	
TYPE	= F5J
POINT VALUE	= 75/60
BREAKDOWN	= 4-6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R3.38
B REFIT	= +4
Y175 REFIT	= +1

ADMINISTRATIVE SHUTTLE									
CREW UNITS	10	20							

TRANSPORTER BOMBS									

PROBES									

DRONE RACK									



TYPE II PHASER TABLE									
DIE RANGE	4-9	16-31	ROLL 0	1	2	3	8	15	30 50
1	6	5	4	3	2	1	1		
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	

TYPE III DEFENSE PHASER									
DIE RANGE	4-9	16-31	ROLL 0	1	2	3	8	15	
1	4	4	4	3	1	1			
2	4	4	4	2	1	0			
3	4	4	4	1	0	0			
4	4	4	3	0	0	0			
5	4	3	2	0	0	0			
6	3	3	1	0	0	0			

DISRUPTOR TABLE									
RANGE	0	1	2	3-4	5-8	9-15			
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4			
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA			
DAMAGE, STD	0	5	4	4	3	3			
DAMAGE, OULD	10	10	8	8	6	0			

WARP ENERGY MOVEMENT COST = 1/2 ENERGY POINT PER HEX									
SPEED	1	2	3	4	5	6	7	8	9
Standard	1	2	3	3	4	4	5	5	6
Fract.	1/2	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2

WARP ENERGY MOVEMENT COST = 1/2 ENERGY POINT PER HEX									
SPEED	1	2	3	4	5	6	7	8	9
Standard	1	2	3	3	4	4	5	5	6
Fract.	1/2	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2



FA = LF + RF
RX = L + LR + RR + R

SHADED BOXES ARE THE B-REFIT.
SPECIAL FIRING ARCS: (D2.33).


SENSOR	6	5	3	0
SCANNER	0	1	3	9
DAM CON	2	2	2	0
EX DAM				

KLINGON E4J PENAL ESCORT (ISF)

CNTR	
------	--

SHIP DATA TABLE	
TYPE	= E4J
POINT VALUE	= 62/40
BREAKDOWN	= 4-6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R3.39
B REFIT BPV	= +3
V175 REFIT	= +1

TURN MODE		SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{RX} &= \text{L} + \text{LR} + \text{RR} + \text{R} \end{aligned}$$

TYPE III DEFENSE PHASER		DIE RANGE		4- 9-	
ROLL	0	1	2	3	8 15
1	4	4	4	3	1 1
2	4	4	4	2	1 0
3	4	4	4	1	0 0
4	4	4	3	0	0 0
5	4	3	2	0	0 0
6	3	3	1	0	0 0

DIE ROLL	RANGE		4-9-16-31- 8-15-30-50					
	0	1	2	3	8	15	30	50
1	6	5	5	4	3	2	1	1
2	6	5	4	4	2	1	1	0
3	6	4	4	4	1	1	0	0
4	5	4	4	3	1	0	0	0
5	5	4	3	3	0	0	0	0
6	5	3	3	3	0	0	0	0

DISRUPTOR TABLE						
RANGE	0	1	2	3-4	5-8	9-10
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA
DAMAGE, STD	0	5	4	4	3	3
DAMAGE, OULD	10	10	8	8	6	0

E 4s ASSIGNED TO THE INTERNAL SECURITY FORCES HAVE INFERIOR FIRE CONTROL TO THOSE SHIPS IN THE DEEP SPACE FLEET.

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX													⑤ = HET COST					⑥ = ERRATIC MANEUVER WARP COST													
SPEED	1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
Standard	1	1	1	2	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7	7	8	8	8	9	9	9	10	10	10
Fract.	1/3	2/3	1	1 1/3	1 2/3	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4	4 1/3	4 2/3	5	5 1/3	5 2/3	6	6 1/3	6 2/3	7	7 1/3	7 2/3	8	8 1/3	8 2/3	9	9 1/3	9 2/3	10	

CREW UNITS					ADMINISTRATIVE SHUTTLE				
			*		IDENT	HIT POINTS	NOTES		
				10					

[illegible]

SEE (R3.R5) FOR SPECIAL RULES
PERTAINING TO THIS SHIP.

DRONE RACK

SHIP HAD TYPE-A DRONE RACK (ONE RELOAD) UNTIL THE Y175 REFIT, WHICH CONVERTED IT TO TYPE-B DRONE RACK (2 RELOADS).

SENSOR	6	5	3	0
SCANNER	0	1	3	9
DAM CON	2	2	2	0
EX DAM				

SHADED BOXES ARE THE B-REFIT.
SPECIAL FIRING ARCS: {D2.33}


KLINGON D7E SURVEY CRUISER

[illegible]

SHIP DATA TABLE	
TYPE	= D7E
POINT VALUE	= 140/120
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.43
B REFIT	= +4
Y175 REFIT	= +1
UIM REFIT	= +5

TURN MODE	SPEED
B 1	2-5
2	6-10
3	11-15
4	16-21
5	22-28
6	29+

UIM ☐
DERFACS ☐
H&R ☐


$$F_A = L_F + R_F$$
[illegible]

TRANSPORTER BOMBS	D	D	D	D
PROBES				10

DRONE RACK

SHIP HAD TYPE-A DRONE RACK (ONE RELOAD) UNTIL THE Y175 REFIT, WHICH CONVERTED IT TO TYPE-B DRONE RACK (2 RELOADS).

TYPE II PHASER TABLE					TYPE III DEFENSE PHASER				
DIE RANGE		4-9-16-31-			DIE RANGE		4-9-16-31-		
ROLL	0	1	2	3	4	5	ROLL	0	1
1	6	5	5	4	3	2	1	1	4
2	6	5	4	4	2	1	0	4	4
3	6	4	4	4	1	1	0	4	2
4	5	4	4	4	1	0	0	4	1
5	5	4	3	1	0	0	0	4	0
6	5	4	3	3	0	0	0	4	0
	5	3	3	3	0	0	0	5	4
	5	3	3	3	0	0	0	4	3
	5	3	3	3	0	0	0	3	2
	5	3	3	3	0	0	0	3	1
	5	3	3	3	0	0	0	6	3

DISRUPTOR TABLE										
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30		
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2		
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2		
HIT(DEFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3		
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA	NA	NA
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA	NA	NA
DAMAGE, STD	0	5	4	4	3	3	2	2		
DAMAGE, OUL0	10	10	8	8	6	0	0	0		

SCOUT FUNCTIONS SUMMARY	
21	LENDING ECM OR ECCM
22	BREAKING LOCK-ONS
23	ATTRACTING DRONES
24	CONTROLLING SEEKING WEAPONS
25	IDENTIFYING DRONES
26	DETECTING MINES
27	GATHERING SCIENCE INFORMATION
28	SELF-PROTECTION JAMMING
29	TACTICAL INTELLIGENCE

**SPECIAL SENSORS ARE DESTROYED
ON "PHASER" DAMAGE POINTS.**

SHIELD #1

[illegible]

The diagram illustrates the bridge layout of the USS Enterprise (NCC-1701-A). At the top, the Captain's position is marked with a box containing the number 1. To the right of the Captain is the First Officer's position, marked with a box containing the number 2. Below the Captain's position are the PH-1LF (Left) and PH-1RR (Right) positions, each marked with a box containing the number 3. The bridge is divided into several sections: the Captain's section (top), the First Officer's section (right), the PH-1 section (left), the PH-2 section (center), the PH-3 section (bottom left), and the PH-4 section (bottom right). The PH-2 section contains the main console with various buttons and displays. The PH-3 section contains the PH-3 console. The PH-4 section contains the PH-4 console. The bridge is also divided into several sections by the PH-1 and PH-2 consoles. The PH-1 section contains the PH-1 console. The PH-2 section contains the main console. The PH-3 section contains the PH-3 console. The PH-4 section contains the PH-4 console. The bridge is also divided into several sections by the PH-1 and PH-2 consoles. The PH-1 section contains the PH-1 console. The PH-2 section contains the main console. The PH-3 section contains the PH-3 console. The PH-4 section contains the PH-4 console.

SHIELD #5

PH-1LF 4 L RR PH-1 3

BTY SCTY AUX

TRAN PRB APR

AFT HULL

PH-3 6 L 7 RR

FA

DISR A B L WARP

IMP SHUTTLE IMP

TRAC SHUTTLE TRAC

PH-2 8 L 9 RR

FA

DISR C D R WARP

SPECIAL FIRING ARCS:
(D2.32) AND (D2.33).

[illegible]

Z-Y FIGHTERS
2xPh-3 -FA
DFR = 4
CRIPPLED = 8
SPEED = 15
Z-YB ONLY ▲

CNTR

SENSOR

6	6	5	3	1	0
---	---	---	---	---	---

SCANNER

0	0	1	3	5	9
---	---	---	---	---	---

SHIP DATA TABLE	
TYPE	= D7V
POINT VALUE	= 123
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.44
K REFIT	= +3
UIM REFIT	= +5

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

TYPE III DEFENSE PHASE		DIE RANGE				
ROLL	0	1	2	3	4-8	9-15
1	4	4	4	4	3	1
2	4	4	4	4	2	1
3	4	4	4	4	1	0
4	4	4	4	4	0	0
5	4	4	3	2	0	0
6	3	3	1	0	0	0

UIM ☐
DERFACS ☐
H&R ☐

MOVEMENT COST = 1
HET COST = 5
EM COST = 6

[illegible]

				D	D	D	D
--	--	--	--	---	---	---	---


TRANSPORTER BOMBS

PROBES					5
--------	--	--	--	--	---

PH-2'S MARKED "K" ARE PH-1 ON THE K-REFIT.

TYPE I OFFENSIVE PHASER TABLE											THIS SHIP CAN CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO DOUBLE ITS SENSOR RATING.	
DIE ROLL	RANGE		6-8		9-15		16-25		26-50	51-75		
	0	1	2	3	4	5	6	7				
1	9	8	7	6	5	5	4	3	2	1		1
2	8	7	6	5	5	4	3	2	1	1		0
3	7	5	4	4	4	3	1	0	0	0		0
4	6	4	4	4	4	3	2	0	0	0	0	
5	5	4	4	4	3	3	1	0	0	0	0	
6	4	4	3	3	2	2	0	0	0	0	0	

DIE RANGE	4-9-16-31-															
ROLL	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	6	5	5	4	3	2	1	1								
2	6	5	4	4	2	1	1	0								
3	6	4	4	4	1	1	0	0								
4	5	4	4	3	1	0	0	0								
5	5	4	3	3	0	0	0	0								
6	5	3	3	3	0	0	0	0								


$$F_X = L + LF + RF + R$$

DISRUPTOR TABLE										
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30		
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2		
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2		
HIT(OERFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3		
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA		
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA		
DAMAGE, STD	0	5	4	4	3	3	2	2		
DAMAGE, OULD	10	10	8	8	6	0	0	0		

KLINGON D7N DIPLOMATIC CRUISER

REINFORCED DIPLOMATIC CRUISER

SHIELD #1

SENSOR

SHIELD #6

SCANNER

PH-2K
11213
TRAC BRIDGE TRAC
EMER SCTY
TRAN
BTTY
LAB
F HULL
EMER IMP

PH-2
4
L
RR
PH-2
6
L
RR
PH-2
5
R
LR
PH-2
8
R
RR
PH-2
9
R
RR
AFT HULL
BTTY SCTY AUX
TRAN PRB TRAN
IMP APR IMP
SHTL TRAC SHTL
DISR
A B
L WARP
DISR
C D
R WARP

EX DAM

SHIELD #5

SHIELD #3

SHIELD #4

THIS SHIP IS EXEMPT FROM MUTINY AS A DIPLOMATIC SHIP (G6.14).

SPECIAL FIRING ARCS:
(D2.32) AND (D2.33).

PH-2'S MARKED "K" ARE PH-1 ON THE K-REFIT.

SHIP DATA TABLE	
TYPE	= D7N
POINT VALUE	= 154/119
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.45
K REFIT	= +3
1 UIM STANDARD	
NO MUTINY	

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

TYPE III DEFENSE PHASER		DIE RANGE		4- 9-	
ROLL	0	1	2	3	8 15
1	4	4	4	3	1
2	4	4	4	2	1
3	4	4	4	1	0
4	4	4	3	0	0
5	4	4	3	2	0
6	3	3	1	0	0

POST Y167

1

AVAILABLE
FIGHTER
FOR YEAR
OF SCENARIO.

Z - YC FIGHTER

2xPh - 3 - FA

DFR = 4

CRIPPLED = 8

SPEED = 15

DECK
CREW

1

[illegible]

				D	D	D	D
--	--	--	--	---	---	---	---

WHEN EQUIPPED WITH A FIGHTER, THIS
SHIP IS CONSIDERED TO BE A CASUAL
CARRIER FOR PURPOSES OF (J4.6).

UIM ☐
DERFACS ☐
H&R ☐

[illegible]

TYPE II PHASER TABLE

DIE	RANGE		4	9	16	31
ROLL	0	1	2	3	8	15 30 50
1	6	5	4	3	2	1
2	6	5	4	2	1	0
3	6	4	4	1	0	0
4	5	4	3	1	0	0
5	4	3	3	0	0	0
6	5	3	3	0	0	0

Diagram illustrating the Type II Phaser Table layout, showing connections between units (LF, RF, L, R) and the resulting phase relationships (FA = LF + RF, FY = LF + RF).

DISPATCH TABLE										
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30		
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-3	1-2	
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-2	
HIT(DERFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-3	1-3	
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA	NA	
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA	NA	
DAMAGE, STD	0	5	4	4	3	3	2	2	2	
DAMAGE, OULD	10	10	8	8	6	0	0	0	0	

THIS SHIP CAN CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO HALF ITS SENSOR RATING.

MOVEMENT COST = 1
HET COST = 5
ET COST = 1

THIS SHIP CAN CONTROL A NUMBER
OF SEEKING WEAPONS EQUAL TO
HALF ITS SENSOR RATING.

KLINGON D65

ADMINISTRATIVE SHUTTLES			
IDENT	HIT POINTS	NOTES	

TRANSPORTER BOMBS			

[illegible]

				B
				B

PROBES

				S
--	--	--	--	---

SHIP HAD TYPE-A DRONE RACKS (ONE RELOAD) UNTIL THE Y175 REFIT, WHICH CONVERTED THESE TO TYPE-B DRONE RACKS (2 RELOADS). CAN FIRE ONE DRONE EACH TURN. B-REFIT CAN FIRE ONE DRONE FROM EACH RACK EACH TURN.

TYPE II PHASER TABLE		4-9-15			
DIE	RANGE	1	2	3	8
ROLL	0	1	2	3	8
1	6	5	5	4	3
2	6	5	4	4	2
3	6	4	4	4	1
4	5	4	4	3	1
5	5	4	3	3	0
6	5	3	3	3	0


TYPE III DEFENSE PHASE	DIE RANGE				4- 9- 15			
	ROLL 0	1	2	3	4	5	6	7
1	4	4	4	3	1	1	0	0
2	4	4	4	2	1	0	1	0
3	4	4	4	1	0	0	0	0
4	4	4	3	0	0	0	0	0
5	4	4	3	0	0	0	0	0
6	3	3	1	0	0	0	0	0

SCOUT FUNCTIONS SUMMARY	
21	LENDING ECM OR ECCM
22	BREAKING LOCK -ONS
23	ATTRACTING DRONES
24	CONTROLLING SEEKING WEAPONS
25	IDENTIFYING DRONES
26	DETECTING MINES
27	GATHERING SCIENCE INFORMATION
28	SELF -PROTECTION JAMMING
29	TACTICAL INTELLIGENCE

**SPECIAL SENSORS ARE DESTROYED
ON "TORPEDO" DAMAGE POINTS.**

ANTI-DRONE TABLE				
RANGE	0	1	2	3 4+
HIT#	-	1-2	1-3	1-4 -

MOVEMENT COST = 1
HET COST = 5
EM COST = 6


$$FA = LF + RF$$

SHIP DATA TABLE	
TYPE	= D6S
POINT VALUE	= 130/100
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.47
B REFIT	= +6
Y175 REFIT	= +4

CNTR


SENSOR


SCANNER

0	0	1	3	5	9
---	---	---	---	---	---

SHIELD #5

10



KLINGON D5C LIGHT
COMMAND CRUISER

THE FORWARD PHASERS CAN FIRE INTO THE ROW OF HEXES EXTENDING DIRECTLY BEHIND THE SHIP.

SEE (D2.33).

WING PHASERS ALSO HAVE SPECIAL ARCS; SEE (D2.32).

PHASER-2s MARKED "K" ARE PH-1s ON THE K-REFIT.

⑥ = ERRATIC MANEUVER WARP COST

SHIP DATA TABLE	
TYPE	= D5C
POINT VALUE	= 126
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.49
Y175 REFIT	= +0
1 UIM STANDARD	

SHIP DATA TABLE	
TYPE	= D5L
POINT VALUE	= 132
REFERENCE	= R3.57
Y175 REFIT	= +0
INCLUDES K REFIT	
1 UIM STANDARD	

TURN MODE	
B	1 2-5
HET	2 6-10
BD	3 11-15
BD	4 16-21
BD	5 22-28
BD	6 29+

ANTI-DRONE TABLE	
RANGE	0 1 2 3 4+
HIT*	- 1-2 1-3 1-4 -

HIT & RUN	
UIM	☐
DERFACS	☐

CREW UNITS	
IDENT	HIT POINTS
10	20
30	40

ADMINISTRATIVE SHUTTLES	
IDENT	HIT POINTS
10	20
30	40

BOARDING PARTIES	
IDENT	HIT POINTS
10	20
30	40

TRANSPORTER BOMBS	
IDENT	HIT POINTS
10	20
30	40

PROBES	
IDENT	HIT POINTS
10	20
30	40

DRONE RACKS	
IDENT	HIT POINTS
10	20
30	40

SHIP HAD TYPE-B DRONE RACKS WITH ONE RELOAD UNTIL THE Y175 REFIT WHICH ADDED A SECOND RELOAD.	
IDENT	HIT POINTS
10	20
30	40

TYPE I OFFENSIVE PHASER TABLE	
DIE RANGE	6-9-16-26-51-75
ROLL 0	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75

TYPE II PHASER TABLE	
DIE RANGE	4-9-16-31-50
ROLL 0	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

TYPE III DEFENSE PHASER	
DIE RANGE	4-9-16-31-50
ROLL 0	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

ANTI-DRONES	
IDENT	HIT POINTS
10	20
30	40

LIMITED AEGIS SYSTEM	
IDENT	HIT POINTS
10	20
30	40

DISRUPTOR TABLE	
IDENT	HIT POINTS
10	20
30	40

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX	
IDENT	HIT POINTS
10	20
30	40

SPEED	
IDENT	HIT POINTS
10	20
30	40

Standard 1	
IDENT	HIT POINTS
10	20
30	40

Fract. 2 1/3	
IDENT	HIT POINTS
10	20
30	40

Standard 2	
IDENT	HIT POINTS
10	20
30	40

Fract. 2 2/3	
IDENT	HIT POINTS
10	20
30	40

Standard 3	
IDENT	HIT POINTS
10	20
30	40

Fract. 3 1/3	
IDENT	HIT POINTS
10	20
30	40

Standard 4	
IDENT	HIT POINTS
10	20
30	40

Fract. 4 1/3	
IDENT	HIT POINTS
10	20
30	40

Standard 5	
IDENT	HIT POINTS
10	20
30	40

Fract. 5 1/3	
IDENT	HIT POINTS
10	20
30	40

Standard 6	
IDENT	HIT POINTS
10	20
30	40

Fract. 6 2/3	
IDENT	HIT POINTS
10	20
30	40

Standard 7	
IDENT	HIT POINTS
10	20
30	40

Fract. 7 1/3	
IDENT	HIT POINTS
10	20
30	40

Standard 8	
IDENT	HIT POINTS
10	20
30	40

Fract. 8 2/3	
IDENT	HIT POINTS
10	20
30	40

Standard 9	
IDENT	HIT POINTS
10	20
30	40

Fract. 9 1/3	
IDENT	HIT POINTS
10	20
30	40

Standard 10	
IDENT	HIT POINTS
10	20
30	40

Fract. 10 2/3	
IDENT	HIT POINTS
10	20
30	40

Standard 11	
IDENT	HIT POINTS
10	20
30	40

Fract. 11 1/3	
IDENT	HIT POINTS
10	20
30	40

KLINGON D5D
DRONE CRUISER

CREW UNITS

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

BOARDING PARTIES

00						
----	--	--	--	--	--	--

CNTR

SHIP DATA TABLE	
TYPE	= D5F
POINT VALUE	= 110
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.52
K REFIT	= +2
1 UIM STANDARD	

TURN MODE	SPEED
B	1 2-5
	2 6-10
	3 11-15
HET	4 16-21
	5 22-28
BD	6 29+

TYPE III DEFENSE PHASER										
DIE ROLL	RANGE									
	0	1	2	3	4	5	6	7	8	
1	4	4	4	4	3	1	1			
2	4	4	4	4	2	1	0			
3	4	4	4	4	1	0	0			
4	4	4	4	3	0	0	0			
5	4	4	3	2	0	0	0			
6	3	3	1	0	0	0	0			

ANTI-DRONE TABLE				
RANGE	0	1	2	3 4+
HIT#	-	1-2	1-3	1-4 -

$$FX = L + LF + RF + R$$


LIMITED AEGIS SYSTEM
CONTROLS PH-39 AND ADDS.

5 = NET COST

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
Standard 1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	$10\frac{2}{3}$	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20		

THE FORWARD PHASERS CAN FIRE INTO THE ROW OF HEXES EXTENDING DIRECTLY BEHIND THE SHIP. SEE (D2.33). WING PHASERS ALSO HAVE SPECIAL ARCS; SEE (D2.32). PHASER-2s MARKED "K" ARE PH-1s ON THE K-REFIT.



ADMINISTRATIVE SHUTTLES		
IDENT	HIT POINTS	NOTES

[illegible]

				D	D	D	D
--	--	--	--	---	---	---	---

TYPE I OFFENSIVE PHASER TABLE

DIE ROLL	RANGE		6-9-16-26-51-									
	0	1	2	3	4	5	8	15	25	50	75	
1	9	8	7	6	5	5	4	3	2	1	1	
2	8	7	6	5	5	4	3	2	1	1	0	
3	7	5	5	4	4	4	3	1	0	0	0	
4	6	4	4	4	4	3	2	0	0	0	0	
5	5	4	4	4	3	3	1	0	0	0	0	
6	4	4	3	3	2	2	0	0	0	0	0	

DIE	RANGE			4-9-16-31-					
ROLL	0	1	2	3	8	15	30	50	
1	6	5	5	4	3	2	1	1	
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	


HIT & RUN
UIM ☐
DERFACS ☐

THIS SHIP CAN CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO ITS SENSOR RATING.

DISRUPTOR TABLE

DISORDER FOR TABLE								
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2
HIT (UM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2
HIT(OERACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA
HIT(OL/UM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA
DAMAGE, STD	0	5	4	4	3	3	2	2
DAMAGE, OULD	10	10	8	8	6	0	0	0

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

KLINGON D5H LIGHT
TACTICAL TRANSPORT

THE FORWARD PHASERS CAN FIRE INTO THE ROW OF HEXES EXTENDING DIRECTLY BEHIND THE SHIP IF A POD IS NOT ATTACHED; SEE (D2.33).
WING PHASERS ALSO HAVE SPECIAL ARCS; SEE (D2.32).
THE LR AND RR ARCS OF THESE PHASERS ARE BLOCKED IF A POD IS CARRIED.

⑥ = ERRATIC MANEUVER WARP COST

⑥ = ERRATIC MANEUVER WARP COST

SHIP DATA TABLE	
TYPE	= D5H
POINT VALUE	= 95
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.54
1 UIM STANDARD	

NO POD	
TURN MODE	SPEED
B 1	2-5
2	6-10
3	11-15
4	16-21
5	22-28
6	29+
HET	
1	1
2	1
3	1
4	1
5	1
6	1
BD	
1	1
2	1
3	1
4	1
5	1
6	1

SINGLE WEIGHT POD	
TURN MODE	SPEED
C 1	2-4
2	5-9
3	10-14
4	15-20
5	21-27
6	28+
HET	
1	1
2	1
3	1
4	1
5	1
6	1
BD	
1	1
2	1
3	1
4	1
5	1
6	1

DOUBLE WEIGHT POD	
TURN MODE	SPEED
D 1	2-4
2	5-8
3	9-12
4	13-17
5	18-24
6	25+
HET	
1	1
2	1
3	1
4	1
5	1
6	1
BD	
1	1
2	1
3	1
4	1
5	1
6	1

FX = L + LF + RF + R

CREW UNITS	
10	10
20	20
30	30

ADMINISTRATIVE SHUTTLES	
IDENT	HIT POINTS
10	10
20	20
30	30

BOARDING PARTIES	
WT	MOVE
0	67
1	33
2	133
3	667
4	8

PROBES	
WT	COST
0	67
1	33
2	133
3	667
4	8

TRANSPORTER BOMBS	
WT	COST
0	67
1	33
2	133
3	667
4	8

LIMITED AEGIS SYSTEM	
WT	COST
0	67
1	33
2	133
3	667
4	8

HIT & RUN	
UIM	DERFACS
1	1
2	1
3	1
4	1
5	1
6	1

TYPE I OFFENSIVE PHASER TABLE	
DIE RANGE	ROLL
1	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
2	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
3	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
4	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
5	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
6	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40

TYPE II PHASER TABLE	
DIE RANGE	ROLL
1	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
2	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
3	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
4	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
5	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
6	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40

TYPE III DEFENSE PHASER	
DIE RANGE	ROLL
1	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
2	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
3	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
4	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
5	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
6	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40

THIS SHIP CAN CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO ITS SENSOR RATING. SOME PODS INCLUDE ADDITIONAL SEEKING WEAPON CONTROL ABILITIES; IF SO, THESE ARE LISTED IN THE POD DESCRIPTIONS.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX	
SPEED	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard 1	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/3	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 2/3	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 3/4	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30
Fract. 2 1/2	2 2 3 4 4 4 5 6 6 7 8 8 9 10 10 11 12 13 14 15 16 17 18 18 19

KLINGON D51 (ISF) CRUISER

CREW UNITS				ADMINISTRATIVE SHUTTLES			
		*		IDENT	HIT POINTS	NOTES	
							10
							20
							30

BOARDING PARTIES	TRANSPORTER BOMBS
6	DDDD

PROBES	5
--------	---

DRONE RACKS	
1	
2	

SHIP HAD TYPE-A DRONE RACKS (ONE RELOAD)
UNTIL THE Y175 REFIT, WHICH CONVERTED
THESE TO TYPE-B DRONE RACKS (2 RELOADS)

DIE RANGE ROLL 0 1 2 3 4 5	4-9-16-31- 8 15 30 50
1	6 5 5 4 3 2 1 1
2	6 5 4 4 2 1 1 0
3	6 4 4 4 1 1 0 0
4	5 4 4 3 1 0 0 0
5	5 4 3 3 0 0 0 0
6	5 3 3 3 0 0 0 0

TYPE III DEFENSE PHASER		DIE RANGE				4- 9- ROLL 0 1 2 3 8 15			
1	4	4	4	3	1	1			
2	4	4	4	2	1	0			
3	4	4	4	1	0	0			
4	4	4	3	0	0	0			
5	4	3	2	0	0	0			
6	3	3	1	0	0	0			

DISRUPTOR TABLE	
RANGE	0
HIT (STD)	NA
HIT(OVERLOAD)	1-6
DAMAGE, STD	0
DAMAGE, OVL0D	10

RANGE	0	1	2	3-4	5-8	9-15	16-22
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA
DAMAGE, STD	0	5	4	4	3	3	2
DAMAGE, OULD	10	10	8	8	6	0	0

SHIP DATA TABLE	
TYPE	= DSI
POINT VALUE	= 100
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.55
Y175 REFIT	= +2

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

[illegible]

LIMITED AEGIS SYSTEM
CONTROLS PH-3s AND ADDS.


ANTI-DRONE TABLE				
RANGE	0	1	2	3 4+
HIT#	-	1-2	1-3	1-4 -

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX													5 = HET COST					
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
Standard	1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12
Fract. $\frac{2}{3}$	$\frac{1}{3}$	2	2	2 $\frac{2}{3}$	3 $\frac{1}{3}$	4	4 $\frac{2}{3}$	5 $\frac{1}{3}$	6	6 $\frac{2}{3}$	7 $\frac{1}{3}$	8	8 $\frac{2}{3}$	9 $\frac{1}{3}$	10	10 $\frac{2}{3}$	11 $\frac{1}{3}$	12

$$FX = L + LF + RF + R$$

THE FORWARD PHASERS CAN FIRE INTO THE ROW
OF HEXES EXTENDING DIRECTLY BEHIND THE SHIP.
SEE (D2.33).

WING PHASERS ALSO HAVE SPECIAL ARCS; SEE {D2.32}.



⑥ = ERRATIC MANEUVER WARP COST

5 = HET COST

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

KLINGON DSM MINESWEEPER

CNTR

SHIP DATA TABLE	
TYPE	= DSM
POINT VALUE	= 115/100
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.58
¥175 REFIT	= +2

TURN MODE	SPEED
B	1 2-5
	2 6-10
	3 11-15
HET	4 16-21
	5 22-28
BD	6 29+

TYPE III DEFENSE PHASER										
DIE ROLL	RANGE		4- 9-							
	0	1	2	3	8	15				
1	4	4	4	3	1	1				
2	4	4	4	2	1	0				
3	4	4	4	1	0	0				
4	4	4	3	0	0	0				
5	4	4	3	2	0	0				
6	3	3	1	0	0	0				

1	1	1	1	1
2	1	1	1	1
3	1	1	1	1
4	1	1	1	1

TRACKS ARE SHOWN FOR
LARGE MINES; FOR
SMALL MINES WRITE AN
"S" ON EACH SIDE OF
THE DIVIDING BAR.

CREW UNITS					ADMINISTRATIVE SHUTTLES				
		*			IDENT	HIT POINTS	NOTES		
				10					
				20					
				30					
BOARDING PARTIES								MSS	
								MSS	
					THIS SHIP HAS ONE SHUTTLE BAY.				

				D	D	D	D
--	--	--	--	---	---	---	---

TRANSPORTER BOMBS

LIMITED AEGIS SYSTEM
CONTROLS PH-33.

PROBES

TYPE I OFFENSIVE PHASE TABLE												
DIE ROLL	RANGE		1	2	3	4	5	6	7	8	9	10
	1	2										
1	0	8	7	6	5	5	4	3	2	1	1	0
2	8	7	6	5	5	4	3	2	1	0	0	0
3	7	5	4	4	4	3	1	0	0	0	0	0
4	6	4	4	4	3	2	0	0	0	0	0	0
5	5	4	4	4	3	2	0	0	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0	0

TYPE II PHASER TABLE									
ROLL	RANGE		4-9-16-31-						
	0	1	2	3	8	15	30	50	
1	6	5	5	4	3	2	1	1	
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	

DRONE RACKS									
1							A		B
2							A		B

SHIP HAD TYPE-A DRONE RACKS (ONE RELOAD)
UNTIL THE Y175 REFIT, WHICH CONVERTED
THESE TO TYPE-B DRONE RACKS (2 RELOADS)

MINER RACKS ARE DESTROYED ON "CARGO,"
"SHUTTLE" OR "EXCESS DAMAGE" HITS.

SCANNER

0 1 3 5

RF LF RR LR L R

D 5
 DAM CON 4 2 2 2 0
 EX DAM
 SHIELD # 5

TYPE III DEFENSE PHASE		4-9		4-15	
DIE	RANGE	1	2	3	8
ROLL	0	1	2	3	8
1	4	4	4	3	1
2	4	4	4	2	1
3	4	4	4	1	0
4	4	4	3	0	0
5	4	3	2	0	0
6	3	3	1	0	0

EX	DAM
----	-----

5 = HET COST

$$FX = L + LF + RF + R$$

PER HEX

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	2	2	3	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	15	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20

THE FORWARD PHASERS CAN FIRE INTO THE ROW
OF HEXES EXTENDING DIRECTLY BEHIND THE SHIP. SEE {D2.33}.
WING PHASERS ALSO HAVE SPECIAL ARCS: SEE {D2.32}.

KLINGON D55 SCOUT CRUISER

SHIP DATA TABLE	
TYPE	= D55
POINT VALUE	= 120/100
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.61
Y175 REFIT	= +2

TURN MODE	SPEED
B	1 2-5
	2 6-10
	3 11-15
HET	4 16-21
	5 22-28
BD	6 29+

DIE RANGE		4-9-15				
ROLL	0	1	2	3	8	15
1	4	4	4	3	1	1
2	4	4	4	2	1	0
3	4	4	4	1	0	0
4	4	4	3	0	0	0
5	4	4	3	2	0	0
6	3	3	1	0	0	0

ANTI-DRONE TABLE					
RANGE	0	1	2	3	4+
HIT#	-	1-2	1-3	1-4	-

[illegible]

LIMITED AEGIS SYSTEM
CONTROLS PH-38 AND ADDS.

$$EX = L + LF + RF + R$$
[illegible]

				D	D	D	D
--	--	--	--	---	---	---	---

TRANSPORTER BOMBS[illegible]

UNTIL THE Y175 REFIT, WHICH CONVERTED THESE TO TYPE-B DRONE RACKS (2 RELOADS)

DIE ROLL	RANGE	0	1	2	3	4	5	6-8	9-15	16-25	26-50	51-75
1	9	8	7	6	5	5	4	3	2	1	1	1
2	9	8	7	6	5	5	4	3	2	1	1	0
3	7	5	4	4	4	4	3	1	0	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0	0
5	4	4	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0	0

TYPE II PHASER TABLE									
DIE	RANGE			4-9-16-31-					
ROLL	0	1	2	3	8	15	30	50	
1	6	5	5	4	3	2	1	1	
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	


SCOUT FUNCTIONS SUMMARY	
21	LENDING ECM OR ECCM
22	BREAKING LOCK-ONS
23	ATTRACTING DRONES
24	CONTROLLING SEEKING WEAPONS
25	IDENTIFYING DRONES
26	DETECTING MINES
27	GATHERING SCIENCE INFORMATION
28	SELF-PROTECTION JAMMING
29	TACTICAL INTELLIGENCE

SPECIAL SENSORS ARE DESTROYED
ON "TORPEDO" DAMAGE POINTS.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

	HYPER-ENERGY PROTECT-OR™ 5000™																													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20	20	

THE FORWARD PHASERS CAN FIRE INTO THE ROW OF HEXES EXTENDING DIRECTLY BEHIND THE SHIP. SEE (D2.33). WING PHASERS ALSO HAVE SPECIAL ARCS; SEE (D2.32).



KLINGON D5V LIGHT CARRIER

CNTR

CREW UNITS

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

ADMINISTRATIVE SHUTTLES

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

TRANSPORTER BOMBS

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

BOARDING PARTIES

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

DECK CREWS

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

PROBES

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

LIMITED AEGIS SYSTEM

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

CONTROLS PH-3s

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		

SHIP DATA TABLE

TYPE	POINT VALUE	BREAKDOWN	SHIELD COST	LIFE SUPPORT	SIZE CLASS	REFERENCE	K REFIT
D5V	115/103	5-6	1+1	1	3	R3.62	+2

1 UIM STANDARD

TURN MODE	SPEED
1	2-5
2	6-10
3	11-15
4	16-21
5	22-28
6	29+

HET

TURN MODE	SPEED
1	2-5
2	6-10
3	11-15
4	16-21
5	22-28
6	29+

BD

TURN MODE	SPEED
1	2-5
2	6-10
3	11-15
4	16-21
5	22-28
6	29+

29+

TURN MODE	SPEED
1	2-5
2	6-10
3	11-15
4	16-21
5	22-28
6	29+

THIS SHIP CAN

CONTROL A	NUMBER OF	SEEKING WEAPONS	EQUAL TO DOUBLE	ITS SENSOR	RATING
1	1	1	0	0	0
2	1	1	0	0	0
3	1	1	0	0	0
4	1	1	0	0	0
5	1	1	0	0	0
6	1	1	0	0	0

TYPE I OFFENSIVE PHASER TABLE

DIE RANGE	6-9	16-26	51-75
1	9	8	7
2	8	7	6
3	7	6	5
4	6	5	4
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0
10	0	0	0
11	0	0	0
12	0	0	0
13	0	0	0
14	0	0	0
15	0	0	0
16	0	0	0
17	0	0	0
18	0	0	0
19	0	0	0
20	0	0	0
21	0	0	0
22	0	0	0
23	0	0	0
24	0	0	0
25	0	0	0
26	0	0	0
27	0	0	0
28	0	0	0
29	0	0	0
30	0	0	0

TYPE II PHASER TABLE

DIE RANGE	4-9	16-31
1	6	5
2	5	4
3	4	3
4	3	2
5	2	1
6	1	0
7	0	0
8	0	0
9	0	0
10	0	0
11	0	0
12	0	0
13	0	0
14	0	0
15	0	0
16	0	0
17	0	0
18	0	0
19	0	0
20	0	0
21	0	0
22	0	0
23	0	0
24	0	0
25	0	0
26	0	0
27	0	0
28	0	0
29	0	0
30	0	0
31	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	16-31
1	6	5
2	5	4
3	4	3
4	3	2
5	2	1
6	1	0
7	0	0
8	0	0
9	0	0
10	0	0
11	0	0
12	0	0
13	0	0
14	0	0
15	0	0
16	0	0
17	0	0
18	0	0
19	0	0
20	0	0
21	0	0
22	0	0
23	0	0
24	0	0
25	0	0
26	0	0
27	0	0
28	0	0
29	0	0
30	0	0
31	0	0

HIT & RUN

UIM	DERFACS
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31

DISRUPTOR TABLE

RANGE	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4
HIT (DERFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4
HIT (OL/UIM)	1-6	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4
DAMAGE, STD	0	5	4	4	4	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
DAMAGE, OULD	10	10	8	8	8	6	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Z-Y FIGHTERS

2xPh-3-FA	DFR = 4	CRIPPLED = 8	SPEED = 15
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9
10	10	10	10
11	11	11	11
12	12	12	12
13	13	13	13
14	14	14	14
15	15	15	15
16	16	16	16
17	17	17	17
18	18	18	18
19	19	19	19
20	20	20	20
21	21	21	21
22	22	22	22
23	23	23	23
24	24	24	24
25	25	25	25
26	26	26	26
27	27	27	27
28	28	28	28
29	29	29	29
30	30	30	30

Z-YB ONLY

UNITS											10	20	30	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

UNITS											10	20	30	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

5 = HET COST

UNITS	10	20	30	40
*				

6 = ERRATIC MANEUVER WARP COST

UNITS		10	20	30	40
*					
					</

CMTR

SHIP DATA TABLE	
TYPE	= RKL
POINT VALUE	= 110
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.63
Y175 REFIT	= +2
WIM REFIT	= +5


[illegible][illegible]

DRONE RACKS										PROBES									
										1									
										2									

SHIP HAD TYPE-A DRONE RACKS (ONE RELOAD) UNTIL THE Y175 REFIT, WHICH CONVERTED THESE TO TYPE-B DRONE RACKS (2 RELOADS)

DIE ROLL	RANGE	6- 9- 16- 26- 51- 8 15 25 50 75									
		0	1	2	3	4	5	6	7	8	9
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	4	3	1	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0

HIT & RUN		TURN MODE	SPEED
HIT	☐	B	1
UIM	☐		2
DERFACS	☐		3
		HET	4
			5
		BD	6
			29+


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{RX} &= \text{L} + \text{LR} + \text{RR} + \text{R} \end{aligned}$$

DISRUPTOR TABLE											
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30			
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2			
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2			
HIT(COEFACTS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3			
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA			
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA			
DAMAGE, STD	0	5	4	4	3	3	2	2			
DAMAGE, OULD	10	10	8	8	6	0	0	0			

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX													⑤ = HET COST										⑥ = ERRATIC MANEUVER WARP COST												
		SPEED		1	2	3	4	⑤	⑥	7	8	9	10	11	12																				
Standard	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30					
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20					

CNTR

SHIP DATA TABLE	
TYPE	= F6
POINT VALUE	= 108
BREAKDOWN	= 4-6
SHIELD COST	= 1/2 + 1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R3.64

ADMINISTRATIVE SHUTTLE

IDENT	HIT POINTS	NOTES

PROBES				
				5

T-BOMBS

[illegible]

SHIP WAS BUILT WITH TYPE-B DRONE
RACKS AND INCORPORATES B REFIT.

TYPE I OFFENSIVE PHASER TABLE

DIE ROLL	RANGE		6-9			16-26			51-75		
	0	1	2	3	4	5	8	15	25	50	75
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	4	3	1	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0


HIT & RUN ☐ UIM ☐

DERFACS ☐

TURN MODE		SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+

TYPE III DEFENSE PHASER

DIE ROLL	RANGE		4- 9- 8 15		
	0	1	2	3	8
1	4	4	4	3	1
2	4	4	4	2	1
3	4	4	4	1	0
4	4	4	3	0	0
5	4	3	2	0	0
6	3	3	1	0	0



$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{RX} &= \text{L} + \text{LR} + \text{RR} + \text{R} \end{aligned}$$

ANTI-DRONE TABLE

RANGE	0	1	2	3	4+
HIT#	-	1-2	1-3	1-4	-

ANTI-DRONES

ANTI-DRONE ALWAYS HAD 12 ROUNDS.

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2
HIT(DEFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA
HIT(OL/UM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA
DAMAGE STD	0	5	4	4	3	3	2	2
DAMAGE_OULD	10	10	8	8	6	0	0	0

SEE (D23.0) FOR
SHOCK DAMAGE.

SPECIAL FIRING ARCS: (D2.33)

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

SPEED	5000 RPM										5000 RPM										5000 RPM									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20	20	

[illegible]

KLINGON E5 BATTLE ESCORT

CNTR

SHIP DATA TABLE	
TYPE	= E5
POINT VALUE	= 77
BREAKDOWN	= 4-6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R3.65
Y175 REFIT	= +2
K REFIT	= +2
UIM REFIT	= +5

[illegible][illegible]

	A	B
1		
2		

SHIP HAD TYPE-A DRONE RACKS (ONE RELOAD) UNTIL THE Y175 REFIT, WHICH CONVERTED THESE TO TYPE-B DRONE RACKS (2 RELOADS)

TYPE I OFFENSIVE PHASER TABLE										
DIE RANGE		6-9-1			5-8-15					
ROLL	0	1	2	3	4	5	6	7	8	9
1	9	8	7	6	5	5	4	3	2	1
2	8	7	6	5	5	4	3	2	1	0
3	7	5	5	4	4	3	2	1	0	0
4	6	4	4	4	4	3	2	1	0	0
5	5	4	4	4	3	3	2	1	0	0
6	4	4	3	3	2	2	1	0	0	0

HIT & RUN
UIM ☐

TURN MODE		SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+

TYPE II PHASER TABLE									
OBJE	RANGE		4-9-		16-31-				
ROLL	0	1	2	3	8	15	30	50	
1	6	5	5	4	3	2	1	1	
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	


$$\begin{aligned}LS &= LF + L + LR \\RS &= RF + R + RR \\FX &= L + LF + RF + R \\RX &= L + LR + RR + R\end{aligned}$$

TYPE III DEFENSE PHASER		DIE RANGE			4- 9- ROLL 0 1 2 3 8 15		
1	4	4	4	4	3	1	1
2	4	4	4	4	2	1	0
3	4	4	4	4	1	0	0
4	4	4	3	0	0	0	0
5	4	3	2	0	0	0	0
6	3	3	1	0	0	0	0

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15	16-22
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA
DAMAGE, STD	0	5	4	4	3	3	2
DAMAGE, OULD	10	10	8	8	6	0	0

SENSOR	6	5	3	0
--------	---	---	---	---

0	1	3	9
---	---	---	---

DAM CON 2/22/0


EX	DAM				
----	-----	--	--	--	--

[illegible][illegible][illegible][illegible][illegible]

PH-2'S MARKED "K" ARE PH-1 ON THE K-REFIT.

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX

SPEED		1	2	3	4	5	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10	10
React.	$\frac{1}{3}$	$\frac{2}{3}$	1	$1\frac{1}{3}$	$1\frac{2}{3}$	2	$2\frac{1}{3}$	$2\frac{2}{3}$	3	$3\frac{1}{3}$	$3\frac{2}{3}$	4	$4\frac{1}{3}$	$4\frac{2}{3}$	5	$5\frac{1}{3}$	$5\frac{2}{3}$	6	$6\frac{1}{3}$	$6\frac{2}{3}$	7	$7\frac{1}{3}$	$7\frac{2}{3}$	8	$8\frac{1}{3}$	$8\frac{2}{3}$	9	$9\frac{1}{3}$	$9\frac{2}{3}$	10	



SHIP DATA TABLE	
TYPE	CBS
POINT VALUE	253/228
BREAKDOWN	3-6
SHIELD COST	1+3
LIFE SUPPORT	1+1/2
SIZE CLASS	2
REFERENCE	R3.70

THIS SHIP CAN CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO DOUBLE ITS SENSOR RATING.

DRONE RACKS	
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

ANTI-DRONE TABLE	
RANGE	0 1 2 3 4+
HIT*	- 1-2 1-3 1-4 -

TYPE I OFFENSIVE PHASER TABLE	
DIE RANGE	6- 9- 16- 26- 51- 75
ROLL	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

TYPE II PHASER TABLE	
DIE RANGE	4- 9- 16- 31- 50
ROLL	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

TYPE III DEFENSE PHASER	
DIE RANGE	4- 9- 16- 31- 50
ROLL	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

DISRUPTOR TABLE	
RANGE	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

ADMINISTRATIVE SHUTTLES	
IDENT	HIT POINTS
1	10
2	20
3	30
4	40
5	50
6	60
7	70
8	80
9	90
10	100
11	110
12	120
13	130
14	140
15	150
16	160
17	170
18	180
19	190
20	200
21	210
22	220
23	230
24	240
25	250
26	260
27	270
28	280
29	290
30	300
31	310
32	320
33	330
34	340
35	350
36	360
37	370
38	380
39	390
40	400
41	410
42	420
43	430
44	440
45	450
46	460
47	470
48	480
49	490
50	500
51	510
52	520
53	530
54	540
55	550
56	560
57	570
58	580
59	590
60	600
61	610
62	620
63	630
64	640
65	650
66	660
67	670
68	680
69	690
70	700
71	710
72	720
73	730
74	740
75	750
76	760
77	770
78	780
79	790
80	800
81	810
82	820
83	830
84	840
85	850
86	860
87	870
88	880
89	890
90	900
91	910
92	920
93	930
94	940
95	950
96	960
97	970
98	980
99	990
100	1000

TRANSPORTER BOMBS	
IDENT	HIT POINTS
1	10
2	20
3	30
4	40
5	50
6	60
7	70
8	80
9	90
10	100
11	110
12	120
13	130
14	140
15	150
16	160
17	170
18	180
19	190
20	200
21	210
22	220
23	230
24	240
25	250
26	260
27	270
28	280
29	290
30	300
31	310
32	320
33	330
34	340
35	350
36	360
37	370
38	380
39	390
40	400
41	410
42	420
43	430
44	440
45	450
46	460
47	470
48	480
49	490
50	500
51	510
52	520
53	530
54	540
55	550
56	560
57	570
58	580
59	590
60	600
61	610
62	620
63	630
64	640
65	650
66	660
67	670
68	680
69	690
70	700
71	710
72	720
73	730
74	740
75	750
76	760
77	770
78	780
79	790
80	800
81	810
82	820
83	830
84	840
85	850
86	860
87	870
88	880
89	890
90	900
91	910
92	920
93	930
94	940
95	950
96	960
97	970
98	980
99	990
100	1000

BOARDING PARTIES	
IDENT	HIT POINTS
1	10
2	20
3	30
4	40
5	50
6	60
7	70
8	80
9	90
10	100
11	110
12	120
13	130
14	140
15	150
16	160
17	170
18	180
19	190
20	200
21	210
22	220
23	230
24	240
25	250
26	260
27	270
28	280
29	290
30	300
31	310
32	320
33	330
34	340
35	350
36	360
37	370
38	380
39	390
40	400
41	410
42	420
43	430
44	440
45	450
46	460
47	470
48	480
49	490
50	500
51	510
52	520
53	530
54	540
55	550
56	560
57	570
58	580
59	590
60	600
61	610
62	620
63	630
64	640
65	650
66	660
67	670
68	680
69	690
70	700
71	710
72	720
73	730
74	740
75	750
76	760
77	770
78	780
79	790
80	800
81	810
82	820
83	830
84	840
85	850
86	860
87	870
88	880
89	890
90	900
91	910
92	920
93	930
94	940
95	950
96	960
97	970
98	980
99	990
100	1000

DECK CREWS	
IDENT	HIT POINTS
1	10
2	20
3	30
4	40
5	50
6	60
7	70
8	80
9	90
10	100
11	110
12	120

KLINGON C9A STASIS DREADNOUGHT

[illegible]

TRANSPORTER BOMBS

D	D	D	D	D	D	D
---	---	---	---	---	---	---

DRONE RACKS

1	H	A	H	H	H	H
---	---	---	---	---	---	---

[illegible]

THIS SHIP INCLUDED THE B, K, AND
Y175 REFITS INTO ITS DESIGN.Y

DIE RANGE		6- 9-		16- 26-		51-	
ROLL	0	1	2	3	4	5	8 15 25 50 75
1	9	8	7	6	5	5	4 3 2 1 1
2	8	7	6	5	5	4	3 2 1 1 0
3	7	5	5	4	4	4	3 1 0 0 0
4	6	4	4	4	4	3	2 0 0 0 0
5	5	4	4	4	3	3	1 0 0 0 0
6	4	4	3	3	2	2	0 0 0 0 0

TYPE II PHASER TABLE

DIE	RANGE	4-9	16-31-					
ROLL	0	1	2	3	8	15	30	50
1	6	5	4	3	2	1	1	
2	6	5	4	4	2	1	0	
3	6	4	4	4	1	1	0	0
4	5	4	4	3	1	0	0	0
5	5	4	3	3	0	0	0	0
6	5	3	3	3	0	0	0	0

SEE (G16.52) FOR
DAMAGE TO STASIS
FIELD GENERATOR.

DISRUPTOR TABLE									
RANGE	0	1	2	3-4	5-8	9-15	16-22		
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-3	
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-4	
HIT(OERFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-3	
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA	
HIT(OL/UM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA	
DAMAGE STD	0	5	4	4	3	3	2		
DAMAGE_OLQD	10	10	8	8	6	0	0		

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY									
SPEED	1	2	3	4	5	6	7	8	9
Standard	2	3	5	6	8	9	11	12	14
Fract.	1 1/2	3	4 1/2	6	7 1/2	9	10 1/2	12	13 1/2

SHIP DATA TABLE	
TYPE	= C9A
POINT VALUE	= 231
BREAKDOWN	= 3-6
SHIELD COST	= 1+3
LIFE SUPPORT	= 1+1/2
SIZE CLASS	= 2
REFERENCE	= R3.7.1

TURN MODE		SPEED
D	1	2-4
	2	5-8
	3	9-12
	4	13-17
	5	18-24
	6	25+

[illegible]

ANTI-DRONE TABLE				
RANGE	0	1	2	3 4+
IT#	-	1-2	1-3	1-4 -

TYPE III DEFENSE PHASER									
DIE RANGE		4- 9- ROLL 0 1 2 3 8 15							
1	4	4	4	4	4	3	1	1	
2	4	4	4	4	2	1	0		
3	4	4	4	4	1	0	0		
4	4	4	4	3	0	0	0		
5	4	4	3	2	0	0	0		
6	3	3	1	0	0	0	0		

-30	31-40	
-2	1-2	
-2	1-2	
-3	1-2	
NA	NA	
NA	NA	

SHIELD #1

SHIELD #2

SHIELD #3

SHIELD #4

SHIELD #5

SHIELD #6

TRAC PH-1 TRAC

PH-1-LF

BRIDGE

PH-1-RF

L 314

SECURITY SFG-FA

EMER

BTTY

TRAN

LAB

F HULL

A HULL

BATTERY

AUX

SECURITY

TRAN

PH-2

IMP

APR

DRONE

SHUTTLE

DISR-FX

C WARP

FA

DISR

R WARP

L WARP

L F

RF

LR

RR

L

R

SEE (D2.33) FOR SPECIAL PHASER ARCS.

FA = LF + RF

FX = L + LF + RF + R

⑥ = ERRATIC MANEUVER WARP COST														
18	19	20	21	22	23	24	25	26	27	28	29	30		
27	29	30	32	33	35	36	38	39	41	42	44	45		
27	28½	30	31½	33	34½	36	37½	39	40½	42	43½	45		

KLINGON C7 HEAVY BATTLECRUISER

CREW UNITS

10	20	30	40	50
1	2	3	4	5

ADMINISTRATIVE SHUTTLES

IDENT	HIT POINTS	NOTES

BOARDING PARTIES

10	20
1	2

PROBES

5

ALWAYS HAD 12 ROUNDS.

SHIP DATA TABLE

TYPE = C7

POINT VALUE = 180

BREAKDOWN = 5-6

SHIELD COST = 1+1

LIFE SUPPORT = 1

SIZE CLASS = 3

REFERENCE = R3.72

2xUIM STANDARD

TRANSPORTER BOMBS

1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10

ANTI-DRONES

1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10

SHIELD #1

1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10

SHIELD #2

1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10

SHIELD #6

1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10

SHIELD #3

1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10

SHIP DATA TABLE

TYPE = C7

POINT VALUE = 180

BREAKDOWN = 5-6

SHIELD COST = 1+1

LIFE SUPPORT = 1

SIZE CLASS = 3

REFERENCE = R3.72

2xUIM STANDARD

TURN MODE

TURN MODE	SPEED
1	2-4
2	5-9
3	10-14
4	15-20
5	21-27
6	28+

HIT & RUN

UIM

DERFACS

SENSOR SCANNER

6	6	5	3	2	1	0
6	6	5	3	2	1	0

PH-1 FX

1	2	3	4
1	2	3	4

TRAC BRIDGE

1	2	3	4
1	2	3	4

SCVTY ADD EMER

1	2	3	4
1	2	3	4

BTTY TRAN

1	2	3	4
1	2	3	4

LAB

1	2	3	4
1	2	3	4

F HULL

1	2	3	4
1	2	3	4

C WARP E IMP WARP

1	2	3	4
1	2	3	4

DAM CON EX DAM

6	4	4	4	2	2	2	0
6	4	4	4	2	2	2	0

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3

1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3

1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3

1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3

1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3

1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3

1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3

1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4

PH-1 A HULL

5	6	7	8
5	6	7	8

BTTY SCTY

1	2	3	4
1	2	3	4

APR

1	2	3	4
1	2	3	4

IMP

1	2	3	4
1	2	3	4

DRONE

1	2	3	4
1	2	3	4

SHUTTLE

1	2	3	4
1	2	3	4

TRAC PH-3


1	2	3	4
1	2	3	4

DISR

1	2	3	4
1	2	3	4

L WARP

1	2	3	4
1	2	3	4



DRONE RACKS

1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4

RACKS HAD TRIPLE RELOADS.

ANTI-DRONE TABLE

RANGE	0	1	2	3	4+
HIT*	-	1-2	1-3	1-4	-

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30	31-40
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2	1-2
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2	1-2
HIT (DERFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3	1-2
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	1-4	NA	NA	NA
HIT (OL/UIM)	1-6	1-5	1-5	1-5	1-5	1-5	NA	NA	NA
DAMAGE, STD	0	5	4	4	3	3	2	2	1
DAMAGE, OULD	10	10	8	8	6	0	0	0	0

KLINGON C7A HEAVY STASIS BATTLECRUISER

[illegible]

KLINGON AD6 HEAVY ESCORT CRUISER

ADMINISTRATIVE SHUTTLES			
IDENT	HIT POINTS	NOTES	

[illegible]

BOARDING PARTIES						TRANSPORTER BOMBS					
					10					D	D
										D	D
										D	D
										D	D

DECK CREWS

2		
---	--	--

 PROBES

				5
--	--	--	--	---

ANTI-DRONES						
1						
2						

ANTI-DRONES ALWAYS HAD 12 ROUNDS.


[illegible]

THIS SHIP CAN
CONTROL A
NUMBER OF
SEEKING WEAPONS
EQUAL TO DOUBLE
ITS SENSOR
RATING.

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

TYPE II PHASER TABLE									
DIE ROLL	RANGE		4-9-16-31-		4-9-16-31-		4-9-16-31-		
	0	1	2	3	0	1	2	3	
1	6	5	5	4	3	2	1	1	
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	

TYPE III DEFENSE PHASER									
DIE RANGE		4-9-15							
ROLL	0	1	2	3	8	15			
1	4	4	4	4	3	1	1		
2	4	4	4	4	2	1	0		
3	4	4	4	4	1	0	0		
4	4	4	4	3	0	0	0		
5	4	4	3	2	0	0	0		
6	3	3	1	0	0	0	0		


$$FA = LF + RF$$

ANTI-DRONE TABLE				
RANGE	0	1	2	3 4+
HIT#	-	1-2	1-3	1-4 -

DRONE RACKS

1	✓	✓	✓	✓	✓	✓	✓	✓	✓	6
2	✓	✓	✓	✓	✓	✓	✓	✓	✓	6

RACKS ALWAYS HAD THREE RELOADS.
THIRD RELOAD IS ENTIRELY ADD.

AS A CARRIER ESCORT, THIS SHIP HAS DECK CREWS AND READY RACKS TO SERVICE THE FIGHTERS OF THE CARRIER. IT HAS NO FIGHTERS OF ITS OWN.

CNTR

SHIP DATA TABLE	
TYPE	= AD6
POINT VALUE	= 119
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R3.76
K REFIT	= +3
INCLUDES FULL AEGIS	

[illegible]

SENSOR

6	6	5	3	1	0
---	---	---	---	---	---

The diagram shows a control panel layout. On the left are two shield units, each consisting of a grid of 10 squares (2 rows by 5 columns). The top shield is labeled "SHIELD #6" and the bottom is "SHIELD #2". In the center is an octagonal unit with the label "PH-2K" above a small box containing the numbers "1 2 3". Below this are the labels "TRAC BRIDGE TRAC" and "EMER SCTY", each followed by a pair of empty square boxes. To the right of the octagonal unit is a vertical label "TRAN". At the bottom right is a unit labeled "DAM CON" with a row of five square boxes.

SCANNER 001359

EX D A M

Diagram of the Star Trek: Voyager Bridge layout. The bridge is a central rectangular area with various consoles and stations. At the top is the Captain's Chair (PH-2) with a view of the ship's nose. Below it are the PH-2 stations for the First Officer (L) and Second Officer (R). The main console area includes the ADD (1), BITTY, SCTY, AUX, TRAN, PRB, and TRAN stations. The AFT HULL station is on the right. The IMP (IMP) and APR (APR) stations are in the center. The DRONE (1, 2) and SHITL (1, 2) stations are on the right. The PH-2 stations for the Third Officer (L) and Fourth Officer (R) are at the bottom. The L WARP and R WARP stations are on the far left and right. The SHIELD #3 and SHIELD #4 stations are at the top and bottom. The SPECIAL FIRING ARCS (D2.33) are on the right. The diagram is labeled with various station names and numbers.

PH-2'S MARKED "K" ARE PH-1 ON THE K-REFIT.

KLINGON F5E COMBAT ESCORT

CNTR

SHIP DATA TABLE	
TYPE	= F5E
POINT VALUE	= 90
BREAKDOWN	= 4-6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R3.77
K REFIT	= +2
INCLUDES LIMITED AEGIS	

SHIP DATA TABLE	
TYPE	= AFS
POINT VALUE	= 100
REFERENCE	= R3.78
K REFIT	= +2
INCLUDES FULL AEGIS	
INCLUDES Y175 REFIT	

	TURN MODE	SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+

ANTI-DRONE TABLE				
RANGE	0	1	2	3 4+
HIT#	-	1-2	1-3	1-4 -

[illegible]

CRACKS HAD TWO RELOADS PRIOR TO
ONE RELOAD IS ENTIRELY ADDS

[illegible]

BOARDING PARTIES						8
------------------	--	--	--	--	--	---


TRANSPORTER BOMBS

DD	DD
----	----

PROBES				5
--------	--	--	--	---

AS A CARRIER ESCORT, THIS SHIP HAS DECK CREWS AND READY RACKS TO SERVICE THE FIGHTERS OF THE CARRIER. IT HAS NO FIGHTERS OF ITS OWN.

DIE ROLL	RANGE		6-9-16-26-51-								
	0	1	2	3	4	5	8	15	25	50	75
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	3	1	0	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0



$$R_X = L + LR + RR + R$$


DIE RANGE	4-9-16-31-							
ROLL	0	1	2	3	8	15	30	50
1	6	5	5	4	3	2	1	1
2	6	5	4	4	2	1	1	0
3	6	4	4	4	1	1	0	0
4	5	4	4	3	1	0	0	0
5	5	4	3	3	0	0	0	0
6	5	3	3	3	0	0	0	0

TYPE III DEFENSE PHASER				THIS NUMBER WEAKENS IT			
DIE ROLL	RANGE	4-3	9-8	4-3	9-8	4-3	9-8
1	4	4	4	3	1	1	0
2	4	4	4	2	1	0	0
3	4	4	4	1	0	0	0
4	4	4	3	0	0	0	0
5	4	3	2	0	0	0	0
6	3	3	1	0	0	0	0

THIS SHIP CAN CONTROL A
NUMBER OF SEEKING
WEAPONS EQUAL TO DOUBLE
ITS SENSOR RATING.

WARP ENERGY MOVEMENT COST = 1/2 ENERGY POINT PER HEX										5 = HET COST							
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Standard	1	1	2	2	3	3	4	4	4	5	5	6	6	7	7	8	9
Fract.	1/2	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	5 1/2	6	6 1/2	7	7 1/2	8	8 1/2

	19	20	21	22	23	24	25	26	27	28	29	30
(6) = ERRATIC MANEUVER WARP COST												
	10	10	10	11	11	12	12	13	13	14	14	15
	3%	10	10%	11	11 $\frac{1}{2}$ %	12	12 $\frac{1}{2}$ %	13	13 $\frac{1}{2}$ %	14	14 $\frac{1}{2}$ %	15



PHASER-2'S MARKED "K" ARE CHANGED TO PHASER-1 ON THE K-REFIT.

SPECIAL FIRING ARCS: (D2.33)

⑥ = FERRATIC MANEIVVER WAPP COST

KLINGON E4D DRONE ESCORT

CNTR

SHIP DATA TABLE	
TYPE	= E4D
POINT VALUE	= 63
BREAKDOWN	= 4-6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R3.79
Y175 REFIT	= +4


ADMINISTRATIVE SHUTTLE									
IDENT	HIT POINTS				NOTES				
THIS SHIP HAS ONE SHUTTLE BAY.									

TRANSPORTER BOMBS

D	D
---	---

BOARDING PARTIES	
	6


	TURN MODE	SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+


$$FA = LF + RF$$
[illegible]

SHIP HAD TYPE-A DRONE RACKS (ONE RELOAD) UNTIL THE Y175 REFIT, WHICH CONVERTED THESE TO TYPE-B DRONE RACKS (2 RELOADS)

TYPE III DEFENSE PHASER									
DIE RANGE		4- 9- ROLL 0 1 2 3 8 15							
1	4	4	4	4	3	1	1		
2	4	4	4	2	1	1	0		
3	4	4	4	4	1	0	0		
4	4	4	4	3	0	0	0		
5	4	4	3	2	0	0	0		
6	3	3	1	0	0	0	0		

DIE RANGE	4-9-16-31-					
ROLL 0 1 2 3 8 15 30 50						
1	6	5	4	3	2	1
2	6	5	4	2	1	1
3	6	4	4	1	1	0
4	5	4	4	3	1	0
5	5	4	3	3	0	0
6	5	3	3	3	0	0



SENSOR	SCANNER	DAM CON	EX DAM
6530	0139	2220	

SPECIAL FIRING ARCS: (D2.33)

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX															[5] = HET COST										[6] = ERRATIC MANEUVER WARP COST									
SPEED	1	2	3	4	[5]	[6]	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30				
Standerd	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10	10				
Fract.	1/2	1	1 1/2	1 1/2	2	2 1/2	2 1/2	3	3 1/2	3 1/2	4	4 1/2	4 1/2	5	5 1/2	5 1/2	6	6 1/2	6 1/2	7	7 1/2	7 1/2	8	8 1/2	8 1/2	9	9 1/2	9 1/2	10	10				

KLINGON E4V ESCORT CARRIER (ISF)

KLINGON E3D DRONE ESCORT (ISF)


CNTR

ADMINISTRATIVE SHUTTLE									
CREW UNITS	IDENT	HIT POINTS	NOTES						
10									

BOARDING PARTIES				
5				

SHIELD #1									

ANTI-DRONES														
1														




TYPE III DEFENSE PHASER									
DIE	RANGE	4-	9-						
ROLL	0	1	2	3	8	15			
1	4	4	4	3	1	1			
2	4	4	4	2	1	0			
3	4	4	4	1	0	0			
4	4	4	3	0	0	0			
5	4	3	2	0	0	0			
6	3	3	1	0	0	0			

THIS SHIP CAN CONTROL A
NUMBER OF SEEKING WEAPONS
EQUAL TO ITS SENSOR RATING.

TURN MODE SPEED				
A	1	2	3	4
HET				
BD				

DRONE RACKS									
1									
2									

ANTI-DRONE TABLE				
RANGE	0	1	2	3
HIT*	-	1-2	1-3	1-4



FX = L + LF + RF + R

SENSOR				
6	5	3	0	

SCANNER				
0	1	3	9	

DAM CON				
2	2	2	0	

EX DAM				

THE PHASERS MAY FIRE INTO THE HEX ROW
EXTENDING DIRECTLY BEHIND THE SHIP.
SEE (D2.33).

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX																														[5] = HET COST										[3] = ERRATIC MANEUVER WARP COST									
SPEED	1	2	[3]	4	[5]	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30																			
Standard	1	1	1	2	2	2	3	3	3	4	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10																			
Fract.	1/3	2/3	1	1 1/3	1 2/3	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4	4 1/3	4 2/3	5	5 1/3	5 2/3	6	6 1/3	6 2/3	7	7 1/3	7 2/3	8	8 1/3	8 2/3	9	9 1/3	9 2/3	10																			

③ = ERRATIC MANEUVER WARP COST

CNTR	
------	--

SHIP DATA TABLE	
TYPE	= LB
POINT VALUE	= 150
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R9.30

	TURN MODE	SPEED
C	1	2-4
	2	5-9
	3	10-14
HET	4	15-20
	5	21-27
BD	6	28+

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT*	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FA = LF + RF
LS = LF + L + LR
RS = RF + R + RR

MOVEMENT COST = 1
HET COST = 5
EM COST = 6

CREW UNITS				ADMINISTRATIVE SHUTTLES			
	*			IDENT	HIT POINTS	NOTES	
			10				
			20				
			30				
			40				

[illegible]

DECK CREWS		PROBES				
3						5

DIE ROLL	RANGE		6- 9- 16- 26- 51-								
	0	1	2	3	4	5	8	15	25	50	75
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	4	3	1	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0

TYPE III DEFENSE PHASER						
DIE	RANGE			4-9-15		
	0	1	2	3	8	15
1	4	4	4	4	3	1
2	4	4	4	4	2	1
3	4	4	4	4	1	0
4	4	4	4	3	0	0
5	4	4	3	2	0	0
6	3	3	3	1	0	0

FUSION BEAM TABLE							FUSION OVERLOAD						
DIE		RANGE			DIE		RANGE						
ROLL	0	1	2		3-10	11-15	16-24	ROLL		0	1	2	3-8
1	13	8	6	4	3	2	1	19	12	9	6		
2	11	8	5	3	2	1		2	16	12	7	4	
3	10	7	4	2	1	0		3	15	10	6	3	
4	9	6	3	1	1	0		4	13	9	4	1	
5	8	5	3	1	0	0		5	12	7	4	1	
6	8	4	2	0	0	0		6	12	6	3	0	

HYDRAN OUTRIDER
SURVEY SHIP

CNTR

CREW UNITS

IDENT	HIT POINTS	NOTES
10		
20		
8		
2		
10		

ADMINISTRATIVE SHUTTLE

IDENT	HIT POINTS	NOTES
10		
20		
8		
2		
10		


SHIP DATA TABLE
TYPE = SR
POINT VALUE = 105
BREAKDOWN = 6
SHIELD COST = 1/2+1/2
LIFE SUPPORT = 1/2
SIZE CLASS = 4
REFERENCE = R9.31
PLUS REFIT = +10

TYPE I OFFENSIVE PHASER TABLE

DIE ROLL	RANGE		6-9					16-26					51-75																		
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
1	9	8	7	6	5	5	4	3	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	8	7	6	5	5	4	3	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	7	5	5	4	4	4	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	6	4	4	4	4	4	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	5	4	4	4	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

T-BOMBS

SEE (R9.31)



TYPE II PHASER TABLE

DIE RANGE		4-9-16-31-	
ROLL 0	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31		
1	6 5 5 4 3 2 1 1 0		
2	6 5 4 4 2 1 1 0		
3	6 4 4 4 1 1 0		
4	5 4 4 3 1 0		
5	5 4 3 3 0		
6	5 3 3 3 0		

TYPE III DEFENSE PHASER

DIE RANGE		4- 9- ROLL 0 1 2 3 8 15				
1	4	4	4	3	1	1
2	4	4	4	2	1	0
3	4	4	4	1	0	0
4	4	4	3	0	0	0
5	4	4	3	2	0	0
6	3	3	3	1	0	0

FTR FUSION TABLE

DIE RANGE	3-10									
ROLL 0	1	2	3	4	5	6	7	8	9	10
1	13	8	6	4	3	2	1	0	0	0
2	11	8	5	3	2	1	0	0	0	0
3	10	7	4	2	1	0	0	0	0	0
4	9	6	3	1	0	0	0	0	0	0
5	8	5	3	1	0	0	0	0	0	0
6	8	4	2	0	0	0	0	0	0	0

SCOUT FUNCTIONS SUMMARY

- 21 LENDING ECM OR ECCM
- 22 BREAKING LOCK-ONS
- 23 ATTRACTING DRONES
- 24 CONTROLLING SEEKING WEAPONS
- 25 IDENTIFYING DRONES
- 26 DETECTING MINES
- 27 GATHERING SCIENCE INFORMATION
- 28 SELF-PROTECTION JAMMING
- 29 TACTICAL INTELLIGENCE

SPECIAL SENSORS ARE DESTROYED ON "TORPEDO" DAMAGE POINTS.

FIGHTERS AND DECK CREWS ADDED IN WARTIME.

STINGER-2	1xPH-G-FA	DFR = 4	CRIPPLED = 7	SPEED = 15
1	13	8	6	4
2	11	8	5	3
3	10	7	4	2
4	9	6	3	1
5	8	5	3	1
6	8	4	2	0

THIS SSD SHOWS THE REFITTED SHIP. WITHOUT THE REFIT, DELETE THE SHADED BOXES, CHANGE THE PH-G FIRING ARCS TO "RA", AND CHANGE THE PH-1 TO PH-2.

FA = LF + RF

LS = LF + L + LR

RS = RF + R + RR

RA = LR + RR

SRV BPV = +12

WARP ENERGY MOVEMENT COST = 1/2 ENERGY POINT PER HEX

[5] = HET COST

[6] = ERRATIC MANEUVER WARP COST

[7] = HET COST

[8] = HET COST

[9] = HET COST

[10] = HET COST


[11] = HET COST

[12] = HET COST

[13] = HET COST

[14] = HET COST

[15] = HET COST



HYDRAN BARON LIGHT COMMAND CRUISER

HYDRAN BARON LIGHT COMMAND CRUISER

The diagram illustrates the layout of the Hydran Baron Light Command Cruiser. The ship's hull is elongated with a pointed bow. The internal layout includes a central corridor with various rooms and systems. The bow section contains the Bridge, PH-1, and PH-2. The midsection features the SHTL, CHULL, and SHTL. The stern section includes the R WARP, L WARP, and EX: DAM. The ship is equipped with six shields (SHIELD #1 to #6) and a central sensor unit.

SHIELD #1

SHIELD #2

SHIELD #3

SHIELD #4

SHIELD #5

SHIELD #6

SENSOR

SCANNER

DAM CON

EX: DAM


Internal Layout:

- HB-FA
- FA 1
- PH-1
- FUSION-FA
- PH-2
- BRIDGE
- APR
- PROBE
- TRAN
- AUX
- SHTL
- CHULL
- SHTL
- LAB
- BTIV
- EMER
- PH-G
- PH-G
- RS
- IMP
- TRAC
- TRAC
- R WARP
- L WARP
- EX: DAM

SHIP DATA TABLE	
TYPE	= BAR
POINT VALUE	= 121
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R9.32

TURN MODE		SPEED
B	1	2-5
	2	6-10
HET	3	11-15
	4	16-21
	5	22-28
BD	6	29+

TYPE III DEFENSE PHASER	RANGE				
	0	1	2	3	4-9-15
1	4	4	4	3	1
2	4	4	4	2	1
3	4	4	4	1	0
4	4	4	3	0	0
5	4	4	3	2	0
6	3	3	1	0	0


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

STINGER-2
1xPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15

STINGER-H
1xPH-G-FA
DFR = 2
CRIPPLED = 7
SPEED = 15

[illegible]

BOARDING PARTIES										TRANSPORTER BOMBS				DECK CREWS				PROBES			
									10												5

DIE ROLL	RANGE	0	1	2	3	4	5	6-8	9-15	16-25	26-50	51-75
1	9	8	7	6	5	5	4	3	2	1	1	1
2	8	7	6	5	5	4	3	2	1	1	0	0
3	7	5	4	4	4	3	1	0	0	0	0	0
4	6	4	4	4	3	3	2	0	0	0	0	0
5	4	4	4	4	3	3	1	0	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0	0

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION BEAM TABLE							FUSION OVERLOAD				
DIE ROLL	0	1	2	3-10	11-15	16-24	DIE ROLL	0	1	2	3-8
1	13	8	6	4	3	2	1	19	12	9	6
2	11	8	5	3	2	1	2	16	12	7	4
3	10	7	4	2	1	0	3	15	10	6	3
4	9	6	3	1	1	0	4	13	9	4	1
5	8	5	3	1	0	0	5	12	7	4	1
6	8	4	2	0	0	0	6	12	6	3	0

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX															5 = HET COST			
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
Standard	1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12
Fract	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12

HYDRAN TROOPER NEW LIGHT CARRIER

CNTR

SHIP DATA TABLE	
TYPE	= NVL
POINT VALUE	= 90/80
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R9.33
PLUS REFIT	= +12

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

TYPE III DEFENSE PHASE		DIE RANGE					4-9-15				
ROLL	0	1	2	3	8	15					
1	4	4	4	4	3	1	1				
2	4	4	4	4	2	1	0				
3	4	4	4	4	1	0	0				
4	4	4	4	3	0	0	0				
5	4	4	3	2	0	0	0				
6	3	3	1	0	0	0	0				

STINGER-H
1xPH-G-FA
DFR = 2
CRIPPLED = 7
SPEED = 15

STINGER-2
1xPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15

2	3	4	5	8	9	10
0	9	8	7			
7	15	13	10			

THIS SSD SHOWS THE REFITTED SHIP. WITHOUT THE REFIT:

DELETE THE SHADED BOXES.
CHANGE THE PH-G ARCS TO RX.
CHANGE THE PH-1s TO PH-2s.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX													⑤ = HET COST						⑥ = ERRATIC MANEUVER WARP COST											
SPEED	1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	2	2	3	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20	

HYDRAN NEW MINSWEEPER

CNTR

SHIP DATA TABLE	
TYPE	= NMS
POINT VALUE	= 90/70
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R9.35

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

FTR FUSION TABLE	
DIE ROLL	RANGE
1	13 8 6 4
2	11 8 5 3
3	10 7 4 2
4	9 6 3 1
5	8 5 3 1
6	8 4 2 0

$$FA = LF + RF$$

STINGER-2
1xPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15

[illegible]

DIE ROLL	RANGE		4-9-16-31-		
	0	1	2	3	8 15 30 50
1	6	5	5	4	3 2 1 1
2	6	5	4	4	2 1 1 0
3	6	4	4	4	1 1 0 0
4	5	4	4	3	1 0 0 0
5	5	4	3	3	0 0 0 0
6	5	3	3	3	0 0 0 0

TYPE III DEFENSE PHASE									
DIE RANGE		4- 9- 15							
ROLL		0	1	2	3	8	15		
1	4	4	4	4	3	1	1		
2	4	4	4	4	2	1	0		
3	4	4	4	4	1	0	0		
4	4	4	4	3	0	0	0		
5	4	4	3	2	0	0	0		
6	3	3	1	0	0	0	0		

1	1	1	1	1
2	1	1	1	1
3	1	1	1	1
4	1	1	1	1

THIS SHIP NEVER RECEIVED A REFIT.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX													⑤ = HET COST										⑥ = ERRATIC MANEUVER WARP COST									
SPEED	1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
Standard	1	2	2	3	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20		
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20		

Page 43

HYDRAN LORD COMMANDER COMMAND CRUISER

CNTR

SHIP DATA TABLE	
TYPE	= LC
POINT VALUE	= 126
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R9.40

ADMINISTRATIVE SHUTTLES

[illegible]

TRANSPORTER BOMBS

					D	D	D	D
--	--	--	--	--	---	---	---	---

SEE (R9.R2).

BOARDING PARTIES

10							
----	--	--	--	--	--	--	--

DECK CREWS

5				
6				

$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

PROBES

5				
---	--	--	--	--

TYPE I OFFENSIVE PHASER TABLE

DIE RANGE		6-9-16-26-51-ROLL									
ROLL	0	1	2	3	4	5	8	15	25	50	75
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	4	3	1	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0

TYPE III DEFENSE PHASER

DIE		RANGE		4-9-	
ROLL	0	1	2	3	8 15
1	4	4	4	3	1 1
2	4	4	4	2	1 0
3	4	4	4	1	0 0
4	4	4	3	0	0 0
5	4	3	2	0	0 0
6	3	3	1	0	0 0

FUSION BEAM TABLE

DIE RANGE		COLOR PLANT TABLE						
ROLL	0	1	2	3	10	11	15	16-24
1	13	8	6	4	3			2
2	11	8	5	3	2	1		
3	10	7	4	2	1	0		
4	9	6	3	1	1	0		
5	8	5	3	1	0	0		
6	8	4	2	0	0	0		

FUSION OVERLOAD


DIE	RANGE		2	3	8
	ROLL	0			
1	19	12	9	6	
2	16	12	7	4	
3	15	10	6	3	
4	13	9	4	1	
5	12	7	4	1	
6	12	6	3	0	

FIGHTER HELLBORE TABLE

RANGE	0-1	2	3-4	5-8	9-10
HIT#	11	10	9	8	7
BASE DAMAGE	20	17	15	13	10

TURN MODE SPEED


C		HET		BD		FORMALDEHYDE		STYRENE	
1	2	3	4	5	6	7	8	9	10
2-4	5-9	10-14	15-20	21-27	28+				



STINGER-H
1XPH-G-FA
DFR = 2
CRIPPLED = 7
SPEED = 15

STINGER-2
1xPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15

MOVEMENT COST = 1
HET COST = 5
EM COST = 6



CNTR	
------	--

SHIP DATA TABLE	
TYPE	= CRU
POINT VALUE	= 76
BREAKDOWN	= 6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R9.41

	TURN MODE	SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+

HELLBORE COMBAT RESOLUTION TABLE											
RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40				
HIT#	11	10	9	8	7	6	5				
BASE DAMAGE	20	17	15	13	10	8	4				
O/L DAMAGE	30	25	22	19	0	0	0				


$$FA = LF + RF$$
[illegible][illegible]

PROBES	5
--------	---

DIE ROLL	RANGE	0	1	2	3	8	9-16-	30	50
1	6	5	5	4	3	2	1	1	1
2	6	5	4	4	2	1	1	0	0
3	6	4	4	4	1	1	0	0	0
4	5	4	4	3	1	0	0	0	0
5	5	4	3	3	0	0	0	0	0
6	5	3	3	3	0	0	0	0	0

TYPE III DEFENSE PHASER		DIE RANGE				
ROLL	0	1	2	3	4	5
1	4	4	4	3	1	1
2	4	4	4	2	1	0
3	4	4	4	1	0	0
4	4	4	3	0	0	0
5	4	4	3	2	0	0
6	3	3	1	0	0	0

FUSION BEAM TABLE

DIE RANGE		POSITION BENT THREE				
ROLL	0	1	2	3-10	11-15	16-24
1	13	8	6	4	3	2
2	11	8	5	3	2	1
3	10	7	4	2	1	0
4	9	6	3	1	1	0
5	8	5	3	1	0	0
6	8	4	2	0	0	0

FUSION OVERLOAD

DIE RANGE		ROLL	
0	1	2	3-8
1	19	12	9 6
2	16	12	7 4
3	15	10	6 3
4	13	9	4 1
5	12	7	4 1
6	12	6	3 0

WARP ENERGY MOVEMENT COST = $1/3$ ENERGY POINT PER HEX

5 = HET COST

6 = ERRATIC MANEUVER WARP COST

	⑤										⑥										⑦									
	MINIMUM ENERGY REQUIRED TO PRODUCE ONE TON OF FERTILIZER										MINIMUM ENERGY REQUIRED TO PRODUCE ONE TON OF FERTILIZER										MINIMUM ENERGY REQUIRED TO PRODUCE ONE TON OF FERTILIZER									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10	10
Fract. $\frac{1}{4}$	$\frac{2}{3}$	$\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{3}{4}$	4	$4\frac{1}{4}$	$4\frac{3}{4}$	5	$5\frac{1}{4}$	$5\frac{3}{4}$	6	$6\frac{1}{4}$	$6\frac{3}{4}$	7	$7\frac{1}{4}$	$7\frac{3}{4}$	8	$8\frac{1}{4}$	$8\frac{3}{4}$	9	$9\frac{1}{4}$	$9\frac{3}{4}$	10	

HYDRAN IRON DUKE

ADMINISTRATIVE SHUTTLES

IDENT	HIT POINTS	NOTES
10	20	
20	40	
30	60	
40	80	
50	100	
60	120	

BOARDING PARTIES

IDENT	HIT POINTS	NOTES
10	20	
20	40	
30	60	
40	80	
50	100	
60	120	

DECK CREWS

IDENT	HIT POINTS	NOTES
10	20	
20	40	
30	60	
40	80	
50	100	
60	120	

TRANSPORTER BOMBS

IDENT	HIT POINTS	NOTES
10	20	
20	40	
30	60	
40	80	
50	100	
60	120	

PROBES

IDENT	HIT POINTS	NOTES
10	20	
20	40	
30	60	
40	80	
50	100	
60	120	

SHIP DATA TABLE

TYPE	ID
POINT VALUE	205
BREAKDOWN	4-6
SHIELD COST	1+3
LIFE SUPPORT	1+1/2
SIZE CLASS	2
REFERENCE	R9.42

TURN MODE SPEED

D	1	2	3	4	5	6
1	2-4	5-8	9-12	13-17	18-24	25+
2	2-4	5-8	9-12	13-17	18-24	25+
3	2-4	5-8	9-12	13-17	18-24	25+
4	2-4	5-8	9-12	13-17	18-24	25+
5	2-4	5-8	9-12	13-17	18-24	25+
6	2-4	5-8	9-12	13-17	18-24	25+

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION BEAM TABLE

DIE RANGE	1	2	3-10	11-15	16-24
ROLL	0	1	2	3	4
1	13	8	6	4	3
2	11	8	5	3	2
3	10	7	4	2	1
4	9	6	3	1	0
5	8	5	3	1	0
6	8	4	2	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT #	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3

TYPE I OFFENSIVE PHASER

DIE RANGE	6-9	16-26	51-75
ROLL	0	1	2
1	9	8	7
2	8	7	6
3	7	5	4
4	6	4	3
5	5	4	3
6	4	3	2
7	3	2	1
8	2	1	0
9	1	0	0

TYPE III DEFENSE PHASER

DIE RANGE	4-9	15
ROLL	0	1
1	4	4
2	4	4
3	4	4
4	4	4
5	4	4
6	3	3
7	3	3
8	3	3
9	3	3

HELLBORE COMBAT RESOLUTION TABLE

RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
-------	-----	---	-----	-----	------	-------	-------

HYDRAN OVERLORD BATTLECRUISER

CREW UNITS

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		
50		

ADMINISTRATIVE SHUTTLES

IDENT	HIT POINTS	NOTES
10		
20		
30		
40		
50		

THREE BAYS — NO TRANSFERS

BOARDING PARTIES

10	
20	

TRANSPORTER BOMBS

D	D	D	D
---	---	---	---

SEE (R9.R2).

DECK CREWS


6			
---	--	--	--

PROBES

5			
---	--	--	--

TYPE I OFFENSIVE PHASER TABLE

DIE RANGE	1	2	3	4	5	6	9-16	26-51
ROLL	0	1	2	3	4	5	4	3
1	9	8	7	6	5	4	3	2
2	8	7	6	5	4	3	2	1
3	7	5	4	4	4	3	1	0
4	6	4	4	4	4	3	2	0
5	5	4	4	4	3	3	1	0
6	4	4	3	3	2	2	0	0



TURN MODE	1	2	3	4	5	6
C	1	2	3	4	5	6
HET						
BD						
28+						

TYPE III DEFENSE PHASER

DIE RANGE	1	2	3	4	8-15
ROLL	0	1	2	3	8
1	4	4	4	3	1
2	4	4	4	2	1
3	4	4	4	1	0
4	4	4	3	0	0
5	4	3	2	0	0
6	3	3	1	0	0

FA = LF + RF

LS = LF + L + LR

RS = RF + R + RR

HELLBORE COMBAT RESOLUTION TABLE


RANGE	0-1	2	3-4	5-8	9-15	16-22	23-40
HIT*	11	10	9	8	7	6	5
BASE DAMAGE	20	17	15	13	10	8	4
O/L DAMAGE	30	25	22	19	0	0	0

FUSION BEAM TABLE


DIE RANGE	1	2	3-10	11-15	16-24
ROLL	0	1	2	3	4
1	13	8	6	4	3
2	11	8	5	3	2
3	10	7	4	2	1
4	9	6	3	1	0
5	8	5	3	1	0
6	8	4	2	0	0

FUSION OVERLOAD

DIE RANGE	1	2	3-8
ROLL	0	1	2
1	19	12	9
2	16	12	7
3	15	10	6
4	13	9	4
5	12	7	4
6	12	6	3



SHIP DATA TABLE	
TYPE	OV
POINT VALUE	180
BREAKDOWN	5-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R9.43



MOVEMENT COST = 1
HET COST = 5
EM COST = 6

HYDRAN SARACEN FRIGATE LEADER

CNTR

SHIP DATA TABLE	
TYPE	= SAR
POINT VALUE	= 70
BREAKDOWN	= 6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R9.44

CREW UNITS		ADMINISTRATIVE SHUTTLES	
IDENT	HIT POINTS	NOTES	
10			

BOARDING PARTIES		TRANSPORTER BOMBS	
8		D	D


PROBES	
5	

TYPE II PHASER TABLE	
DIE RANGE	4-9-16-31-50
ROLL 0 1 2 3 8 15 30 50	
1	6 5 5 4 3 2 1 1
2	6 5 4 4 2 1 1 0
3	6 4 4 4 1 1 0 0
4	5 4 4 3 1 0 0 0
5	5 4 3 3 0 0 0 0
6	5 3 3 3 0 0 0 0


TYPE III DEFENSE PHASER	
DIE RANGE	4-9-15
ROLL 0 1 2 3 8 15	
1	4 4 4 3 1 1
2	4 4 4 2 1 0
3	4 4 4 1 0 0
4	4 4 3 0 0 0
5	4 3 2 0 0 0
6	3 3 1 0 0 0

FUSION BEAM TABLE	
DIE RANGE	16-24
ROLL 0 1 2 3-10 11-15 16-24	
1	13 8 6 4 3 2
2	11 8 5 3 2 1
3	10 7 4 2 1 0
4	9 6 3 1 1 0
5	8 5 3 1 0 0
6	8 4 2 0 0 0

FUSION OVERLOAD	
DIE RANGE	3-8
ROLL 0 1 2 3-8	
1	19 12 9 6
2	16 12 7 4
3	15 10 6 3
4	13 9 4 1
5	12 7 4 1
6	12 6 3 0



FA = LF + RF



WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX [5] = HET COST [6] = ERRATIC MANEUVER WARP COST

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	1	1	1	2	2	2	3	3	3	4	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	10	10	10
Fract.	1/3	2/3	1	1 1/3	1 2/3	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4	4 1/3	4 2/3	5	5 1/3	5 2/3	6	6 1/3	6 2/3	7	7 1/3	7 2/3	8	8 1/3	8 2/3	9	9 1/3	9 2/3	10


HYDRAN SCYTHIAN ESCORT CARRIER

CNTR

SHIP DATA TABLE	
TYPE	= CVE
POINT VALUE	= 68/48
BREAKDOWN	= 6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R9.46

TURN MODE		SPEED
A	1	2-6
	2	7-12
HET	3	13-19
	4	20-26
BD	5	27+

FTR FUSION TABLE	
DIE ROLL	RANGE
1	13 8 6 4
2	11 8 5 3
3	10 7 4 2
4	9 6 3 1
5	8 5 3 1
6	8 4 2 0

[illegible]

BOARDING PARTIES

5					
---	--	--	--	--	--

DECK CREWS

6				
---	--	--	--	--







000000

5			
---	--	--	--

TRANSPORTER BOMBS	DD	DD
-------------------	----	----

TYPE II PHASER TABLE									
DIE	RANGE		4-9-16-31-		4-9-16-31-		4-9-16-31-		
ROLL	0	1	2	3	8	15	30	50	
1	6	5	5	4	3	2	1	1	
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	

TYPE III DEFENSE PHASER		DIE RANGE					4- 9- 3 8 15				
ROLL	0	1	2	3	4	5	6	7	8	9	10
1	4	4	4	4	3	1	1				
2	4	4	4	4	2	1	0				
3	4	4	4	4	1	0	0				
4	4	4	4	3	0	0	0				
5	4	4	3	2	0	0	0				
6	3	3	1	0	0	0	0				



WARP ENERGY MOVEMENT COST = $1/3$ ENERGY POINT PER HEX

	SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10	10
Frac.	$\frac{1}{2}$	$\frac{2}{3}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	$\frac{1}{2}$	$\frac{2}{3}$	$\frac{2}{3}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{4}{3}$	$\frac{4}{3}$	$\frac{4}{3}$	$\frac{5}{3}$	$\frac{5}{3}$	$\frac{5}{3}$	$\frac{6}{3}$	$\frac{6}{3}$	$\frac{6}{3}$	$\frac{7}{3}$	$\frac{7}{3}$	$\frac{7}{3}$	$\frac{8}{3}$	$\frac{8}{3}$	$\frac{8}{3}$	$\frac{9}{3}$	$\frac{9}{3}$	$\frac{9}{3}$	$\frac{10}{3}$

CNTR

CREW UNITS										ADMINISTRATIVE SHUTTLES									
		*							10										
									20										
									30										
									40										

BOARDING PARTIES										TRANSPORTER BOMBS									
									10	TWO DAYS, TRANSFERS BY (J159).									
																D	D	D	D

DIE ROLL	RANGE		6-9			16-25			51-75		
	0	1	2	3	4	5	6	7	8	9	10
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	4	3	1	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0

DIE ROLL	RANGE	4-9-16-31-				
		0	1	2	3	4
1	6	5	4	3	2	1
2	6	5	4	2	1	0
3	6	4	4	4	1	0
4	5	4	4	3	1	0
5	5	4	3	0	0	0
6	5	3	3	0	0	0




DIE	RANGE	3-
ROLL	0 1	2 10
1	13 8 6	4
2	11 8 5	3
3	10 7 4	2
4	9 6 3	1
5	8 5 3	1
6	8 4 2	0

STINGER-2
1xPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15

STINGER-H
1XPH-G-FA
DFR = 2
CRIPPLED = 7
SPEED = 15

TYPE III DEFENSE PHASE		4- 9- 4- 8 15	
DIE RANGE		2	3
ROLL 0	1	2	3
1	4	4	3
2	4	4	2
3	4	4	1
4	4	3	0
5	4	3	0
6	3	3	1

TURN MODE	SPEED
B	1 2-5
	2 6-10
HET	3 11-15
	4 16-21
BD	5 22-28
	6 29+


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$


WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX															⑤ = HET COST										⑥ = ERRATIC MANUEVER WARP COST									
SPEED		1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30			
Standard	1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20			
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	$10\frac{2}{3}$	$11\frac{1}{3}$	$12\frac{1}{3}$	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20						

CNTR

SHIP DATA TABLE	
TYPE	MNG
POINT VALUE	100
BREAKDOWN	5-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R9.49

TURN MODE	SPEED
B	1 2-5
	2 6-10
	3 11-15
HET	4 16-21
	5 22-28
BD	6 29+

TYPE III DEFENSE PHASE	DIE RANGE		DEFENSE PHASE				
	ROLL 0	1	2	3	8	15	
1	4	4	4	3	1	1	
2	4	4	4	2	1	0	
3	4	4	4	1	0	0	
4	4	4	3	0	0	0	
5	4	3	2	0	0	0	
6	3	3	1	0	0	0	

ADMINISTRATIVE SHUTTLES			
IDENT	HIT POINTS	NOTES	
TWO BAYS — NO TRANSFERS			

TRANSPORTER BOMBS

PROBES				5
--------	--	--	--	---


DIE ROLL	0	1	2	3	4	5	6-8	9-15	16-25	26-50	51-75
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	4	3	1	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	4	3	3	1	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0

DIE	RANGE		4-9-16-31-					
ROLL	0	1	2	3	8	15	30	50
1	6	5	5	4	3	2	1	1
2	6	5	4	4	2	1	1	0
3	6	4	4	4	1	1	0	0
4	5	4	4	3	1	0	0	0
5	4	3	3	0	0	0	0	0
6	5	3	3	3	0	0	0	0

FUSION BEAM TABLE										FUSION OVERLOAD			
DIE RANGE								DIE RANGE					
ROLL	0	1	2	3-10	11-15	16-24	ROLL	0	1	2			
1	13	8	6	4	3	2	1	19	12	9			
2	11	8	5	3	2	1	2	16	12	7			
3	10	7	4	2	1	0	3	15	10	6			
4	9	6	3	1	1	0	4	13	9	4			
5	8	5	3	1	0	0	5	12	7	4			
6	8	4	2	0	0	0	6	12	6	3			

DIE RANGE						
ROLL	0	1	2	3-10	11-15	16-24
1	13	8	6	4	3	2
2	11	8	5	3	2	1
3	10	7	4	2	1	0
4	9	6	3	1	1	0
5	8	5	3	1	0	0
6	8	4	2	0	0	0

DIE	RANGE		2	3	8
	ROLL	0			
1	19	12	9	6	
2	16	12	7	4	
3	15	10	6	3	
4	13	9	4	1	
5	12	7	4	1	
6	12	6	3	0	


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

STINGER-2
1xPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15

SENSOR

6	6	5	3	1	0
---	---	---	---	---	---

SCANNER 001359

DAM CON

EX D A M					
----------	--	--	--	--	--

⑥ = ERRATIC MANEUVER WARP COST

5 = HET COST

OINT PER HEX

COST = 2/3 EN

ENERGY MOVE

25

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
Standard 1	2	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20		

CNTR	
------	--

SHIP DATA TABLE	
TYPE	= TAR
POINT VALUE	= 125
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R9.50

CREW UNITS					ADMINISTRATIVE SHUTTLES			
	*				IDENT	HIT POINTS	NOTES	
				10				
				20				
				30				
TWO BAYS — NO TRANSFERS								

BOARDING PARTIES							TRANSPORTER BOMBS					
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	D D D D
☐	☐	☐	☐	☐	☐	10	☐	☐	☐	☐	☐	

PROBES	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	

TYPE I OFFENSIVE PHASER TABLE

[illegible]

TYPE II PHASER TABLE

DIE RANGE		4-9-16-31-	
ROLL		0 1 2 3	8 15 30 50
1	6 5 5 4 3 2 1 1		
2	6 5 4 4 2 1 1 0		
3	6 4 4 4 1 1 0 0		
4	5 4 4 3 1 0 0 0		
5	5 4 4 3 0 0 0 0		
6	5 3 3 3 0 0 0 0		


HELLBORE COMBAT RESOLUTION TABLE

HIT* 0-1 2 3-4 5-8 9-15 16-22 23-40												
BASE DAMAGE	20	17	15	13	10	8	4					
O/L DAMAGE	30	25	22	19	0	0	0					

WARP ENERGY MOVEMENT COST = $2/3$ ENERGY POINT PER HEX

WAKE ENERGY INFLUENCE COST - 2% ENERGY POINT PER TON		NET COST																													
		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30				
SPEED	1 2 3 4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30				
Standard	1 2 3 4	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20			
Fract	$\frac{2}{3}$ $\frac{1}{2}$ 2 $2\frac{2}{3}$	$3\frac{1}{2}$ 4 $4\frac{2}{3}$ $5\frac{1}{2}$	6 $6\frac{2}{3}$ $7\frac{1}{2}$ 8	$8\frac{3}{4}$ $9\frac{1}{2}$ 10 $10\frac{3}{4}$	$11\frac{1}{4}$ 12 $12\frac{2}{3}$ $13\frac{1}{3}$	14 $14\frac{2}{3}$ $15\frac{1}{3}$ 16	$16\frac{2}{3}$ $17\frac{1}{3}$ 18 $18\frac{2}{3}$	$19\frac{1}{3}$ 20																							

⑥ = ERRATIC MANEUVER WARP COST


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$


TYPE III DEFENSE PHASER

DIE RANGE		4- 9-	
ROLL	0 1 2 3 8 15	4 3 1 1	0 0 0 0 0 0
1	4 4 4 3 1 1		
2	4 4 4 2 1 0		
3	4 4 4 1 0 0		
4	4 4 4 3 0 0		
5	4 4 3 2 0 0		
6	3 3 1 0 0 0		

HYDRAN COMANCHE MEDIUM COMMAND CRUISER

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT										
SPEED	1	2	3	4	5	6	7	8	9	10
Standard	1	2	2	3	4	4	5	6	6	7
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$

STINGER-2
1XPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15



WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX															⑤ = HET COST															⑥ = ERRATIC MANEUVER WARP COST														
SPEED	1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30														
Standard 1	2	2	3	4	5	6	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20														
Fract. $\frac{2}{3}$	$1\frac{1}{2}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20	20														

CMTR

STINGER-2
1xPH-G-FA
DFR = 4
CRIPPLED = 7
SPEED = 15

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY POINT PER HEX																[5] = HET COST						[6] = ERRATIC MANEUVER WARP COST									
SPEED		1	2	3	4	[5]	[6]	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	2	3	5	6	8	9	9	11	12	14	15	17	18	20	21	23	24	26	27	29	30	32	33	35	36	38	39	41	42	44	45
Fract.	1½	3	4½	6	7½	9	10½	12	13½	15	16½	18	19½	21	22½	24	25½	27	28½	30	31½	33	34½	36	37½	39	40½	42	43½	45	

**LYRAN YAGUARUNDI
LIGHT CARRIER**

CNTR

SHIP DATA TABLE	
TYPE	= CVL
POINT VALUE	= 120/100
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.22
POWER PACK	= +9
MECH LINKS	= +2

TURN MODE		SPEED
B	1	2-5
	2	6-10
HET	3	11-15
	4	16-21
	5	22-28
BD	6	29+

TYPE III DEFENSE PHASER									
DIE ROLL	RANGE			4- 9-			8 15		
	0	1	2	3	8	9	10	11	12
1	4	4	4	3	1	1			
2	4	4	4	2	1	0			
3	4	4	4	1	0	0			
4	4	4	3	0	0	0			
5	4	3	2	0	0	0			
6	3	3	1	0	0	0			

Z-Y FIGHTERS
2xPh-3-FA
DFR = 4
CRIPPLED = 8
SPEED = 15
Z-YB ONLY ▲

CREW UNITS				ADMINISTRATIVE SHUTTLES			
	*			IDENT	HIT POINTS	NOTES	
			10				
			20				
			30				
			40				
BOARDING PARTIES				TWO BAYS - NO TRANSFERS			
			10				

DECK CREWS										TRANSPORTER BOMBS							
														D	D	D	D

PROBES 5

TYPE I OFFENSIVE PHASE TABLE												
DIE ROLL	RANGE		5			6			7			51- 75
	0	1	2	3	4	5	6	7	8	9	10	
1	9	8	7	6	5	5	4	3	2	1	1	
2	8	7	6	5	5	4	3	2	1	1	0	
3	7	5	5	4	4	4	3	1	0	0	0	
4	6	4	4	4	4	3	2	0	0	0	0	
5	5	4	4	4	3	3	1	0	0	0	0	
6	4	4	3	3	2	2	0	0	0	0	0	

DIE	RANGE		4-9-16-31-					
ROLL	0	1	2	3	8	15	30	50
1	6	5	5	4	3	2	1	1
2	6	5	4	4	2	1	1	0
3	6	4	4	4	1	1	0	0
4	5	4	4	3	1	0	0	0
5	5	4	3	3	0	0	0	0
6	5	3	3	3	0	0	0	0

$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

EXPANDING SPHERE TABLE	
RADIUS	ENERGY
	1 2 3 4 5
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15

THIS SHIP CAN CONTROL A
NUMBER OF SEEKING WEAPONS
EQUAL TO THE SENSOR RATING.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX													⑤ = HET COST						⑥ = ERRATIC MANEUVER WARP COST											
SPEED	1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	2	2	3	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract.	² / ₃	1 ¹ / ₃	2	2 ² / ₃	3 ¹ / ₃	4	4 ² / ₃	5 ¹ / ₃	6	6 ² / ₃	7 ¹ / ₃	8	8 ² / ₃	9 ¹ / ₃	10	10 ² / ₃	11 ¹ / ₃	12	12 ² / ₃	13 ¹ / ₃	14	14 ² / ₃	15 ¹ / ₃	16	16 ² / ₃	17 ¹ / ₃	18	18 ² / ₃	19 ¹ / ₃	20

**LYRAN WAR
CRUISER LEADER**

CNTR

SHIP DATA TABLE	
TYPE	= CWL
POINT VALUE	= 134
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.23
PHASER REFIT	= +4
POWER PACK	= +9
1 X UIM STANDARD	
MECH LINKS	= +2

EXPANDING SPHERE TABLE							
	RADIUS		ENERGY				
	1	2	3	4	5		
0	(4.00)	4	8	12	16	20	
1	(3.67)	4	7	11	15	18	
2	(3.33)	3	7	10	13	17	
3	(3.00)	3	6	9	12	15	

TURN MODE		SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+


HIT & RUN ☐ UIM ☐ DERFACS ☐

CREW UNITS					ADMINISTRATIVE SHUTTLES				
			*		IDENT	HIT POINTS	NOTES		
				10					
				20					
				30					
				40					

BOARDING PARTIES				
				10


[illegible]

DIE ROLL	RANGE 0 1	2	3	4	5	6	7	8	9-15	16-25	26-50	51-75
1	9	8	7	6	5	5	4	3	2	1	1	1
2	8	7	6	5	5	4	3	2	1	1	0	0
3	7	5	4	4	4	3	1	0	0	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0	0


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

TYPE III DEFENSE PHASE									
DIE RANGE		4-9-15							
ROLL	0	1	2	3	8	15			
1	4	4	4	4	3	1	1		
2	4	4	4	4	2	1	0		
3	4	4	4	4	1	0	0		
4	4	4	4	3	0	0	0		
5	4	4	3	2	0	0	0		
6	3	3	1	0	0	0	0		

DISRUPTOR TABLE										
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30		
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2		
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2		
HIT (OERFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3		
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA		
HIT (OL/ UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA		
DAMAGE, STD	0	5	4	4	3	3	2	2		
DAMAGE, QULO	10	10	8	8	6	0	0	0		



8 SHADED PH-3 BOXES ARE PH-1 WITH THE PHASER REFIT.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX															⑤ = HET COST										⑥ = ERRATIC MANEUVER WARP COST									
SPEED		1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30			
Standard	1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20			
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20				

LYRAN WAR ESCORT CRUISER

CNTR

SHIP DATA TABLE	
TYPE	= CWE
POINT VALUE	= 118
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.24
POWER PACK	= +9
LIMITED AEGIS	

SHIP DATA TABLE	
TYPE	= CWA
POINT VALUE	= 128
REFERENCE	= R11.25
POWER PACK	= +9
MECH LINKS	= +2
FULL AEGIS	

TURN MODE	SPEED
B	1 2-5
	2 6-10
	3 11-15
HET	4 16-21
	5 22-28
BD	6 29+

$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

ADMINISTRATIVE SHUTTLES			
IDENT	HIT POINTS	NOTES	
TWO BAYS - NO TRANSFERS			

				D	D	D	D
--	--	--	--	---	---	---	---

AS A CARRIER ESCORT,
THIS SHIP HAS READY
RACKS AND DECK CREWS
TO SERVICE THE FIGHTERS
OF THE CARRIER. IT HAS
NO FIGHTERS OF IT OWN.

DIE ROLL	RANGE		6- 9- 16- 26- 51-									
	0	1	2	3	4	5	8	15	25	50	75	
1	9	8	7	6	5	5	4	3	2	1	1	
2	8	7	6	5	5	4	3	2	1	1	0	
3	7	5	5	4	4	4	3	1	0	0	0	
4	6	4	4	4	4	3	2	0	0	0	0	
5	5	4	4	4	3	3	1	0	0	0	0	
6	4	4	3	3	2	2	0	0	0	0	0	

TYPE II PHASER TABLE									TYPE III DEFENSE PHASER								
DIE RANGE		4-9-16-31-							DIE RANGE		4-9-						
ROLL	0	1	2	3	8	15	30	50	ROLL	0	1	2	3	8	15		
1	6	5	5	4	3	2	1	1	1	4	4	4	4	3	1	1	
2	6	5	4	4	2	1	1	0	2	4	4	4	2	1	0	0	
3	6	4	4	4	1	1	0	0	3	4	4	4	1	0	0	0	
4	5	4	4	3	1	0	0	0	4	4	4	3	0	0	0	0	
5	5	4	3	3	0	0	0	0	5	4	3	2	0	0	0	0	
6	5	3	3	3	0	0	0	0	6	3	3	1	0	0	0	0	


EXPANDING SPHERE TABLE	
RADIUS	ENERGY
	1 2 3 4 5
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	2	2	2	3	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20

⑥ = ERRATIC MANEUVER WARP COST

THIS SHIP CAN CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO ITS SENSOR RATING.



LYRAN WAR MINESWEEPER

CNTR

SHIP DATA TABLE	
TYPE	= CWM
POINT VALUE	= 115/105
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.26
PLUS REFIT	= +2
MECH LINKS	= +2

TURN	MODE	SPEED
B	1	2-5
	2	6-10
	3	11-15
HET	4	16-21
	5	22-28
BD	6	29+

TYPE III DEFENSE PHASE		4- 9- RANGE 8 15				
DIE ROLL	0	1	2	3	4	5
1	4	4	4	3	1	1
2	4	4	4	4	2	1
3	4	4	4	4	1	0
4	4	4	4	3	0	0
5	4	4	3	2	0	0
6	3	3	1	0	0	0

EXPANDING SPHERE TABLE	
RADIUS	ENERGY
	1 2 3 4 5
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15


ADMINISTRATIVE SHUTTLES			
IDENT	HIT POINTS	NOTES	
			MSS
			MSS

TWO BAYS - NO TRANSFERS

				D	D	D	D
TRANSPORTER BOMBS							

PROBES				5
--------	--	--	--	---

DIE ROLL	RANGE 0 1	2	3	4	5	6- 9- 8 15 25	16- 26- 50 75
1	9	8	7	6	5	4	3 2 1 1
2	8	7	6	5	4	3 2 1	1 0 0
3	7	5	4	4	4	3 1 0	0 0 0
4	6	4	4	4	3	2 0 0	0 0 0
5	5	4	4	4	3	1 0 0	0 0 0
6	4	4	3	3	2	0 0 0	0 0 0


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

DIE ROLL	RANGE	0	1	2	3	4	5	6	7	8	9	10-15	16-30	31-50
1	6	5	5	4	3	2	1	1						
2	6	5	4	4	2	1	1	0						
3	6	4	4	4	1	1	0	0						
4	5	4	4	3	1	0	0	0						
5	5	4	3	3	0	0	0	0						
6	5	3	3	3	0	0	0	0						

1	1	1	1	1
2	1	1	1	1
3	1	1	1	1
4	1	1	1	1

TRACKS ARE SHOWN FOR
LARGE MINES; FOR
SMALL MINES WRITE AN
"S" ON EACH SIDE OF
THE DIVIDING BAR.

[illegible]

SHADED BOXES ARE THE PLUS REFIT.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

SPEED		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	2	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Fract.	$\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20		

CNTR

SHIP DATA TABLE	
TYPE	= CWS
POINT VALUE	= 133/103
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.27
PLUS REFIT	= +2
POWER PACK	= +9
MECH LINKS	= +2

TURN MODE	SPEED
B	1 2-5
	2 6-10
	3 11-15
HET	4 16-21
	5 22-28
BD	6 29+

TYPE III DEFENSE PHASER	DIE RANGE		4-9-15				
	ROLL	0	1	2	3	8	15
	1	4	4	4	3	1	1
	2	4	4	4	2	1	0
	3	4	4	4	1	0	0
	4	4	4	3	0	0	0
	5	4	4	3	2	0	0
	6	3	3	1	0	0	0

EXPANDING SPHERE TABLE						
	RADIUS		ENERGY			
	1	2	3	4	5	
0	(4.00)	4	8	12	16	20
1	(3.67)	4	7	11	15	18
2	(3.33)	3	7	10	13	17
3	(3.00)	3	6	9	12	15

CREW UNITS						ADMINISTRATIVE SHUTTLES					
			*		10	IDENT	HIT	POINTS	NOTES		
					20						
					30						
TWO BAYS - NO TRANSFERS											

BOARDING PARTIES					TRANSPORTER BOMBS				
				8					

					5
--	--	--	--	--	---

PROBES

DIE ROLL	RANGE	0	1	2	3	4	5	6	7-8	9-15	16-25	26-50	51-75
1	9	8	7	6	5	5	4	3	2	1	1	1	1
2	8	7	6	5	4	4	3	1	0	0	0	0	0
3	7	5	4	4	4	3	2	0	0	0	0	0	0
4	6	4	4	4	3	3	1	0	0	0	0	0	0
5	5	4	4	4	3	2	2	0	0	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0	0	0


TYPE II PHASER TABLE									
DIE RANGE		4-9-16-31-							
ROLL	0	1	2	3	6	15	30	50	
1	6	5	4	3	2	1	1	1	
2	6	5	4	4	2	1	1	0	
3	6	4	4	4	1	1	0	0	
4	5	4	4	3	1	0	0	0	
5	5	4	3	3	0	0	0	0	
6	5	3	3	3	0	0	0	0	


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

SPECIAL SENSORS ARE
DESTROYED ON "TORPEDO"
DAMAGE POINTS.

SCOUT FUNCTIONS SUMMARY

21	LENDING ECM OR ECCM
22	BREAKING LOCK-ONS
23	AT TRACTING DRONES
24	CONTROLLING SEEKING WEAPONS
25	IDENTIFYING DRONES
26	DETECTING MINES
27	GATHERING SCIENCE INFORMATION
28	SELF-PROTECTION JAMMING
29	TACTICAL INTELLIGENCE



WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

[5] = HET COST **[6] = ERRATIC MANEUVER WARP COST**

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{8}$	$2\frac{2}{3}$	$3\frac{1}{3}$	$4\frac{2}{3}$	$5\frac{1}{3}$	$6\frac{2}{3}$	$7\frac{1}{3}$	$8\frac{2}{3}$	$9\frac{1}{3}$	$10\frac{2}{3}$	$11\frac{1}{3}$	$12\frac{2}{3}$	$13\frac{1}{3}$	$14\frac{2}{3}$	$15\frac{1}{3}$	$16\frac{2}{3}$	$17\frac{1}{3}$	$18\frac{2}{3}$	$19\frac{1}{3}$	$20\frac{2}{3}$	$21\frac{1}{3}$	$22\frac{2}{3}$	$23\frac{1}{3}$	$24\frac{2}{3}$	$25\frac{1}{3}$	$26\frac{2}{3}$	$27\frac{1}{3}$	$28\frac{2}{3}$	$29\frac{1}{3}$	$30\frac{2}{3}$

LYRAN SIBERIAN LION SCS

[illegible][illegible]

SHIP DATA TABLE	
TYPE	= SCS
POINT VALUE	= 238
BREAKDOWN	= 3-6
SHIELD COST	= 1+3
LIFE SUPPORT	= 1+1/2
SIZE CLASS	= 2
REFERENCE	= R11.29
INCLUDES 2x UIM	
INCLUDES POWER PACK	

DIE RANGE		ROLL 0		1	2	3	4	5	6	7	8	9-15	16-25	26-50	51-75
1	9	8	7	6	5	5	5	4	3	2	1	1			
2	8	7	6	5	5	4	3	2	1	1	0				
3	7	5	4	4	4	3	1	0	0	0	0				
4	6	4	4	4	4	3	0	0	0	0	0				
5	5	4	4	4	3	3	1	0	0	0	0				
6	4	4	3	3	2	2	0	0	0	0	0				

TYPE III DEFENSE PHASER							EXPANDING SPHERE TABLE							INCLUDES POWER PACK	
DIE RANGE		4-8		9-15		RADIUS	ENERGY							HIT & RUN UIM ☐ DERFACS ☐	
ROLL	0	1	2	3	4		5	1	2	3	4	5			
1	4	4	4	4	3	1	0	(4.00)	4	8	12	16	20		
2	4	4	4	4	2	1	0	1	(3.67)	4	7	11	15		
3	4	4	4	4	1	0	0	2	(3.33)	3	7	10	13		
4	4	4	4	3	0	0	0	3	(3.00)	3	6	9	12		
5	4	4	3	2	0	0	0								
6	3	3	1	0	0	0	0								

RADIUS	ENERGY				
	1	2	3	4	5
0 (4.00)	4	8	12	16	20
1 (3.67)	4	7	11	15	18
2 (3.33)	3	7	10	13	17
3 (3.00)	3	6	9	12	15

DISRUPTOR TABLE										
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30	31-40	
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2	1-2	
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2	1-2	
HIT(COEFACTS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3	1-2	
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA	NA	
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA	NA	
DAMAGE STD	0	5	4	4	3	3	2	2	1	
DAMAGE OVL0	10	10	8	8	6	0	0	0	0	

REPAIR BOXES ARE
DESTROYED ON "CARGO" OR
"EXCESS DAMAGE" HITS.

THE 360° PHASERS
CANNOT FIRE INTO THE
HEX ROW EXTENDING
DIRECTLY BEHIND THE
SHIP.

Z-VC FIGHTERS
2xPh-S-FA
DFR = 4
CROPPED = 8
SPEED = 15

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY POINT PER HEX

[5] = HET COST

[6] = ERRATIC MANEUVER WARP COST

SPEED	MINUTES										NET COST										PERCENTAGE TIME/PER PART COST									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	2	3	5	6	8	9	11	12	14	15	17	18	20	21	23	24	26	27	29	30	32	33	35	36	38	39	41	42	44	45
Fract.	1½	3	4½	6	7½	9	10½	12	13½	15	16½	18	19½	21	22½	24	25½	27	28½	30	31½	33	34½	36	37½	39	40½	42	43½	45

CNTR

SHIP DATA TABLE	
TYPE	= CC
POINT VALUE	= 150
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.30
PLUS REFIT	= +5
MECH LINKS	= +4
1 UIM STANDARD	

[illegible]

BOARDING PARTIES					
					10
					20

PROBES	5
--------	---

			D	D	D	D
TRANSPORTER BOMBS						

HIT & RUN ☐

UIM ☐


DERFACS ☐

TYPE I OFFENSIVE PHASER TABLE

DIE RANGE		6- 9- 16- 26- 51-									
ROLL	0	1	2	3	4	5	8	15	25	50	75
1	9	8	7	6	5	5	4	3	2	1	1
2	8	7	6	5	5	4	3	2	1	1	0
3	7	5	5	4	4	4	3	1	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0


TURN MODE	SPEED
C	1 2-4
	2 5-9
	3 10-14
HET	4 15-20
	5 21-27
BD	6 28+

TYPE III DEFENSE PHASER								
DIE	RANGE					4- 9-		
	ROLL	0	1	2	3	8	15	
1	4	4	4	4	3	1	1	
2	4	4	4	4	2	1	0	
3	4	4	4	4	1	0	0	
4	4	4	4	3	0	0	0	
5	4	4	3	2	0	0	0	
6	3	3	1	0	0	0	0	


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

EXPANDING SPHERE TABLE						
	RADIUS		ENERGY			
	1	2	3	4	5	
0	(4.00)	4	8	12	16	20
1	(3.67)	4	7	11	15	18
2	(3.33)	3	7	10	13	17
3	(3.00)	3	6	9	12	15

DISRUPTOR TABLE										
RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30		
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2		
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2		
HIT(DEFRACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3		
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA		
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA		
DAMAGE, STD	0	5	4	4	3	3	2	2		
DAMAGE, OULD	10	10	8	8	6	0	0	0		



SHIELD BOXES ARE THE BENGAL + REFIT

MOVEMENT COST = 1
HET COST = 5
EM COST = 6

**LYRAN MANX
POLICE CORVETTE**

CNTR	
------	--

SHIP DATA TABLE	
TYPE	= POL
POINT VALUE	= 52
BREAKDOWN	= 6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R11.31
PLUS REFIT	= +2

TURN MODE		SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+


NIMBLE SHIP

CREW UNITS					ADMINISTRATIVE SHUTTLES			
			*		IDENT	HIT POINTS	NOTES	
				10				

TWO BAYS - NO TRANSFERS

BOARDING PARTIES					4
T-BOMBS					
					D D
PROBES					
					5


DIE ROLL	RANGE		4-9-16-31-		4-9-16-31-	
	0	1	2	3	8	15 30 50
1	6	5	5	4	3	2 1 1
2	6	5	4	4	2	1 1 0
3	6	4	4	4	1	1 0 0
4	5	4	4	3	1	0 0 0
5	5	4	3	3	0	0 0 0
6	5	3	3	3	0	0 0 0


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

TYPE III DEFENSE PHASER		DIE RANGE					4- 9- 8 15				
ROLL	0	1	2	3	4	5	6	7	8	9	10
1	4	4	4	4	3	1	1				
2	4	4	4	4	2	1	0				
3	4	4	4	4	1	0	0				
4	4	4	4	3	0	0	0				
5	4	4	3	2	0	0	0				
6	3	3	1	0	0	0	0				

DISRUPTOR TABLE							
RANGE	0	1	2	3-4	5-8	9-15	
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-4
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	1-4	NA
DAMAGE, STD	0	5	4	4	3	3	3
DAMAGE, OULD	10	10	8	8	6	6	0

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX															[5] = HET COST										[3] = ERRATIC MANEUVER WARP COST									
SPEED		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30			
Standard	1	1	2	2	2	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10	10			
Fract.	1/3	2/3	1	1 1/3	1 2/3	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4	4 1/3	4 2/3	5	5 1/3	5 2/3	6	6 1/3	6 2/3	7	7 1/3	7 2/3	8	8 1/3	8 2/3	9	9 1/3	9 2/3	10				



SHADED BOXES ARE THE PLUS REFIT.

 SHADED BOXES ARE THE PLUS REFIT.

**LYRAN LIGHT
TACTICAL TRANSPORT**

[illegible]

TYPE II PHASER TABLE										TYPE III DEFENSE PHASER									
DIE RANGE					4-9-16-31-ROLL					DIE RANGE					4-9-15-ROLL				
1	2	3	8	15	30	50	1	2	3	8	15	1	2	3	8	15			
1	6	5	4	3	2	1	1	1	1	1	1	1	4	4	4	3	1	1	
2	6	5	4	4	2	1	1	0	1	2	4	4	4	4	2	1	0	0	
3	6	4	4	4	1	1	0	0	3	4	4	4	4	1	0	0	0	0	
4	5	4	4	3	1	0	0	0	4	4	4	4	3	0	0	0	0	0	
5	5	4	3	3	0	0	0	0	5	4	3	2	0	0	0	0	0	0	
6	5	3	3	3	0	0	0	0	6	3	3	1	0	0	0	0	0	0	

DISRUPTOR TABLE									
RANGE		0	1	2	3-4	5-8	9-15	16-22	23-30
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-3	1-2
HIT (DEFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-3	1-3
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	1-4	NA	NA	NA
DAMAGE, STD	0	5	4	4	4	3	3	2	2
DAMAGE, OULD	10	10	8	8	6	0	0	0	0

EXPANDING SPHERE TABLE										
RADIUS		ENERGY								
		1	2	3	4	5				
0	(4.00)	4	8	12	16	20				
1	(3.67)	4	7	11	15	18				
2	(3.33)	3	7	10	13	17				
3	(3.00)	3	6	9	12	15				

FA = LF + RF

FX = L + LF + RF + R

LS = LF + L + LR

RS = RF + R + RR

POD		MOVE	HET	EM	COST	
WT	COST	COST	COST	COST	WT	COST
0	.67	3	33	4	0	.67
1	1	5	6	1	1	5
2	1.33	6	67	8	2	1.33

HIT & RUN DERFACS ☐

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX										⑤ = HET COST										⑥ = ERRATIC MANEUVER WARP COST										
SPEED	1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	10	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20	

WARP ENERGY MOVEMENT COST = 1+1/3 ENERGY POINT PER HEX										⑤ = HET COST										⑥ = ERRATIC MANEUVER WARP COST										
SPEED	1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 2	3	4	6	7	8	10	11	12	14	15	16	18	19	20	22	23	24	26	27	28	30	31	32	34	35	36	38	39	40	
Fract. $1\frac{1}{3}$	$2\frac{2}{3}$	4	$5\frac{1}{3}$	$6\frac{2}{3}$	8	$9\frac{1}{3}$	$10\frac{2}{3}$	12	$13\frac{1}{3}$	$14\frac{2}{3}$	16	$17\frac{1}{3}$	$18\frac{2}{3}$	20	$21\frac{1}{3}$	$22\frac{2}{3}$	24	$25\frac{1}{3}$	$26\frac{2}{3}$	28	$29\frac{1}{3}$	$30\frac{2}{3}$	32	$33\frac{1}{3}$	$34\frac{2}{3}$	36	$37\frac{1}{3}$	$38\frac{2}{3}$	40	

[illegible]

LYRAN CARRIER PALLET

LS PH-3 APR AUX PH-3

SHUTTLE

TRACTOR

PH-3 APR AUX PH-3

SHUTTLE

TRACTOR

POD DATA TABLE

TYPE	= PAL-CV
BPV	= 25
SIZE	= 4
REF	= R11.35

CREW UNITS

*

10

DECK CREWS

10

4

Z-V FIGHTERS

1

2

3

4

BOARDING PARTIES

10

4

Z-V FIGHTERS

5

6

7

8

BOARDING PARTIES

10

4

Z-V FIGHTERS

9

10

11

12

BOARDING PARTIES

10

4

Z-V FIGHTERS

1

2

3

4

BOARDING PARTIES

10

4

Z-V FIGHTERS

5

6

7

8

BOARDING PARTIES

10

4

Z-V FIGHTERS

9

10

11

12

BOARDING PARTIES

10

4

Z-V FIGHTERS

1

2

3

4

BOARDING PARTIES

10

4

Z-V FIGHTERS

5

6

7

8

BOARDING PARTIES

10

4

Z-V FIGHTERS

9

10

11

12

BOARDING PARTIES

10

4

Z-V FIGHTERS

1

2

3

4

BOARDING PARTIES

10

4

Z-V FIGHTERS

5

6

7

8

BOARDING PARTIES

10

4

Z-V FIGHTERS

9

10

11

12

BOARDING PARTIES

10

4

Z-V FIGHTERS

1

2

3

4

BOARDING PARTIES

10

4

LYRAN REPAIR PALLET									
APR		AUX		APR					
☐	☐	☐	☐	☐	☐				
REPAIR				REPAIR					
☐	☐	☐	☐	☐	☐				
CARGO				CARGO					
☐	☐	☐	☐	☐	☐				

POD DATA TABLE									
TYPE =		PAL-R							
BPY =		36/20							
SIZE =		4							
REF =		RII.34							

CREW UNITS									
☐	☐	☒	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐


REPAIR BOXES ARE DESTROYED ON "CARGO" HITS									
---	--	--	--	--	--	--	--	--	--

The diagram illustrates the Enterprise bridge layout, featuring the following stations and components:

- Top Section:**
 - SHIELD #1** (Left)
 - SHIELD #2** (Top Left)
 - SHIELD #3** (Top Right)
 - SHIELD #4** (Right)
 - SHIELD #5** (Bottom Right)
 - SHIELD #6** (Bottom Left)
- Bridge Stations (Left to Right):**
 - FA** (Far Astern)
 - DISR** (Display Room)
 - PH-1** (Phase 1)
 - LAB** (Laboratory)
 - F HULL** (Forward Hull)
 - ESG** (Engineering Section)
 - PH-3** (Phase 3)
 - PH-1** (Phase 1)
 - LS** (Life Support)
- Bridge Stations (Right to Left):**
 - LS** (Life Support)
 - PH-1** (Phase 1)
 - PH-3** (Phase 3)
 - ESG** (Engineering Section)
 - F HULL** (Forward Hull)
 - LAB** (Laboratory)
 - PH-1** (Phase 1)
 - DISR** (Display Room)
 - FA** (Far Astern)
- Central Control Area:**
 - BRIDGE** (Main Bridge)
 - C HULL** (Central Hull)
 - EMER FLAG** (Emergency Flag)
 - SHTL** (Shuttle)
 - IMP** (Impulse)
 - REPAIR** (Repair)
 - BTTY** (Butt)
 - ESG** (Engineering Section)
 - PACK** (Pack)
 - TRAC** (Track)
 - BTTY** (Butt)
 - DISR-FX** (Display Room - Effects)
 - APR** (Apron)
 - C WARP** (Central Warp)
 - L WARP** (Left Warp)
- Right Side Control Area:**
 - DAMAGE CONTROL** (6 4 4 2 2 2 0)
 - EXCESS DAMAGE** (0 0 1 2 3 4 5 9)
 - SENSOR** (6 6 5 4 3 2 1 0)
 - SCANNER** (0 0 1 2 3 4 5 9)

MOVEMENT COST = 1
HET COST = 5
EM COST = 6

THE 360° PHASERS
CANNOT FIRE INTO THE
HEX ROW EXTENDING
DIRECTLY BEHIND THE
SHIP.

$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$
[illegible]

					D	D	D	D
--	--	--	--	--	---	---	---	---

TRANSPORTER BOMBS

PROBES 5

SHIP DATA TABLE	
TYPE	= BCH
POINT VALUE	= 180
BREAKDOWN	= 4-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.36
INCLUDES 2X UIM	
POWER PACK	= +18

TURNMODE		SPEED
C	1	2-4
	2	5-9
HET	3	10-14
	4	15-20
BD	5	21-27
	6	28+

DIE RANGE		6- 9- 16- 26- 51- ROLL 0 1 2 3 4 5 8 15 25 50 75														
1	9 8	7	6	5	5	4	3	2	1	1						
2	8 7	6	5	5	4	3	2	1	1	0						
3	7 5	5	4	4	4	3	1	0	0	0						
4	6 4	4	4	4	4	3	2	0	0	0	0					
5	5 4	4	4	4	3	3	1	0	0	0	0	0				
6	4 4	3	3	2	2	0	0	0	0	0	0	0				

TYPE III DEFENSE PHASE							EXPANDING SPHERE TABLE						
DIE ROLL	RANGE			4- 9- 15			RADIUS	ENERGY					
	0	1	2	3	8	15		1	2	3	4	5	
1	4	4	4	4	3	1	0	(4.00)	4	8	12	16	20
2	4	4	4	4	2	1	0	1 (3.67)	4	7	11	15	18
3	4	4	4	4	1	0	0	2 (3.33)	3	7	10	13	17
4	4	4	4	3	0	0	0	3 (3.00)	3	6	9	12	15
5	4	4	3	2	0	0	0						

RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30	31-40
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2	1-2
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4	1-2	1-2
HIT(DEAFCS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3	1-2
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA	NA
HIT(COL/UM)	1-6	1-5	1-5	1-5	1-5	NA	NA	NA	NA
DAMAGE, STD	0	5	4	4	3	3	2	2	1
DAMAGE, OULO	10	10	8	8	6	0	0	0	0

KLINGON-LYRAN CARGO POD

CARGO									

POD DATA TABLE	
TYPE	= P-C1
CREW	= 0
BPS	= 0
BpY	= 14/10
SIZE	= 4
REF	= R11.37A

KLINGON-LYRAN POWER BOOST POD

CARGO		CREW DATA TABLE		CREW UNITS	
☐	☐	TYPE	= P-P2	☒	☐
☐	☐	BPM	= 28/15	BOARDING PARTIES	
☐	☐	SIZE	= 4	☐	
☐	☐	REF	= R11.37B		
BATTERY					

KLINGON-LYRAN HANGAR POD

SHUTTLE					
=	=	=	=	=	=
AUX		=	PH-3	BTTY	
				360°	
A HULL					

POD DATA TABLE
TYPE = P-H5
BPV = 14/12
SIZE = 4
REF = R11.37E

POD CAN CONTROL SEEKING WEAPONS EQUAL TO 1/2 THE TUG'S SENSOR RATING.

CREW UNITS		*	
------------	--	---	--

DECK CREWS					6
------------	--	--	--	--	---

Z-Y FIGHTERS
2xPh-3-FA
DFR = 4
CRIPPLED = 8
SPEED = 15
Z-YB ONLY ▲

BOARDING	3
PARTIES	

DECK CREWS

				6
--	--	--	--	---

BPY = 14/12
 SIZE = 4
 REF = R11:37E

100 CAN CONTROL SEEKING WEAPONS EQUAL TO 1/2 THE TUG'S SENSOR RATING.

Z-Y FIGHTERS
 2xPh-3 - FA
 DFR = 4
 CRIPPLED = 8
 SPEED = 15

Z-YB ONLY

The diagram shows five ship icons, each represented as a rectangle with a semi-circle at the top. The ships are numbered 1 through 5. Ship 1 has 1 triangle on its left side. Ship 2 has 2 triangles on its left side. Ship 3 has 3 triangles on its left side. Ship 4 has 4 triangles on its left side. Ship 5 has 5 triangles on its left side. To the right of each ship icon is a row of squares, some containing numbers or symbols, representing deck crew positions.

KLINGON-LYRAN BATTLE POD

POD DATA TABLE	
TYPE	= P-B4
BPV	= 34
SIZE	= 4
REF	= R11.37D
K REFIT	= +2

BOARDING PARTIES					6
------------------	--	--	--	--	---

SHIELD #1				
-----------	--	--	--	--

DISR	PH-2K	#2
TRAC BRDG TRAN		
APR A HULL		

0
1
*

BOARDING PARTIES					6
------------------	--	--	--	--	---

ADMINISTRATIVE SHUTTLES				
IDENT	HIT	POINTS	NOTES	

H&R UIM ☐

KREFIT CHANGES PHASER-2S TO PHASER-1S.
POD CAN CONTROL THREE SEEKING WEAPONS.

KLINGON-LYAN TROOP TRANSPORT POD

TYPE	=	P-T3
BPM	=	30/20
SIZE	=	4
REF	=	R11.37C

GRAVITY LANDING (P2.432).

	*				

CREW UNITS

[illegible]

SHIELD #1			
-----------	--	--	--

[illegible]

2

--	--	--

3.

--	--	--

SHIELD #4

SENSOR 60
SCANNER 09

ADMINISTRATIVE SHUTTLE				
IDENT	HIT POINTS			NOTES
				GAS
				GAS

BARRACKS ARE DESTROYED ON "HULL" HITS.

SEN
1

APR

AFT HULL

REPAIR

TRAC

APR

SEN

2

AFT HULL

REPAIR

TRAC

APR

KLINGON-LYRAN
PF TENDER PODS

POD DATA TABLE

TYPE = P-PF6

BPV = 20/12

SIZE = 4

REF = R11.37F

SPECIAL SENSORS ARE DES-
TROYED ON "PHASER" HITS.

LEFT POD

CREW UNITS

BOARDING PARTIES

RIGHT POD

CREW UNITS

BOARDING PARTIES

KLINGON-LYRAN REPAIR POD

REPAIR

APR

CARGO

CREW UNITS

BOARDING PARTIES

POD DATA TABLE

TYPE = P-R9

BPV = 34/18

SIZE = 4

REF = R11.37H

KLINGON-LYRAN HEAVY CARRIER POD

1

2

3

4

5

6

7

8

9

10

11

12

SHIELD #1

360°

AUX

APR

PH-3

CARGO

TRAC

SHUTTLE

SHIELD #4

#2

#3

#5

#6

CREW UNITS

BOARDING PARTIES

DECK CREWS

ADMINISTRATIVE SHUTTLES

HIT POINTS

NOTES

POD DATA TABLE

TYPE = P-Y7

BPV = 25

SIZE = 4

REF = R11.37G

Z-Y FIGHTERS

2xPh-3 - FA

DFR = 4

CRIPPLED = 8

SPEED = 15

Z-YB ONLY

A TUG WITH THIS
POD CAN CONTROL
A NUMBER OF
SEEKING WEAPONS
EQUAL TO ITS
SENSOR RATING.

LYRAN WAR DESTROYER LEADER

CNTR

SHIP DATA TABLE	
TYPE	= DWL
POINT VALUE	= 99
BREAKDOWN	= 6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R11.38
UIM REFIT	= +5
PHASER REFIT	= +2
POWER PACK	= +9
MECH LINK REFIT	= +2

ADMINISTRATIVE SHUTTLES	
IDENT	HIT POINTS
	10
	20
	30


BOARDING PARTIES	
	10
	20
	30

EXPANDING SPHERE TABLE	
RADIUS	ENERGY
1	2 3 4 5
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15

T-BOMBS	
	D D
	S

TYPE I OFFENSIVE PHASER TABLE	
DIE RANGE	4- 9- 16- 26- 51- ROLL 0 1 2 3 4 5 6 8 15 25 50 75
1	9 8 7 6 5 4 3 2 1 1
2	8 7 6 5 4 3 2 1 0 0
3	7 5 4 4 4 3 1 0 0 0
4	6 4 4 4 4 3 2 0 0 0
5	5 4 4 4 4 3 1 0 0 0
6	4 4 3 3 2 2 0 0 0 0

TYPE II PHASER TABLE	
DIE RANGE	4- 9- 16- 31- ROLL 0 1 2 3 8 15 30 50
1	6 5 5 4 3 2 1 1
2	6 5 4 4 2 1 1 0
3	6 4 4 4 1 1 0 0
4	5 4 4 3 1 0 0 0
5	4 3 3 0 0 0 0 0
6	3 3 3 0 0 0 0 0



FA = LF + RF
LS = LF + L + LR
RS = RF + R + RR
FX = L + LF + RF + R


DISRUPTOR TABLE	
RANGE	0 1 2 3-4 5-8 9-15 16-22 23-30
HIT (STD)	NA 1-5 1-5 1-4 1-4 1-4 1-3 1-2
HIT (UIM)	NA 1-5 1-5 1-4 1-4 1-4 1-4 1-2
HIT (DERFACS)	NA 1-5 1-5 1-4 1-4 1-4 1-3 1-3
HIT (OVERLOAD)	1-6 1-5 1-5 1-4 1-4 1-4 NA NA
HIT (OL/UIM)	1-6 1-5 1-5 1-5 1-5 1-5 NA NA
DAMAGE, STD	0 5 4 4 3 3 2 2
DAMAGE, OULD	10 10 8 8 6 6 0 0

WARP ENERGY MOVEMENT COST = 1/2 ENERGY POINT PER HEX

[5] = HET COST

[6] = ERRATIC MANEUVER WARP COST

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11	11	12	12	13	13	14	14	15	15	15
Fract.	1/2	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	5 1/2	6	6 1/2	7	7 1/2	8	8 1/2	9	9 1/2	10	10 1/2	11	11 1/2	12	12 1/2	13	13 1/2	14	14 1/2	15



[6] SHADED PH-3 BOXES ARE PH-2 ON THE PHASER REFIT.

 SHADED BOXES ARE THE PLUS REFIT.

SPEED		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	10	11	11	12	12	13	13	14	14	15	15
Fract.	$\frac{1}{2}$	1	$\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$6\frac{1}{2}$	7	$7\frac{1}{2}$	8	$8\frac{1}{2}$	9	$9\frac{1}{2}$	10	$10\frac{1}{2}$	11	$11\frac{1}{2}$	12	$12\frac{1}{2}$	13	$13\frac{1}{2}$	14	$14\frac{1}{2}$	15	15

LYRAN SINGLE-TOOTH JAGUAR WAR MAULER


[illegible]

BOARDING PARTIES						TRANSPORTER BOMBS			
									D D D D
					10				

PROBES	5
--------	---

DIE ROLL	RANGE		6- 9- 16- 26- 51-									
	0	1	2	3	4	5	8	15	25	50	75	
1	9	8	7	6	5	5	4	3	2	1	1	
2	8	7	6	5	5	4	3	2	1	1	0	
3	7	5	5	4	4	4	3	1	0	0	0	
4	6	4	4	4	4	3	2	0	0	0	0	
5	5	4	4	4	3	3	1	0	0	0	0	
6	4	4	3	3	2	2	0	0	0	0	0	

TYPE III DEFENSE PHASER									
DIE RANGE		4-9-15							
ROLL	0	1	2	3	8	15			
1	4	4	4	4	3	1	1		
2	4	4	4	4	2	1	0		
3	4	4	4	4	1	0	0		
4	4	4	4	3	0	0	0		
5	4	4	3	2	0	0	0		
6	3	3	3	1	0	0	0		


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

SEE (D23.0) FOR SHOCK DAMAGE.
SEE (E8.27) FOR ALTERNATIVE FIRING ARCS.
ANY POWER SYSTEM CONNECTED TO THE
MAULER CAN BE DESTROYED ON "ANY
WEAPON" HITS

EXPANDING SPHERE TABLE	
RADIUS	ENERGY
	1 2 3 4 5
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15

MAULER RANGE ADJUSTMENT CHART	
RANGE	DAMAGE SCORED
0-1	Double the energy discharged
2-5	Equal to energy discharged
6-10	One-half of energy discharged

SHIP DATA TABLE	
TYPE	= STJ
POINT VALUE	= 137
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.43
PLUS REFIT	= +2
MECH LINKS	= +2

TURN	MODE	SPEED
8	1	2-5
	2	6-10
	3	11-15
	4	16-21
	5	22-28
	6	29+

CNTR

SENSOR

SCANNER 001359


DAM CON

4	2	2	2	0
---	---	---	---	---

EX DAM

--	--	--	--	--

EX-DAM					
--------	--	--	--	--	--



MAULER
FIRING ARC

SHADED BOXES ARE THE PLUS REFIT.

WARP ENERGY MOVEMENT COST = 2/3 ENERGY POINT PER HEX

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	2	2	3	4	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20
Fract. $\frac{2}{3}$	$1\frac{1}{3}$	2	$2\frac{2}{3}$	$3\frac{1}{3}$	4	$4\frac{2}{3}$	$5\frac{1}{3}$	6	$6\frac{2}{3}$	$7\frac{1}{3}$	8	$8\frac{2}{3}$	$9\frac{1}{3}$	$10\frac{2}{3}$	$11\frac{1}{3}$	12	$12\frac{2}{3}$	$13\frac{1}{3}$	14	$14\frac{2}{3}$	$15\frac{1}{3}$	16	$16\frac{2}{3}$	$17\frac{1}{3}$	18	$18\frac{2}{3}$	$19\frac{1}{3}$	20		

**LYRAN LIGHT
CARRIER TRANSPORT**

[illegible]

SHIP DATA TABLE	
TYPE	= LTV
POINT VALUE	= 145/125
BREAKDOWN	= 5-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.45
MECH LINKS	= +2

THE COMBINED SHIP CAN CONTROL A NUMBER OF SEEKING WEAPONS EQUAL TO ITS SENSOR RATING.

PROBES	TRANSPORTER BOMBS
5	5

SCANNER

0	0	1	3	5	9
---	---	---	---	---	---

TYPE II PHASER TABLE							TYPE III DEFENSE PHASER								
DIE ROLL	RANGE			4-9-16-31-				DIE ROLL	RANGE			4-9-15			
1	6	5	4	3	2	1	1	1	4	4	4	3	1	0	0
2	6	5	4	4	2	1	0	2	4	4	4	2	1	0	0
3	6	4	4	4	1	1	0	3	4	4	4	1	0	0	0
4	5	4	3	1	0	0	0	4	4	4	4	0	0	0	0
5	5	4	3	0	0	0	0	5	4	3	2	0	0	0	0
6	5	3	3	0	0	0	0	6	3	3	1	0	0	0	0

TURN MODE		SPEED
D	1	2-4
	2	5-8
	3	9-12
HET	4	13-17
	5	18-24
BD	6	25+

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15	16-22	23-30
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-2
HIT(DEFACS)	NA	1-5	1-5	1-4	1-4	1-4	1-3	1-3
HIT(OVERLORD)	1-6	1-5	1-5	1-4	1-4	NA	NA	NA
DAMAGE,STD	0	5	4	4	3	3	2	2
DAMAGE,OULD	10	10	8	8	6	0	0	0

EXPANDING SPHERE TABLE	
RADIUS	ENERGY
	1 2 3 4 5
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15

**HIT & RUN
DERFACS**

Z - Y FIGHTERS
2xPh-3 -FA
DFR = 4
CRIPPLED = 8
SPEED = 15
Z - Y'B ONLY ▲

$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

DAMC 4 2 2 2 0

 SHADED BOXES ARE PROVIDED BY THE PPD

WARP ENERGY MOVEMENT COST = $1 + 1/3$ ENERGY POINT PER HEX

⑥ = ERRATIC MANEUVER WARP COST

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	2	3	4	6	7	8	10	11	12	14	15	16	18	19	20	22	23	24	26	27	28	30	31	32	34	35	36	38	39	40
Fract.	$1\frac{1}{3}$	$2\frac{2}{3}$	4	$5\frac{1}{3}$	$6\frac{2}{3}$	8	$9\frac{1}{3}$	$10\frac{2}{3}$	12	$13\frac{1}{3}$	$14\frac{2}{3}$	16	$17\frac{1}{3}$	$18\frac{2}{3}$	20	$21\frac{1}{3}$	$22\frac{2}{3}$	24	$25\frac{1}{3}$	$26\frac{2}{3}$	28	$29\frac{1}{3}$	$30\frac{2}{3}$	32	$33\frac{1}{3}$	$34\frac{2}{3}$	36	$37\frac{1}{3}$	$38\frac{2}{3}$	40


**LYRAN
MILITARY POLICE
SHIP**

CNTR

SHIP DATA TABLE	
TYPE	= MP
POINT VALUE	= 71
BREAKDOWN	= 6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R11.46
POWER PACK	= +9
SHIELD REFIT	= +2
UIM REFIT	= +5

	TURN MODE	SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+

EXPANDING SPHERE TABLE	
RADIUS	ENERGY
	1 2 3 4 5
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15


$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \\ \text{FX} &= \text{L} + \text{LF} + \text{RF} + \text{R} \end{aligned}$$
[illegible][illegible]

PROBES					5
--------	--	--	--	--	---

DIE ROLL	RANGE		4-9-16-31- 8 15 30 50	
	0	1	2	3
1	6	5	5	4
2	6	5	4	4
3	6	4	4	4
4	5	4	4	3
5	5	4	3	3
6	5	3	3	3

TYPE III DEFENSE PHASER									
DIE ROLL	RANGE		DEFENSE			PHASER			
	0	1	2	3	4	5	6	7	8
1	4	4	4	3	1	1			
2	4	4	4	2	1	0			
3	4	4	4	1	0	0			
4	4	4	3	0	0	0			
5	4	4	3	2	0	0			
6	3	3	1	0	0	0			

DISRUPTOR TABLE									
RANGE	0	1	2	3-4	5-8	9-15	16-22		
HIT (STD)	NA	1-5	1-5	1-4	1-4	1-4	1-3		
HIT (UIM)	NA	1-5	1-5	1-4	1-4	1-4	1-4		
HIT(OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NA	NA		
HIT(OL/UIM)	1-6	1-5	1-5	1-5	1-5	NA	NA		
DAMAGE, STD	0	5	4	4	3	3	2		
DAMAGE, QUM	10	10	8	8	6	0	0		


WARP ENERGY MOVEMENT COST = 1/2 ENERGY POINT PER HEX														⑤ = HET COST					⑥ = ERRATIC MANEUVER WARP COST												
SPEED		1	2	3	4	⑤	⑥	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	1	2	2	3	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11	11	12	12	13	13	14	14	15	15
Fract.	1/2	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	5 1/2	6	6 1/2	7	7 1/2	8	8 1/2	9	9 1/2	10	10 1/2	11	11 1/2	12	12 1/2	13	13 1/2	14	14 1/2	15	15

LYRAN COUGAR BATTLE TUG

CNTR

SHIP DATA TABLE	
TYPE	= TGB
POINT VALUE	= 184/180
BREAKDOWN	= 3-6
SHIELD COST	= 1+1
LIFE SUPPORT	= 1
SIZE CLASS	= 3
REFERENCE	= R11.16
BATTLE PALLET	= R11.17
PLUS REFIT	= +2
PHASER REFIT	= +2
MECH LINKS	= +4
UIM REFIT	= +5

FA = LF + RF
LS = LF + L + LR
RS = RF + R + RR



ADMINISTRATIVE SHUTTLES	
IDENT	HIT POINTS
10	
20	
30	
40	
TWO BAYS - NO TRANSFERS	

BOARDING PARTIES	
10	
20	
30	
40	
TRANSPORTER BOMBS	
D	D
D	D
D	D
D	D


TYPE II PHASER TABLE	
DIE RANGE	4-9-16-31-ROLL
0 1 2 3 6 15 30 50	
1 6 5 5 4 3 2 1 1	
2 6 5 4 4 2 1 1 0	
3 6 4 4 4 1 1 0 0	
4 5 4 4 3 1 0 0 0	
5 5 4 3 3 0 0 0 0	
6 5 3 3 3 0 0 0 0	

TYPE III DEFENSE PHASER	
DIE RANGE	4-9-ROLL
0 1 2 3 8 15	
1 4 4 4 3 1 1	
2 4 4 4 2 1 0	
3 4 4 4 1 0 0	
4 4 4 3 0 0 0	
5 4 3 2 0 0 0	
6 3 3 1 0 0 0	

EXPANDING SPHERE TABLE	
RADIUS	ENERGY
1 2 3 4 5	
0 (4.00)	4 8 12 16 20
1 (3.67)	4 7 11 15 18
2 (3.33)	3 7 10 13 17
3 (3.00)	3 6 9 12 15

DISRUPTOR TABLE	
RANGE	0 1 2 3-4 5-8 9-15 16-22 23-30
HIT (STD)	NA 1-5 1-5 1-4 1-4 1-4 1-3 1-2
HIT (UIM)	NA 1-5 1-5 1-4 1-4 1-4 1-4 1-2
HIT (DERFACS)	NA 1-5 1-5 1-4 1-4 1-4 1-3 1-3
HIT (OVERLOAD)	1-6 1-5 1-5 1-4 1-4 1-4 NA NA
HIT (OL/UIM)	1-6 1-5 1-5 1-5 1-5 1-5 NA NA
DAMAGE, STD	0 5 4 4 3 3 2 2
DAMAGE, OUL	10 10 8 8 6 0 0 0

MOVEMENT COST = 1
HET COST = 5
EM COST = 6



- SHADED BOXES ARE PART OF PALLET.
- SHADED BOXES ARE THE PLUS REFIT.
- SHADED PH-3 BOXES ARE PH-2 ON THE PHASER REFIT.

CNTR

SHIP DATA TABLE	
TYPE	= 00R
POINT VALUE	= 93
BREAKDOWN	= 6
SHIELD COST	= 1/2+1/2
LIFE SUPPORT	= 1/2
SIZE CLASS	= 4
REFERENCE	= R12.14
OAKDISC	= +12
STEALTH +2 ECM	

TURN MODE		SPEED
A	1	2-6
HET	2	7-12
	3	13-19
BD	4	20-26
	5	27+

SHIP CAN LAND ON PLANETS BY AERODYNAMIC,
GRAVITY, OR POWERED LANDINGS (P2.43).
CARGO BOXES HAVE 25 CARGO POINTS EACH.
SEE (G15.4) FOR RULES ON OPTION MOUNTS.
CANNOT DOUBLE ENGINES.

THIS SHIP CAN LAUNCH A MAXIMUM OF THREE DRONES (OR PLASMA-Ds) PER TURN UNLESS EQUIPPED WITH OAKDISC.

$$\begin{aligned} \text{FA} &= \text{LF} + \text{RF} \\ \text{LS} &= \text{LF} + \text{L} + \text{LR} \\ \text{RS} &= \text{RF} + \text{R} + \text{RR} \end{aligned}$$

INSERT OPTIONAL WEAPONS

SEE ANNEXES #8A AND #8B.


WARP ENERGY MOVEMENT COST = 1/2 ENERGY POINT PER HEX

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SPEED	1	2	③	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard 1	1	2	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11	11	12	12	13	13	14	14	15	15
Fract. 1/2	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	5 1/2	6	6 1/2	7	7 1/2	8	8 1/2	9	9 1/2	10	10 1/2	11	11 1/2	12	12 1/2	13	13 1/2	14	14 1/2	15	15

[illegible][illegible]

TYPE I OFFENSIVE PHASE TABLE												
DIE ROLL	RANGE		1	2	3	4	5	6	7	8	9	10
	0	1										
1	9	8	7	6	5	5	4	3	2	1	1	1
2	8	7	6	5	5	4	3	2	1	1	0	0
3	7	5	5	4	4	4	3	1	0	0	0	0
4	6	4	4	4	4	3	2	0	0	0	0	0
5	5	4	4	4	3	3	1	0	0	0	0	0
6	4	4	3	3	2	2	0	0	0	0	0	0

TYPE III DEFENSE PHASE									
DIE	RANGE		RANGE		4-	9-			
ROLL	0	1	2	3	8	15			
1	4	4	4	3	1	1			
2	4	4	4	2	1	0			
3	4	4	4	1	0	0			
4	4	4	3	0	0	0			
5	4	3	2	0	0	0			
6	3	3	1	0	0	0			



WYN FRIGATE

(CAPTURED KLINGON PENAL SHIP)

CREW UNITS

IDENT	HIT POINTS	NOTES
1	10	
2		
3		
4		

ADMINISTRATIVE SHUTTLE	HIT POINTS	NOTES
1		
2		
3		
4		

BOARDING PARTIES

1	4
---	---

TRANSPORTER BOMBS

1	1
---	---


DRONE RACK

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1

SHIP ALWAYS HAD TYPE-A RACKS WITH ONE RELOAD.

TYPE II PHASER TABLE

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1



FA = LF + RF
RX = L + LR + RR + R

TURN MODE	SPEED
A	1 2-6
HET	2 7-12
BD	3 13-19
	4 20-26
	5 27+

TYPE III DEFENSE PHASER

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15
HIT (STD)	NR	1-5	1-5	1-4	1-4	1-4
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NR
DAMAGE, STD	0	5	4	4	3	3
DAMAGE, OULD	10	10	8	8	6	0

TYPE I OFFENSIVE PHASER TABLE

DIE	RANGE	6-9	16-26	51-75
1	0	1	1	1
2	0	1	1	1
3	0	1	1	1
4	0	1	1	1
5	0	1	1	1
6	0	1	1	1

POSSIBLE LATER KE4s (R12.15A)

CONVERT ALL PH-2 TO PH-1.

CONVERT DRONE RACKS TO TYPE-B.

BPV = 81

DRONE RACKS

1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX [5] = HET COST

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	1	1	2	2	2	3	3	3	4	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10
Fract.	1/3	2/3	1	1 1/3	1 2/3	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4	4 1/3	4 2/3	5	5 1/3	5 2/3	6	6 1/3	6 2/3	7	7 1/3	7 2/3	8	8 1/3	8 2/3	9	9 1/3	9 2/3	10

[6] = ERRATIC MANEUVER WARP COST

CREW UNITS

IDENT	HIT POINTS	NOTES
1	10	
2		
3		
4		

ADMINISTRATIVE SHUTTLE	HIT POINTS	NOTES
1		
2		
3		
4		

BOARDING PARTIES

1	4
---	---

TRANSPORTER BOMBS

1	1
---	---


DRONE RACK

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1

SHIP ALWAYS HAD TYPE-A RACKS WITH ONE RELOAD.

TYPE II PHASER TABLE

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1



FA = LF + RF
RX = L + LR + RR + R

TURN MODE	SPEED
A	1 2-6
HET	2 7-12
BD	3 13-19
	4 20-26
	5 27+

TYPE III DEFENSE PHASER

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15
HIT (STD)	NR	1-5	1-5	1-4	1-4	1-4
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NR
DAMAGE, STD	0	5	4	4	3	3
DAMAGE, OULD	10	10	8	8	6	0

TYPE I OFFENSIVE PHASER TABLE

DIE	RANGE	6-9	16-26	51-75
1	0	1	1	1
2	0	1	1	1
3	0	1	1	1
4	0	1	1	1
5	0	1	1	1
6	0	1	1	1

POSSIBLE LATER KE4s (R12.15A)

DRONE RACKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
1																														
2																														

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX [5] = HET COST

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	1	1	2	2	2	3	3	3	4	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10
Fract.	1/3	2/3	1	1 1/3	1 2/3	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4	4 1/3	4 2/3	5	5 1/3	5 2/3	6	6 1/3	6 2/3	7	7 1/3	7 2/3	8	8 1/3	8 2/3	9	9 1/3	9 2/3	10

[6] = ERRATIC MANEUVER WARP COST

CREW UNITS

IDENT	HIT POINTS	NOTES
1	10	
2		
3		
4		

ADMINISTRATIVE SHUTTLE	HIT POINTS	NOTES
1		
2		
3		
4		

BOARDING PARTIES

1	4
---	---

TRANSPORTER BOMBS

1	1
---	---


DRONE RACK

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1

SHIP ALWAYS HAD TYPE-A RACKS WITH ONE RELOAD.

TYPE II PHASER TABLE

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1



FA = LF + RF
RX = L + LR + RR + R

TURN MODE	SPEED
A	1 2-6
HET	2 7-12
BD	3 13-19
	4 20-26
	5 27+

TYPE III DEFENSE PHASER

DIE	RANGE	4-9	16-31
1	0	1	1
2	0	1	1
3	0	1	1
4	0	1	1
5	0	1	1
6	0	1	1

DISRUPTOR TABLE

RANGE	0	1	2	3-4	5-8	9-15
HIT (STD)	NR	1-5	1-5	1-4	1-4	1-4
HIT (OVERLOAD)	1-6	1-5	1-5	1-4	1-4	NR
DAMAGE, STD	0	5	4	4	3	3
DAMAGE, OULD	10	10	8	8	6	0

TYPE I OFFENSIVE PHASER TABLE

DIE	RANGE	6-9	16-26	51-75
1	0	1	1	1
2	0	1	1	1
3	0	1	1	1
4	0	1	1	1
5	0	1	1	1
6	0	1	1	1

POSSIBLE LATER KE4s (R12.15A)

DRONE RACKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
1																														
2																														

WARP ENERGY MOVEMENT COST = 1/3 ENERGY POINT PER HEX [5] = HET COST

SPEED	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Standard	1	1	1	2	2	2	3	3	3	4	4	4	4	5	5	5	6	6	6	7	7	7	8	8	8	9	9	9	10	10
Fract.	1/3	2/3	1	1 1/3	1 2/3	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4	4 1/3	4 2/3	5	5 1/3	5 2/3	6	6 1/3	6 2/3	7	7 1/3	7 2/3	8	8 1/3	8 2/3	9	9 1/3	9 2/3	10

[6] = ERRATIC MANEUVER WARP COST

CREW UNITS

IDENT	HIT POINTS	NOTES
1	10	
2		
3		
4		

ADMINISTRATIVE SHUTTLE	HIT POINTS	NOTES
1		
2		
3		
4		

BOARDING PARTIES

1	4
---	---

TRANSPORTER BOMBS

C 6 9 A	C 7 8 S	D 2 X	F 8 X	D 7 7 D	M 21 S S	S 6 S	S 7 S
D 7 6 J	D 20 5 J	F 9 5 J	E 10 4 J	D 11 7 V	M 22 S S	S 8 S	S 9 S
D 8 7 E	D 9 7 N	D 10 7 M	T 3 G B	D 8 6 E	D 9 6 S	A 10 D 5	M 11 D 5
D 12 5 D	D 1 5 L	D 13 5 H	D 14 5 N	D 15 5 S	D 3 5 E	D 4 5 F	D 16 5 I
C 1 7	C 2 7 A	D 18 5 M	D 19 5 V	R 7 K L	F 8 6	F 11 5 E	F 12 5 E
E 1 4 D	E 2 4 V	E 4 3 D	G 9 2 C	B 4 M J	H 1 H	M 4 M	M 5 M
Z 7 2	Z 8 2	Z 9 2	Z 1 Y	Z 2 Y	Z 3 Y	Z 4 Y	Z 5 Y
Z 10 2	Z 11 2	Z 12 2	Z 7 Y	Z 8 Y	Z 9 Y	Z 10 Y	Z 11 Y
Z 12 2	Z 13 2	Z 14 2	Z 15 2	Z 16 2	Z 17 2	Z 18 2	Z 19 2

WYN STAR CLUSTER DEFENSE FORCES


Z 1 F F	Z 4 F F	Z 5 F F	Ax 9 C V	Ax 7 B C	M 21 S S	S 6 S	S 7 S
K 2 G 2	K 3 G 2	Ax 6 C	Ax 5 C	K 1 E 4	M 22 S S	S 8 S	S 9 S
O 4 C R	O 5 L R	O 6 D R	F 1 T R	F 2 T R	F 3 T R	F 4 T R	F 5 T R
O 7 B R	O 8 M 51	M 52 *	F 7 T R	F 8 T R	F 9 T R	F 10 T R	F 11 T R
O 12 B R	O 13 M 51	M 52 *	F 12 T R	F 13 T R	F 14 T R	F 15 T R	F 16 T R

C 6 A	C 7 A	D 6 D	D 7 D	M 21 S S	S 6 S	S 7 S
C 3 L	C 4 L	C 5 L	C 6 L	M 22 S S	S 8 S	S 9 S
F 5 F	F 6 F	F 7 F	T 2 G P	C 6 W E	C 8 W M	P 1 O L
C 3 W	C 4 W	D 3 W	D 4 W	C 7 W E	C 11 W S	S 9 S
M 31 *	M 32 *	P 3 O D	S 12 T J	D 6 W E	P 5 O D	L 13 T T
M 33 *	M 34 *	P 4 O D	L 14 T V	D 8 W S	P 2 O L	B 3 T

HYDRAN SHIPS


B 1 A R	N 2 V L	N 3 M S	L 5 T T	G 1 E N	M 21 S S	S 6 S	S 7 S
N 6 E C	N 7 E C	N 8 S C	L 2 C M	C 9 R U	M 22 S S	S 8 S	S 9 S
I 2 D	O 4 V M	S 10 A R	C 11 V E	C 7 O S	M 1 N G	M 2 N G	M 3 N G
G 2 E N	L 3 B M	S 11 S R	L 3 P	A 8 P A	C 9 O M	T 4 A R	T 5 A R
P 1 L T	M 41 *	M 42 *	F 19 T R	F 20 T R	F 21 T R	F 22 T R	F 23 T R
P 2 L T	M 43 *	M 44 *	F 25 T R	F 26 T R	F 27 T R	F 28 T R	F 29 T R
P 30 L T	M 30 *	M 31 *	F 32 T R	F 33 T R	F 34 T R	F 35 T R	F 36 T R

Shipyards throughout known space are preparing new ships for service in the Star Fleet Battles Universe — Module R3 covers new ships and scenarios for the following races.




KLINGON SHIPS

NEW: E4V Escort Carrier ★ E3D Drone Escort ★ Also includes ★ C8S Space Control Ship ★ C7 Heavy Battlecruiser ★ MD5 War Mauler ★ RKL SparrowHawk ★ F6 Battle Frigate ★ D7D Drone Cruiser ★ 4 new pods ★ plus 27 other ships.




HYDRAN SHIPS

NEW: Comanche & Apache Medium Command Cruisers ♦ Also includes Lord Bishop Command Cruiser ♦ Iron Duke Heavy Carrier ♦ Warrior Destroyer Leader ♦ Lord Paladin Space Control Ship ♦ plus 16 other ships.



LYRAN SHIPS

NEW: Single-Tooth Jaguar Mauler ▲ Military Police Frigate ▲ Also includes Yaguarundi Light Carrier ▲ Siberian Lion Space Control Ship ▲ Hellcat Heavy Battlecruiser ▲ Bengal Tiger Command Cruiser ▲ plus 20 other units.



WYN SHIPS

NEW: Orion-built WYN Double Raider ● Also includes the captured Klingon KE4 Frigate ●

SCENARIOS

NEW: Quarantine ■ Justice Denied ■ Sacred ■ Moment of Glory ■
Also includes the classic scenarios ■ Radey to the Rescue ■ Dictator's Diplomat ■



This product provides additional ships for use in Star Fleet Battles. You must have SFB Basic Set in order to utilize this material. You will need New Worlds I and Advanced Missions to use some of the ships.



ISBN# 1-58564-004-2 ADB 17.95

STOCK #5608